



Locate Delivery Performance

Start Date
 End Date

| Compliant | Non-Compliant |
|---|---------------|
| 280,849 | 151,437 |
| 64.97% | 35.03% |
| Actionable Notifications <input type="text" value="432,286"/> | |

Member

| Member | Completed within | Compliant | Non-Compliant |
|---|-------------------------------------|--------------------------------|---------------|
| 156 Columbia St Inc | <input type="text" value="15+"/> | 0 | 5 |
| | | | 100.00% |
| | Actionable Notifications | <input type="text" value="5"/> | |
| | | | |
| 1682468 Corp | <input type="text" value="6 - 10"/> | | 1 |
| | <input type="text" value="15+"/> | | 2 |
| | | 0 | 3 |
| | | | 100.00% |
| | Actionable Notifications | <input type="text" value="3"/> | |
| 170 Columbia Waterloo Incorporated | <input type="text" value="15+"/> | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | <input type="text" value="1"/> | |
| 2390541 Ontario Inc. | <input type="text" value="6 - 10"/> | | 5 |
| | <input type="text" value="15+"/> | | 1 |
| | | | |

Member

| | | | |
|---|--------------------------|-----------|---------------|
| | | 0 | 6 |
| | | | 100.00% |
| | Actionable Notifications | 6 | |
| 407 ETR Concession Company Limited | Completed within | Compliant | Non-Compliant |
| | 0-5 | 87 | |
| | 6 - 10 | | 28 |
| | 11 - 15 | | 10 |
| | 15+ | | 5 |
| | | 87 | 43 |
| | | 66.92% | 33.08% |
| | Actionable Notifications | 130 | |
| ACME Logistics Services Inc | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |
| Acronym Solutions Formerly Hydro One Telecom | Completed within | Compliant | Non-Compliant |
| | 0-5 | 225 | |
| | 6 - 10 | | 27 |
| | 11 - 15 | | 33 |
| | 15+ | | 97 |
| | | 225 | 157 |
| | | 58.90% | 41.10% |
| | Actionable Notifications | 382 | |
| Adelaide-Metcalf, Township of | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 8 |
| | 11 - 15 | | 7 |
| | 15+ | | 23 |

Member

| | | | |
|---|--------------------------|-----------|---------------|
| | | 0 | 38 |
| | | | 100.00% |
| | Actionable Notifications | 38 | |
| Adjala-Tosorontio, Municipality of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 11 | |
| | 6 - 10 | | 6 |
| | | 11 | 6 |
| | | 64.71% | 35.29% |
| | Actionable Notifications | 17 | |
| Agilis | Completed within | Compliant | Non-Compliant |
| | 0-5 | 65 | |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 5 |
| | 15+ | | 27 |
| | | 65 | 33 |
| | | 66.33% | 33.67% |
| | Actionable Notifications | 98 | |
| AIM SOP Phase I LP | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 1 |
| | | 0 | 2 |
| | | | 100.00% |
| | Actionable Notifications | 2 | |
| Air Liquide Canada | Completed within | Compliant | Non-Compliant |
| | 0-5 | 10 | |
| | 6 - 10 | | 3 |
| | 11 - 15 | | 1 |
| | 15+ | | 10 |

Member

| | | | |
|--|--------------------------|-----------|---------------|
| | | 10 | 14 |
| | | 41.67% | 58.33% |
| | Actionable Notifications | 24 | |
| Air Products Canada | Completed within | Compliant | Non-Compliant |
| | 0-5 | 16 | |
| | 15+ | | 4 |
| | | 16 | 4 |
| | | 80.00% | 20.00% |
| | Actionable Notifications | 20 | |
| Ajax, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 128 | |
| | 6 - 10 | | 129 |
| | 11 - 15 | | 100 |
| | 15+ | | 120 |
| | | 128 | 349 |
| | | 26.83% | 73.17% |
| | Actionable Notifications | 477 | |
| Alectra Brampton | Completed within | Compliant | Non-Compliant |
| | 0-5 | 678 | |
| | 6 - 10 | | 49 |
| | 11 - 15 | | 155 |
| | 15+ | | 765 |
| | | 678 | 969 |
| | | 41.17% | 58.83% |
| | Actionable Notifications | 1,647 | |
| Alectra Mississauga (Formerly Enersource) | Completed within | Compliant | Non-Compliant |
| | 0-5 | 1,665 | |
| | 6 - 10 | | 194 |

Member

| | | |
|--------------------------|--------|--------|
| 11 - 15 | | 169 |
| 15+ | | 848 |
| | 1,665 | 1,211 |
| | 57.89% | 42.11% |
| Actionable Notifications | 2,876 | |

| Alectra Utilities | Completed within | Compliant | Non-Compliant |
|-------------------|--------------------------|-----------|---------------|
| | 0-5 | 692 | |
| | 6 - 10 | | 300 |
| | 11 - 15 | | 87 |
| | 15+ | | 123 |
| | | 692 | 510 |
| | | 57.57% | 42.43% |
| | Actionable Notifications | 1,202 | |

| Alectra Utilities - Hamilton Hydro | Completed within | Compliant | Non-Compliant |
|------------------------------------|--------------------------|-----------|---------------|
| | 0-5 | 1,588 | |
| | 6 - 10 | | 346 |
| | 11 - 15 | | 669 |
| | 15+ | | 565 |
| | | 1,588 | 1,580 |
| | | 50.13% | 49.87% |
| | Actionable Notifications | 3,168 | |

| Alectra Utilities - St Catharines Hydro | Completed within | Compliant | Non-Compliant |
|---|------------------|-----------|---------------|
| | 0-5 | 629 | |
| | 6 - 10 | | 170 |
| | 11 - 15 | | 33 |
| | 15+ | | 30 |

Member

| | | | |
|---|--------------------------|-----------|---------------|
| | | 629 | 233 |
| | | 72.97% | 27.03% |
| | Actionable Notifications | 862 | |
| Alectra Utilities (Formerly Powerstream) | Completed within | Compliant | Non-Compliant |
| | 0-5 | 3,493 | |
| | 6 - 10 | | 675 |
| | 11 - 15 | | 275 |
| | 15+ | | 147 |
| | | 3,493 | 1,097 |
| | | 76.10% | 23.90% |
| | Actionable Notifications | 4,590 | |
| Alfred and Plantagenet, Township of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 23 | |
| | 6 - 10 | | 10 |
| | 11 - 15 | | 7 |
| | 15+ | | 19 |
| | | 23 | 36 |
| | | 38.98% | 61.02% |
| | Actionable Notifications | 59 | |
| Algoma Power | Completed within | Compliant | Non-Compliant |
| | 0-5 | 89 | |
| | 6 - 10 | | 3 |
| | | 89 | 3 |
| | | 96.74% | 3.26% |
| | Actionable Notifications | 92 | |
| Algonquin College | Completed within | Compliant | Non-Compliant |
| | 0-5 | 6 | |
| | 6 - 10 | | 2 |

Member

| | | |
|--------------------------|--------|--------|
| 11 - 15 | | 1 |
| | 6 | 3 |
| | 66.67% | 33.33% |
| Actionable Notifications | 9 | |

| Algonquin Fiber | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 6 - 10 | | 2 |
| | 11 - 15 | | 4 |
| | 15+ | | 18 |
| | | 0 | 24 |
| | | | 100.00% |
| Actionable Notifications | 24 | | |

| Amaranth, Township of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 46 | |
| | 11 - 15 | | 1 |
| | 15+ | | 1 |
| | | 46 | 2 |
| | | 95.83% | 4.17% |
| Actionable Notifications | 48 | | |

| Amherstburg Solar | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 1 | |
| | | 1 | 0 |
| | | 100.00% | |
| Actionable Notifications | 1 | | |

| Amherstburg, Town of | Completed within | Compliant | Non-Compliant |
|----------------------|------------------|-----------|---------------|
| | 0-5 | 226 | |
| | 6 - 10 | | 2 |

Member

| | | | |
|---|--------------------------|-----------|---------------|
| | | 226 | 2 |
| | | 99.12% | 0.88% |
| | Actionable Notifications | 228 | |
| Amherstburg, Town of (Traffic Signals) | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 1 |
| | 15+ | | 1 |
| | | 0 | 2 |
| | | | 100.00% |
| | Actionable Notifications | 2 | |
| Apotex | Completed within | Compliant | Non-Compliant |
| | 0-5 | 4 | |
| | | 4 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 4 | |
| Arlanxeo Canada Inc | Completed within | Compliant | Non-Compliant |
| | 0-5 | 10 | |
| | 11 - 15 | | 3 |
| | 15+ | | 5 |
| | | 10 | 8 |
| | | 55.56% | 44.44% |
| | Actionable Notifications | 18 | |
| Armow Wind Ontario LP | Completed within | Compliant | Non-Compliant |
| | 0-5 | 2 | |
| | 6 - 10 | | 2 |
| | | 2 | 2 |
| | | 50.00% | 50.00% |
| | Actionable Notifications | 4 | |

Member

| Armstrong, Township of | | | |
|---|-----------|---------------|--|
| Completed within | Compliant | Non-Compliant | |
| 15+ | 0 | 3 | |
| | | 100.00% | |
| Actionable Notifications | | 3 | |
| Arnprior, Town of | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 73 | 43 | |
| 6 - 10 | | 1 | |
| 11 - 15 | | 6 | |
| 15+ | 73 | 50 | |
| | 59.35% | 40.65% | |
| Actionable Notifications | | 123 | |
| Arran-Elderslie, Municipality of | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 27 | 54 | |
| 6 - 10 | | 7 | |
| 11 - 15 | | 8 | |
| 15+ | 27 | 69 | |
| | 28.13% | 71.88% | |
| Actionable Notifications | | 96 | |
| Ashfield-Colborne-Wawanosh, Township of | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 1 | 7 | |
| 6 - 10 | | 1 | |
| 11 - 15 | | 5 | |
| 15+ | | | |

Member

| | |
|-----------------------------|--------|
| 1 | 13 |
| 7.14% | 92.86% |
| Actionable Notifications 14 | |

| Asphodel-Norwood, Township of | | Compliant | Non-Compliant |
|-------------------------------|--|-----------|---------------|
| Completed within | | | |
| 6 - 10 | | | 2 |
| 11 - 15 | | | 2 |
| 15+ | | | 15 |
| | | 0 | 19 |
| | | | 100.00% |
| Actionable Notifications | | 19 | |

| Assignack, Township of | | Compliant | Non-Compliant |
|--------------------------|--|-----------|---------------|
| Completed within | | | |
| 15+ | | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| Actionable Notifications | | 1 | |

| Astrocom Cable | | Compliant | Non-Compliant |
|--------------------------|--|-----------|---------------|
| Completed within | | | |
| 6 - 10 | | | 3 |
| 11 - 15 | | | 13 |
| 15+ | | | 21 |
| | | 0 | 37 |
| | | | 100.00% |
| Actionable Notifications | | 37 | |

| Athens, Township of | | Compliant | Non-Compliant |
|--------------------------|--|-----------|---------------|
| Completed within | | | |
| 15+ | | | 7 |
| | | 0 | 7 |
| | | | 100.00% |
| Actionable Notifications | | 7 | |

Member

| Atikokan Hydro | | | Completed within | Compliant | Non-Compliant |
|----------------|--|--------------------------|------------------|-----------|---------------|
| | | 0-5 | | 21 | |
| | | 11 - 15 | | | 1 |
| | | 15+ | | | 5 |
| | | | | 21 | 6 |
| | | | | 77.78% | 22.22% |
| | | Actionable Notifications | | 27 | |

| Atikokan, Town of | | | Completed within | Compliant | Non-Compliant |
|-------------------|--|--------------------------|------------------|-----------|---------------|
| | | 0-5 | | 25 | |
| | | 6 - 10 | | | 1 |
| | | 11 - 15 | | | 2 |
| | | | | 25 | 3 |
| | | | | 89.29% | 10.71% |
| | | Actionable Notifications | | 28 | |

| Atura Power formerly TC Energy | | | Completed within | Compliant | Non-Compliant |
|--------------------------------|--|--------------------------|------------------|-----------|---------------|
| | | 0-5 | | 5 | |
| | | 6 - 10 | | | 2 |
| | | | | 5 | 2 |
| | | | | 71.43% | 28.57% |
| | | Actionable Notifications | | 7 | |

| Aurora, Town of | | | Completed within | Compliant | Non-Compliant |
|-----------------|--|--------------------------|------------------|-----------|---------------|
| | | 0-5 | | 213 | |
| | | 6 - 10 | | | 9 |
| | | 11 - 15 | | | 133 |
| | | 15+ | | | 79 |
| | | | | 213 | 221 |
| | | | | 49.08% | 50.92% |
| | | Actionable Notifications | | 434 | |

Member

| Avetria Networks Inc | | Completed within | Compliant | Non-Compliant |
|----------------------|--------------------------|------------------|-----------|---------------|
| | 6 - 10 | | | 3 |
| | 11 - 15 | | | 17 |
| | 15+ | | | 15 |
| | | | 0 | 35 |
| | | | | 100.00% |
| | Actionable Notifications | 35 | | |

| Aylmer Area Secondary Water Supply | | Completed within | Compliant | Non-Compliant |
|------------------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | | 9 | |
| | 6 - 10 | | | 1 |
| | | | 9 | 1 |
| | | | 90.00% | 10.00% |
| | Actionable Notifications | 10 | | |

| Aylmer, Town of | | Completed within | Compliant | Non-Compliant |
|-----------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | | 14 | |
| | 6 - 10 | | | 5 |
| | 11 - 15 | | | 9 |
| | 15+ | | | 2 |
| | | | 14 | 16 |
| | | | 46.67% | 53.33% |
| | Actionable Notifications | 30 | | |

| Bancroft, Town of | | Completed within | Compliant | Non-Compliant |
|-------------------|--------------------------|------------------|-----------|---------------|
| | 6 - 10 | | | 8 |
| | 11 - 15 | | | 9 |
| | 15+ | | | 23 |
| | | | 0 | 40 |
| | | | | 100.00% |
| | Actionable Notifications | 40 | | |

Member

| Member | Completed within | Compliant | Non-Compliant |
|--------------------------------|--|-----------|---------------|
| Barrie, City of | 0-5 | 818 | |
| | 6 - 10 | | 105 |
| | 11 - 15 | | 4 |
| | 15+ | | 74 |
| | | 818 | 183 |
| | | 81.72% | 18.28% |
| | Actionable Notifications | 1,001 | |
| Bay Power Corp | 15+ | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |
| Bayham, Municipality of | 0-5 | 23 | |
| | 6 - 10 | | 16 |
| | 15+ | | 5 |
| | | 23 | 21 |
| | | 52.27% | 47.73% |
| | Actionable Notifications | 44 | |
| | Beanfield Technologies (Formerly Aptum) | 0-5 | 459 |
| 6 - 10 | | | 183 |
| 11 - 15 | | | 277 |
| 15+ | | | 524 |
| | | 459 | 984 |
| | | 31.81% | 68.19% |
| Actionable Notifications | | 1,443 | |

Member

| Member | Completed within | Compliant | Non-Compliant |
|---|--------------------------|-----------|---------------|
| Beanfield Technologies Inc | 0-5 | 301 | |
| | 6 - 10 | | 200 |
| | 11 - 15 | | 138 |
| | 15+ | | 81 |
| | | 301 | 419 |
| | | 41.81% | 58.19% |
| | Actionable Notifications | 720 | |
| Bell Aliant | 0-5 | 10,587 | |
| | 6 - 10 | | 1,599 |
| | 11 - 15 | | 962 |
| | 15+ | | 1,609 |
| | | 10,587 | 4,170 |
| | | 71.74% | 28.26% |
| | Actionable Notifications | 14,757 | |
| Bell Canada (Southern & Central Ontario) | 0-5 | 50,693 | |
| | 6 - 10 | | 6,555 |
| | 11 - 15 | | 4,686 |
| | 15+ | | 6,368 |
| | | 50,693 | 17,609 |
| | | 74.22% | 25.78% |
| | Actionable Notifications | 68,302 | |
| Belleville, City of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 370 | |

Member

| | |
|--------------------------|---|
| 370 | 0 |
| 100.00% | |
| Actionable Notifications | |
| 370 | |

| BIA Billing Code | Completed within | Compliant | Non-Compliant |
|------------------|--------------------------|-----------|---------------|
| | 0-5 | 124 | |
| | 6 - 10 | | 29 |
| | 11 - 15 | | 31 |
| | 15+ | | 43 |
| | | 124 | 103 |
| | | 54.63% | 45.37% |
| | Actionable Notifications | | 227 |

| Birch Hill Telecom | Completed within | Compliant | Non-Compliant |
|--------------------|--------------------------|-----------|---------------|
| | 0-5 | 67 | |
| | 6 - 10 | | 43 |
| | 11 - 15 | | 18 |
| | 15+ | | 12 |
| | | 67 | 73 |
| | | 47.86% | 52.14% |
| | Actionable Notifications | | 140 |

| Blackriver-Matheson, Township of | Completed within | Compliant | Non-Compliant |
|----------------------------------|--------------------------|-----------|---------------|
| | 0-5 | 8 | |
| | 11 - 15 | | 1 |
| | 15+ | | 2 |
| | | 8 | 3 |
| | | 72.73% | 27.27% |
| | Actionable Notifications | | 11 |

| Blandford-Blenheim, Township of | Completed within | Compliant | Non-Compliant |
|---------------------------------|------------------|-----------|---------------|
| | 0-5 | 30 | |

Member

| | | | |
|--|--------------------------|-----------|---------------|
| | | 30 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 30 | |
| Blind River, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 20 | |
| | 6 - 10 | | 2 |
| | 11 - 15 | | 3 |
| | 15+ | | 1 |
| | | 20 | 6 |
| | | 76.92% | 23.08% |
| | Actionable Notifications | 26 | |
| BLM Group Inc | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 1 |
| | | 0 | 2 |
| | | | 100.00% |
| | Actionable Notifications | 2 | |
| Blue Mountain Resorts LP | Completed within | Compliant | Non-Compliant |
| | 0-5 | 13 | |
| | 6 - 10 | | 3 |
| | | 13 | 3 |
| | | 81.25% | 18.75% |
| | Actionable Notifications | 16 | |
| Blue Mountain Village Association | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 2 |
| | 15+ | | 3 |

Member

| | | | |
|--|--------------------------|-----------|---------------|
| | | 0 | 5 |
| | | | 100.00% |
| | Actionable Notifications | 5 | |
| Blue Mountains, The Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 199 | |
| | | 199 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 199 | |
| BluEarth Asset Management Inc - Lunar Light Solar | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 2 |
| | | 0 | 2 |
| | | | 100.00% |
| | Actionable Notifications | 2 | |
| Bluewater Power | Completed within | Compliant | Non-Compliant |
| | 0-5 | 701 | |
| | 6 - 10 | | 38 |
| | 11 - 15 | | 8 |
| | 15+ | | 20 |
| | | 701 | 66 |
| | | 91.40% | 8.60% |
| | Actionable Notifications | 767 | |
| Bluewater Regional Networks Fibre | Completed within | Compliant | Non-Compliant |
| | 0-5 | 3 | |
| | 6 - 10 | | 7 |
| | 11 - 15 | | 7 |
| | 15+ | | 18 |

Member

| | | |
|--------------------------|-------|--------|
| | 3 | 32 |
| | 8.57% | 91.43% |
| Actionable Notifications | 35 | |

| BlueWater Wind Farm - Varna (NEE) | | | Completed within | Compliant | Non-Compliant |
|-----------------------------------|--------------------------|----|------------------|-----------|---------------|
| | 0-5 | | 11 | | |
| | 11 - 15 | | | | 1 |
| | | | 11 | | 1 |
| | | | 91.67% | | 8.33% |
| | Actionable Notifications | 12 | | | |

| Bluewater, Municipality of | | | Completed within | Compliant | Non-Compliant |
|----------------------------|--------------------------|----|------------------|-----------|---------------|
| | 0-5 | | 70 | | |
| | 6 - 10 | | | | 1 |
| | 11 - 15 | | | | 2 |
| | 15+ | | | | 1 |
| | | | 70 | | 4 |
| | | | 94.59% | | 5.41% |
| | Actionable Notifications | 74 | | | |

| Boem Berry Farms Inc | | | Completed within | Compliant | Non-Compliant |
|----------------------|--------------------------|---|------------------|-----------|---------------|
| | 0-5 | | 1 | | |
| | 6 - 10 | | | | 1 |
| | | | 1 | | 1 |
| | | | 50.00% | | 50.00% |
| | Actionable Notifications | 2 | | | |

| Bonnechere Valley, Township of | | | Completed within | Compliant | Non-Compliant |
|--------------------------------|--------|--|------------------|-----------|---------------|
| | 0-5 | | 1 | | |
| | 6 - 10 | | | | 3 |
| | 15+ | | | | 2 |

Member

| | | | |
|----------------------------------|--------------------------|-----------|---------------|
| | | 1 | 5 |
| | | 16.67% | 83.33% |
| | Actionable Notifications | 6 | |
| Borex Wind Farm | Completed within | Compliant | Non-Compliant |
| | 0-5 | 6 | |
| | 11 - 15 | | 3 |
| | 15+ | | 4 |
| | | 6 | 7 |
| | | 46.15% | 53.85% |
| | Actionable Notifications | 13 | |
| Bracebridge, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 49 | |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 14 |
| | 15+ | | 1 |
| | | 49 | 16 |
| | | 75.38% | 24.62% |
| | Actionable Notifications | 65 | |
| Bradford West Gwillimbury | Completed within | Compliant | Non-Compliant |
| | 0-5 | 452 | |
| | 6 - 10 | | 143 |
| | 11 - 15 | | 22 |
| | 15+ | | 144 |
| | | 452 | 309 |
| | | 59.40% | 40.60% |
| | Actionable Notifications | 761 | |
| Brampton, City of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 1,521 | |

Member

| | | |
|--------------------------|--------|--------|
| 6 - 10 | | 133 |
| 11 - 15 | | 39 |
| 15+ | | 50 |
| | 1,521 | 222 |
| | 87.26% | 12.74% |
| Actionable Notifications | 1,743 | |

| Brampton, City of (Storm Sewer) | Completed within | Compliant | Non-Compliant |
|--|------------------|-----------|---------------|
| | 0-5 | 335 | |
| | 6 - 10 | | 35 |
| | 11 - 15 | | 12 |
| | 15+ | | 5 |
| | | 335 | 52 |
| | | 86.56% | 13.44% |
| Actionable Notifications | 387 | | |

| Brant Community Healthcare System | Completed within | Compliant | Non-Compliant |
|--|------------------|-----------|---------------|
| | 15+ | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| Actionable Notifications | 1 | | |

| Brant County | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 412 | |
| | 6 - 10 | | 33 |
| | 11 - 15 | | 9 |
| | 15+ | | 13 |
| | | 412 | 55 |
| | | 88.22% | 11.78% |
| Actionable Notifications | 467 | | |

| Brant Municipal Enterprises | Completed within | Compliant | Non-Compliant |
|------------------------------------|------------------|-----------|---------------|
|------------------------------------|------------------|-----------|---------------|

Member

| | | |
|--------------------------|----|---------|
| 6 - 10 | | 7 |
| 11 - 15 | | 16 |
| 15+ | | 19 |
| | 0 | 42 |
| | | 100.00% |
| Actionable Notifications | 42 | |

Brantford, City of - Sewer Water Storm

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 21 | |
| 6 - 10 | | 71 |
| 11 - 15 | | 69 |
| 15+ | | 76 |
| | 21 | 216 |
| | 8.86% | 91.14% |
| Actionable Notifications | 237 | |

Brantford, City of - Streetlights

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 56 | |
| 6 - 10 | | 93 |
| 11 - 15 | | 60 |
| 15+ | | 66 |
| | 56 | 219 |
| | 20.36% | 79.64% |
| Actionable Notifications | 275 | |

Brantford, City of - Traffic Lights

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
| 0-5 | 9 | |
| 6 - 10 | | 8 |
| 11 - 15 | | 5 |
| 15+ | | 12 |

Member

| | |
|-----------------------------|--------|
| 9 | 25 |
| 26.47% | 73.53% |
| Actionable Notifications 34 | |

| Brighton, Municipality of (Public Works) | | Compliant | Non-Compliant |
|--|--|-----------|---------------|
| Completed within | | | |
| 0-5 | | 1 | |
| 6 - 10 | | | 20 |
| 11 - 15 | | | 22 |
| 15+ | | | 102 |
| | | 1 | 144 |
| | | 0.69% | 99.31% |
| Actionable Notifications | | 145 | |

| Brighton, Municipality of (Water & Sewer) | | Compliant | Non-Compliant |
|---|--|-----------|---------------|
| Completed within | | | |
| 6 - 10 | | | 12 |
| 11 - 15 | | | 12 |
| 15+ | | | 81 |
| | | 0 | 105 |
| | | | 100.00% |
| Actionable Notifications | | 105 | |

| Brock University | | Compliant | Non-Compliant |
|--------------------------|--|-----------|---------------|
| Completed within | | | |
| 0-5 | | 1 | |
| 6 - 10 | | | 3 |
| 11 - 15 | | | 2 |
| | | 1 | 5 |
| | | 16.67% | 83.33% |
| Actionable Notifications | | 6 | |

| Brock, Township of | | Compliant | Non-Compliant |
|--------------------|--|-----------|---------------|
| Completed within | | | |
| 0-5 | | 10 | |
| 6 - 10 | | | 6 |

Member

| | | |
|--------------------------|--------|--------|
| 11 - 15 | | 8 |
| 15+ | | 14 |
| | 10 | 28 |
| | 26.32% | 73.68% |
| Actionable Notifications | 38 | |

| Brockton, Municipality of | | |
|---------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 48 | |
| 6 - 10 | | 1 |
| 15+ | | 1 |
| | 48 | 2 |
| | 96.00% | 4.00% |
| Actionable Notifications | 50 | |

| Brockville, City of | | |
|--------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 82 | |
| 6 - 10 | | 36 |
| 11 - 15 | | 14 |
| 15+ | | 30 |
| | 82 | 80 |
| | 50.62% | 49.38% |
| Actionable Notifications | 162 | |

| Brooke Alvinston | | |
|--------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 4 | |
| 6 - 10 | | 4 |
| 11 - 15 | | 4 |
| 15+ | | 5 |
| | 4 | 13 |
| | 23.53% | 76.47% |
| Actionable Notifications | 17 | |

Member

| Member | Completed within | Compliant | Non-Compliant |
|-----------------------------------|--------------------------|-----------|---------------|
| Brooke Telecom | 0-5 | 152 | |
| | 6 - 10 | | 7 |
| | 11 - 15 | | 22 |
| | 15+ | | 108 |
| | | 152 | 137 |
| | | 52.60% | 47.40% |
| | Actionable Notifications | 289 | |
| Bruce County Transportation | 0-5 | 150 | |
| | 6 - 10 | | 20 |
| | 15+ | | 1 |
| | | 150 | 21 |
| | | 87.72% | 12.28% |
| | Actionable Notifications | 171 | |
| | Bruce Mines, Town of | 15+ | |
| | | 0 | 1 |
| | | | 100.00% |
| Actionable Notifications | | 1 | |
| Bruce Street Technologies Limited | 0-5 | 4 | |
| | | 4 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 4 | |
| Bruce Telecom | 0-5 | 189 | |
| | 6 - 10 | | 49 |

Member

| | | |
|--------------------------|--------|--------|
| 11 - 15 | | 48 |
| 15+ | | 69 |
| | 189 | 166 |
| | 53.24% | 46.76% |
| Actionable Notifications | 355 | |

| Burk's Falls, Village of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 6 - 10 | | 3 |
| | 15+ | | 7 |
| | | 0 | 10 |
| | | | 100.00% |
| Actionable Notifications | 10 | | |

| Burlington Hydro | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 1,355 | |
| | 6 - 10 | | 78 |
| | 11 - 15 | | 313 |
| | 15+ | | 126 |
| | | 1,355 | 517 |
| | | 72.38% | 27.62% |
| Actionable Notifications | 1,872 | | |

| Burlington, City of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 1,215 | |
| | 6 - 10 | | 455 |
| | 11 - 15 | | 124 |
| | 15+ | | 28 |
| | | 1,215 | 607 |
| | | 66.68% | 33.32% |
| Actionable Notifications | 1,822 | | |

| Cable Cable | Completed within | Compliant | Non-Compliant |
|-------------|------------------|-----------|---------------|
|-------------|------------------|-----------|---------------|

Member

| | | |
|--------------------------|-----|---------|
| 6 - 10 | | 21 |
| 11 - 15 | | 49 |
| 15+ | | 163 |
| | 0 | 233 |
| | | 100.00% |
| Actionable Notifications | 233 | |

| Cabot Canada | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 1 | 0 |
| | 1 | | |
| | 100.00% | | |
| Actionable Notifications | 1 | | |

| Caledon, Town of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 34 | |
| 6 - 10 | | 97 | |
| 11 - 15 | | 122 | |
| 15+ | | 92 | |
| | 34 | 311 | |
| | 9.86% | 90.14% | |
| Actionable Notifications | 345 | | |

| Callander, Municipality of | Completed within | Compliant | Non-Compliant |
|----------------------------|------------------|-----------|---------------|
| | 0-5 | 1 | |
| 6 - 10 | | 3 | |
| 11 - 15 | | 4 | |
| 15+ | | 8 | |
| | 1 | 15 | |
| | 6.25% | 93.75% | |
| Actionable Notifications | 16 | | |

| Cambridge, City of | Completed within | Compliant | Non-Compliant |
|--------------------|------------------|-----------|---------------|
|--------------------|------------------|-----------|---------------|

Member

| | | |
|--------------------------|--------|--------|
| 0-5 | 767 | |
| 6 - 10 | | 90 |
| 11 - 15 | | 11 |
| 15+ | | 7 |
| | 767 | 108 |
| | 87.66% | 12.34% |
| Actionable Notifications | 875 | |

| Cameron Petroleum | | |
|--------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 6 - 10 | | 8 |
| 15+ | | 6 |
| | 0 | 14 |
| | | 100.00% |
| Actionable Notifications | 14 | |

| Canadian Niagara Power | | |
|--------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 325 | |
| 6 - 10 | | 288 |
| 11 - 15 | | 40 |
| 15+ | | 15 |
| | 325 | 343 |
| | 48.65% | 51.35% |
| Actionable Notifications | 668 | |

| Canadian Nuclear Laboratories | | |
|-------------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 6 - 10 | | 16 |
| 11 - 15 | | 20 |
| 15+ | | 71 |
| | 0 | 107 |
| | | 100.00% |
| Actionable Notifications | 107 | |

Member

| Member | Completed within | Compliant | Non-Compliant |
|--|--------------------------|-----------|---------------|
| Canderel Management Inc | 15+ | | 4 |
| | | 0 | 4 |
| | | | 100.00% |
| | Actionable Notifications | 4 | |
| | | | |
| Carleton Place, Town of | 0-5 | 165 | |
| | | 165 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 165 | |
| | | | |
| Cascara Energy - Formerly Guelph Municipal Holdings | 0-5 | 3 | |
| | | 3 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 3 | |
| | | | |
| Casselman, Village of | 0-5 | 75 | |
| | 6 - 10 | | 6 |
| | | 75 | 6 |
| | | 92.59% | 7.41% |
| | Actionable Notifications | 81 | |
| Cavan Monaghan, Township of | 0-5 | 3 | |
| | 6 - 10 | | 4 |
| | 15+ | | 2 |
| | | | |

Member

| | | | |
|---|--------------------------|-----------|---------------|
| | | 3 | 6 |
| | | 33.33% | 66.67% |
| | Actionable Notifications | 9 | |
| Cedar Point II Wind Farm | Completed within | Compliant | Non-Compliant |
| | 0-5 | 4 | |
| | | 4 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 4 | |
| Centra Transmission Holdings Inc | Completed within | Compliant | Non-Compliant |
| | 0-5 | 11 | |
| | 15+ | | 1 |
| | | 11 | 1 |
| | | 91.67% | 8.33% |
| | Actionable Notifications | 12 | |
| Central Elgin, Municipality of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 90 | |
| | | 90 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 90 | |
| Central Frontenac Township | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 1 |
| | 15+ | | 1 |
| | | 0 | 3 |
| | | | 100.00% |
| | Actionable Notifications | 3 | |
| Central Huron, Municipality of | Completed within | Compliant | Non-Compliant |

Member

| | | |
|--------------------------|--------|--------|
| 0-5 | 26 | |
| 6 - 10 | | 28 |
| 15+ | | 3 |
| | 26 | 31 |
| | 45.61% | 54.39% |
| Actionable Notifications | 57 | |

| Central Manitoulin, Municipality of | Completed within | Compliant | Non-Compliant |
|-------------------------------------|------------------|-----------|---------------|
| | 6 - 10 | | 2 |
| | | 0 | 2 |
| | | | 100.00% |
| Actionable Notifications | 2 | | |

| Centre Hastings, Municipality of | Completed within | Compliant | Non-Compliant |
|----------------------------------|------------------|-----------|---------------|
| | 6 - 10 | | 1 |
| | 11 - 15 | | 2 |
| | 15+ | | 12 |
| | | 0 | 15 |
| | | | 100.00% |
| Actionable Notifications | 15 | | |

| Centre Wellington Communications | Completed within | Compliant | Non-Compliant |
|----------------------------------|------------------|-----------|---------------|
| | 0-5 | 10 | |
| | 6 - 10 | | 3 |
| | 11 - 15 | | 1 |
| | 15+ | | 4 |
| | | 10 | 8 |
| | | 55.56% | 44.44% |
| Actionable Notifications | 18 | | |

| Centre Wellington Hydro | Completed within | Compliant | Non-Compliant |
|-------------------------|------------------|-----------|---------------|
| | 0-5 | 150 | |

Member

| | |
|--------------------------|---|
| 150 | 0 |
| 100.00% | |
| Actionable Notifications | |
| 150 | |

| Centre Wellington Township | | Completed within | Compliant | Non-Compliant |
|----------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 118 | | |
| | 6 - 10 | | | 40 |
| | 11 - 15 | | | 7 |
| | 15+ | | | 68 |
| | | 118 | | 115 |
| | | 50.64% | | 49.36% |
| | Actionable Notifications | | 233 | |

| Century Link | | Completed within | Compliant | Non-Compliant |
|--------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 643 | | |
| | 6 - 10 | | | 12 |
| | 11 - 15 | | | 6 |
| | 15+ | | | 7 |
| | | 643 | | 25 |
| | | 96.26% | | 3.74% |
| | Actionable Notifications | | 668 | |

| Champion Pipeline Corp | | Completed within | Compliant | Non-Compliant |
|------------------------|--------------------------|------------------|-----------|---------------|
| | 11 - 15 | | | 1 |
| | 15+ | | | 2 |
| | | 0 | | 3 |
| | | | | 100.00% |
| | Actionable Notifications | | 3 | |

| Champlain, Township of | | Completed within | Compliant | Non-Compliant |
|------------------------|--------|------------------|-----------|---------------|
| | 0-5 | 24 | | |
| | 6 - 10 | | | 10 |

Member

| | | |
|--------------------------|--------|--------|
| 11 - 15 | | 1 |
| 15+ | | 10 |
| | 24 | 21 |
| | 53.33% | 46.67% |
| Actionable Notifications | 45 | |

| Chapleau Public Utilities | Completed within | Compliant | Non-Compliant |
|---------------------------|------------------|-----------|---------------|
| | 0-5 | 12 | |
| | 6 - 10 | | 2 |
| | 15+ | | 3 |
| | | 12 | 5 |
| | | 70.59% | 29.41% |
| Actionable Notifications | 17 | | |

| Chapleau, Township of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 4 | |
| | 6 - 10 | | 8 |
| | | 4 | 8 |
| | | 33.33% | 66.67% |
| Actionable Notifications | 12 | | |

| Chapple, Municipality of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 15+ | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| Actionable Notifications | 1 | | |

| Charlton and Dack | Completed within | Compliant | Non-Compliant |
|-------------------|------------------|-----------|---------------|
| | 15+ | | 3 |

Member

| | |
|----------------------------|---------|
| 0 | 3 |
| | 100.00% |
| Actionable Notifications 3 | |

| Chatham Kent PUC | | Completed within | Compliant | Non-Compliant |
|------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 856 | | |
| | 6 - 10 | | | 163 |
| | 11 - 15 | | | 3 |
| | 15+ | | | 28 |
| | | 856 | | 194 |
| | | 81.52% | | 18.48% |
| | Actionable Notifications | 1,050 | | |

| Chatham Kent Ridgetown Division | | Completed within | Compliant | Non-Compliant |
|---------------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 88 | | |
| | 15+ | | | 1 |
| | | 88 | | 1 |
| | | 98.88% | | 1.12% |
| | Actionable Notifications | 89 | | |

| Chatham Resources | | Completed within | Compliant | Non-Compliant |
|-------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 2 | | |
| | 6 - 10 | | | 4 |
| | 11 - 15 | | | 8 |
| | | 2 | | 12 |
| | | 14.29% | | 85.71% |
| | Actionable Notifications | 14 | | |

| Chatsworth, Township of | | Completed within | Compliant | Non-Compliant |
|-------------------------|--------|------------------|-----------|---------------|
| | 0-5 | 3 | | |
| | 6 - 10 | | | 5 |
| | 15+ | | | 12 |

Member

| | | |
|--------------------------|--------|--------|
| | 3 | 17 |
| | 15.00% | 85.00% |
| Actionable Notifications | 20 | |

| Chippewas of Kettle & Stony Point | Completed within | Compliant | Non-Compliant |
|-----------------------------------|--------------------------|-----------|---------------|
| | 6 - 10 | | 3 |
| | 11 - 15 | | 1 |
| | 15+ | | 7 |
| | | 0 | 11 |
| | | | 100.00% |
| | Actionable Notifications | 11 | |

| Chippewas of Rama | Completed within | Compliant | Non-Compliant |
|-------------------|--------------------------|-----------|---------------|
| | 0-5 | 10 | |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 7 |
| | 15+ | | 6 |
| | | 10 | 14 |
| | | 41.67% | 58.33% |
| | Actionable Notifications | 24 | |

| Chrysler Canada | Completed within | Compliant | Non-Compliant |
|-----------------|--------------------------|-----------|---------------|
| | 15+ | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |

| CKPW Chatham Township Garage | Completed within | Compliant | Non-Compliant |
|------------------------------|------------------|-----------|---------------|
| | 0-5 | 67 | |
| | 6 - 10 | | 11 |

Member

| | |
|--------------------------|--------|
| 67 | 11 |
| 85.90% | 14.10% |
| Actionable Notifications | |
| 78 | |

| CKPW Chatham Water Garage | Completed within | Compliant | Non-Compliant |
|---------------------------|--------------------------|-----------|---------------|
| | 0-5 | 123 | |
| | | 123 | 0 |
| | | 100.00% | |
| | Actionable Notifications | | 123 |

| CKPW Dover Township Garage | Completed within | Compliant | Non-Compliant |
|----------------------------|--------------------------|-----------|---------------|
| | 0-5 | 45 | |
| | 6 - 10 | | 3 |
| | 11 - 15 | | 5 |
| | | 45 | 8 |
| | | 84.91% | 15.09% |
| | Actionable Notifications | | 53 |

| CKPW Kent Centre Garage | Completed within | Compliant | Non-Compliant |
|-------------------------|--------------------------|-----------|---------------|
| | 0-5 | 146 | |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 1 |
| | | 146 | 2 |
| | | 98.65% | 1.35% |
| | Actionable Notifications | | 148 |

| CKPW Raleigh Garage | Completed within | Compliant | Non-Compliant |
|---------------------|------------------|-----------|---------------|
| | 0-5 | 63 | |
| | 6 - 10 | | 7 |

Member

| | |
|-----------------------------|--------|
| 63 | 7 |
| 90.00% | 10.00% |
| Actionable Notifications 70 | |

| CKPW Thamesville Garage | | Completed within | Compliant | Non-Compliant |
|-------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 20 | | |
| | 11 - 15 | | | 1 |
| | | 20 | | 1 |
| | | 95.24% | | 4.76% |
| | Actionable Notifications | | 21 | |

| CKPW Tilbury East Garage | | Completed within | Compliant | Non-Compliant |
|--------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 98 | | |
| | 6 - 10 | | | 3 |
| | 11 - 15 | | | 2 |
| | | 98 | | 5 |
| | | 95.15% | | 4.85% |
| | Actionable Notifications | | 103 | |

| CKPW Wallaceburg Garage | | Completed within | Compliant | Non-Compliant |
|-------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 26 | | |
| | 6 - 10 | | | 4 |
| | | 26 | | 4 |
| | | 86.67% | | 13.33% |
| | Actionable Notifications | | 30 | |

| Clarence-Rockland, City of | | Completed within | Compliant | Non-Compliant |
|----------------------------|---------|------------------|-----------|---------------|
| | 0-5 | 114 | | |
| | 6 - 10 | | | 2 |
| | 11 - 15 | | | 1 |
| | 15+ | | | 8 |

Member

| | | | |
|------------------------------------|--------------------------|-----------|---------------|
| | | 114 | 11 |
| | | 91.20% | 8.80% |
| | Actionable Notifications | 125 | |
| Clarington, Municipality of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 105 | |
| | 6 - 10 | | 7 |
| | 11 - 15 | | 16 |
| | 15+ | | 18 |
| | | 105 | 41 |
| | | 71.92% | 28.08% |
| | Actionable Notifications | 146 | |
| Clearbeach Resources Inc | Completed within | Compliant | Non-Compliant |
| | 0-5 | 27 | |
| | 6 - 10 | | 2 |
| | 11 - 15 | | 1 |
| | | 27 | 3 |
| | | 90.00% | 10.00% |
| | Actionable Notifications | 30 | |
| Clearford | Completed within | Compliant | Non-Compliant |
| | 0-5 | 2 | |
| | | 2 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 2 | |
| Clearview, Township of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 45 | |
| | 6 - 10 | | 28 |
| | 11 - 15 | | 2 |
| | 15+ | | 2 |

Member

| | | | |
|----------------------------------|--------------------------|-----------|---------------|
| | | 45 | 32 |
| | | 58.44% | 41.56% |
| | Actionable Notifications | 77 | |
| Cobalt, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 2 | |
| | | 2 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 2 | |
| Cobourg, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 135 | |
| | 6 - 10 | | 17 |
| | 11 - 15 | | 3 |
| | 15+ | | 4 |
| | | 135 | 24 |
| | | 84.91% | 15.09% |
| | Actionable Notifications | 159 | |
| Cochrane Telecom Services | Completed within | Compliant | Non-Compliant |
| | 0-5 | 33 | |
| | 6 - 10 | | 6 |
| | | 33 | 6 |
| | | 84.62% | 15.38% |
| | Actionable Notifications | 39 | |
| Cochrane, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 20 | |
| | 6 - 10 | | 2 |
| | 11 - 15 | | 1 |

Member

| | |
|-----------------------------|--------|
| 20 | 3 |
| 86.96% | 13.04% |
| Actionable Notifications 23 | |

| Cogeco Cable (Eastern & Northern) | | Completed within | Compliant | Non-Compliant |
|-----------------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 2,936 | | |
| | 6 - 10 | | | 84 |
| | 11 - 15 | | | 30 |
| | 15+ | | | 35 |
| | | 2,936 | | 149 |
| | | 95.17% | | 4.83% |
| | Actionable Notifications | | 3,085 | |

| Cogeco Cable (Windsor & Sarnia) | | Completed within | Compliant | Non-Compliant |
|---------------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 1,445 | | |
| | 6 - 10 | | | 302 |
| | 11 - 15 | | | 250 |
| | 15+ | | | 241 |
| | | 1,445 | | 793 |
| | | 64.57% | | 35.43% |
| | Actionable Notifications | | 2,238 | |

| Cogeco Cable Canada (CBT1) | | Completed within | Compliant | Non-Compliant |
|----------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 1,296 | | |
| | 6 - 10 | | | 489 |
| | 11 - 15 | | | 166 |
| | 15+ | | | 175 |
| | | 1,296 | | 830 |
| | | 60.96% | | 39.04% |
| | Actionable Notifications | | 2,126 | |

| Cogeco Cable Canada (CPVS1) | | Completed within | Compliant | Non-Compliant |
|-----------------------------|--|------------------|-----------|---------------|
|-----------------------------|--|------------------|-----------|---------------|

Member

| | | |
|--------------------------|--------|--------|
| 0-5 | 1,754 | |
| 6 - 10 | | 386 |
| 11 - 15 | | 137 |
| 15+ | | 44 |
| | 1,754 | 567 |
| | 75.57% | 24.43% |
| Actionable Notifications | 2,321 | |

Cogeco Cable Canada (CPVS2)

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 1,030 | |
| 6 - 10 | | 133 |
| 11 - 15 | | 213 |
| 15+ | | 230 |
| | 1,030 | 576 |
| | 64.13% | 35.87% |
| Actionable Notifications | 1,606 | |

College Boreal

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 2 | |
| | 2 | 0 |
| | 100.00% | |
| Actionable Notifications | 2 | |

Collingwood Public Utilities

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 202 | |
| 6 - 10 | | 96 |
| 11 - 15 | | 19 |
| 15+ | | 9 |
| | 202 | 124 |
| | 61.96% | 38.04% |
| Actionable Notifications | 326 | |

Member

| Comber Wind Farm | | | Completed within | Compliant | Non-Compliant |
|---|--|--------------------------|------------------|-----------|---------------|
| | | 6 - 10 | | | 2 |
| | | 11 - 15 | | | 2 |
| | | 15+ | | | 4 |
| | | | | 0 | 8 |
| | | | | | 100.00% |
| | | Actionable Notifications | | 8 | |
| Communicate Freely | | | Completed within | Compliant | Non-Compliant |
| | | 0-5 | | 61 | |
| | | 6 - 10 | | | 38 |
| | | 11 - 15 | | | 13 |
| | | 15+ | | | 21 |
| | | | | 61 | 72 |
| | | | | 45.86% | 54.14% |
| | | Actionable Notifications | | 133 | |
| Conestogo Wind Farm (Nextera Energy) | | | Completed within | Compliant | Non-Compliant |
| | | 0-5 | | 1 | |
| | | | | 1 | 0 |
| | | | | 100.00% | |
| | | Actionable Notifications | | 1 | |
| Connect The Dots Fibre Communications Inc | | | Completed within | Compliant | Non-Compliant |
| | | 0-5 | | 9 | |
| | | 6 - 10 | | | 17 |
| | | 11 - 15 | | | 18 |
| | | 15+ | | | 2 |
| | | | | 9 | 37 |
| | | | | 19.57% | 80.43% |
| | | Actionable Notifications | | 46 | |

Member

| Cornwall Electric | | | |
|-----------------------------------|-----------|---------------|--|
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 403 | | |
| 6 - 10 | | 1 | |
| | 403 | 1 | |
| | 99.75% | 0.25% | |
| Actionable Notifications | 404 | | |
| Cornwall, City of | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 64 | | |
| 6 - 10 | | 3 | |
| 11 - 15 | | 4 | |
| 15+ | | 13 | |
| | 64 | 20 | |
| | 76.19% | 23.81% | |
| Actionable Notifications | 84 | | |
| Cornwall, City of (Water & Sewer) | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 120 | | |
| 6 - 10 | | 130 | |
| 11 - 15 | | 7 | |
| 15+ | | 12 | |
| | 120 | 149 | |
| | 44.61% | 55.39% | |
| Actionable Notifications | 269 | | |
| Craigeith Ski Club | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 1 | | |
| 6 - 10 | | 2 | |
| 15+ | | 2 | |

Member

| | |
|--------------------------|--------|
| 1 | 4 |
| 20.00% | 80.00% |
| Actionable Notifications | |
| 5 | |

| Cramahe Township - Colborne Water | | |
|-----------------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 13 | |
| 6 - 10 | | 2 |
| 15+ | | 1 |
| | 13 | 3 |
| | 81.25% | 18.75% |
| Actionable Notifications | | 16 |

| Cramahe, Township of | | |
|--------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 6 - 10 | | 2 |
| 11 - 15 | | 6 |
| 15+ | | 101 |
| | 0 | 109 |
| | | 100.00% |
| Actionable Notifications | | 109 |

| Dawn-Euphemia, Township of | | |
|----------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 83 | |
| 6 - 10 | | 3 |
| 15+ | | 4 |
| | 83 | 7 |
| | 92.22% | 7.78% |
| Actionable Notifications | | 90 |

| DBI Services | | |
|------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 2 | |
| 6 - 10 | | 3 |
| 15+ | | 2 |

Member

| | | | |
|--------------------------------|--------------------------|-----------|---------------|
| | | 2 | 5 |
| | | 28.57% | 71.43% |
| | Actionable Notifications | 7 | |
| Deep River, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 9 | |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 2 |
| | 15+ | | 15 |
| | | 9 | 18 |
| | | 33.33% | 66.67% |
| | Actionable Notifications | 27 | |
| Deseronto, Town of | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 1 |
| | 15+ | | 4 |
| | | 0 | 5 |
| | | | 100.00% |
| | Actionable Notifications | 5 | |
| Dofasco (ArcelorMittal) | Completed within | Compliant | Non-Compliant |
| | 0-5 | 3 | |
| | 15+ | | 8 |
| | | 3 | 8 |
| | | 27.27% | 72.73% |
| | Actionable Notifications | 11 | |
| Dotto One | Completed within | Compliant | Non-Compliant |
| | 15+ | | 2 |

Member

| | | | |
|--|--------------------------|-----------|---------------|
| | | 0 | 2 |
| | | | 100.00% |
| | Actionable Notifications | 2 | |
| Douro-Dummer, Township of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 12 | |
| | 15+ | | 1 |
| | | 12 | 1 |
| | | 92.31% | 7.69% |
| | Actionable Notifications | 13 | |
| Dow Chemical Canada | Completed within | Compliant | Non-Compliant |
| | 0-5 | 7 | |
| | 15+ | | 5 |
| | | 7 | 5 |
| | | 58.33% | 41.67% |
| | Actionable Notifications | 12 | |
| Dowser Gas Company Ltd (Pipeline) | Completed within | Compliant | Non-Compliant |
| | 15+ | | 5 |
| | | 0 | 5 |
| | | | 100.00% |
| | Actionable Notifications | 5 | |
| Dryden, City of | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 6 |
| | 11 - 15 | | 20 |
| | 15+ | | 47 |
| | | 0 | 73 |
| | | | 100.00% |
| | Actionable Notifications | 73 | |

Member

| Dubreuilville, Township of | | | |
|--|-----------|---------------|--|
| Completed within | Compliant | Non-Compliant | |
| 6 - 10 | | 1 | |
| 15+ | | 2 | |
| | 0 | 3 | |
| | | 100.00% | |
| Actionable Notifications | 3 | | |
| Dufferin County | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 14 | | |
| 6 - 10 | | 7 | |
| 11 - 15 | | 6 | |
| 15+ | | 54 | |
| | 14 | 67 | |
| | 17.28% | 82.72% | |
| Actionable Notifications | 81 | | |
| Dufferin Wind Power Inc | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 5 | | |
| | 5 | 0 | |
| | 100.00% | | |
| Actionable Notifications | 5 | | |
| Dufferin-Peel Catholic District School Board | | | |
| Completed within | Compliant | Non-Compliant | |
| 6 - 10 | | 1 | |
| 15+ | | 1 | |
| | 0 | 2 | |
| | | 100.00% | |
| Actionable Notifications | 2 | | |
| Durham, Region of - Traffic Signals | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 394 | | |
| 6 - 10 | | 23 | |

Member

| | | |
|--------------------------|--------|--------|
| 11 - 15 | | 54 |
| 15+ | | 70 |
| | 394 | 147 |
| | 72.83% | 27.17% |
| Actionable Notifications | 541 | |

| Durham, Region of (Water & Sewer) | Completed within | Compliant | Non-Compliant |
|-----------------------------------|------------------|-----------|---------------|
| | 0-5 | 1,875 | |
| | 6 - 10 | | 1 |
| | 15+ | | 1 |
| | | 1,875 | 2 |
| | | 99.89% | 0.11% |
| Actionable Notifications | 1,877 | | |

| Dutton-Dunwich, Municipality of | Completed within | Compliant | Non-Compliant |
|---------------------------------|------------------|-----------|---------------|
| | 0-5 | 46 | |
| | 6 - 10 | | 15 |
| | 11 - 15 | | 5 |
| | 15+ | | 3 |
| | | 46 | 23 |
| | | 66.67% | 33.33% |
| Actionable Notifications | 69 | | |

| Dysart et al, Municipality of | Completed within | Compliant | Non-Compliant |
|-------------------------------|------------------|-----------|---------------|
| | 15+ | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| Actionable Notifications | 1 | | |

| E L K Energy Inc | Completed within | Compliant | Non-Compliant |
|------------------|------------------|-----------|---------------|
| | 0-5 | 7 | |
| | 6 - 10 | | 46 |

Member

| | | |
|--------------------------|-------|--------|
| 11 - 15 | | 200 |
| 15+ | | 164 |
| | 7 | 410 |
| | 1.68% | 98.32% |
| Actionable Notifications | 417 | |

| Ear Falls, Township of | | |
|--------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 2 | |
| 15+ | | 3 |
| | 2 | 3 |
| | 40.00% | 60.00% |
| Actionable Notifications | 5 | |

| East Durham Wind Energy Centre | | |
|--------------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 6 - 10 | | 1 |
| | 0 | 1 |
| | | 100.00% |
| Actionable Notifications | 1 | |

| East Garafraxa, Township of | | |
|-----------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 16 | |
| 6 - 10 | | 1 |
| | 16 | 1 |
| | 94.12% | 5.88% |
| Actionable Notifications | 17 | |

| East Gwillimbury, Town of | | |
|---------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 174 | |
| 6 - 10 | | 70 |
| 11 - 15 | | 47 |
| 15+ | | 196 |

Member

| | | | |
|--|--------------------------|-----------|---------------|
| | | 174 | 313 |
| | | 35.73% | 64.27% |
| | Actionable Notifications | 487 | |
| East Hawkesbury, Township of | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 1 |
| | 15+ | | 5 |
| | | 0 | 6 |
| | | | 100.00% |
| | Actionable Notifications | 6 | |
| East Lake St Clair Wind Farm LP | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 4 |
| | 15+ | | 8 |
| | | 0 | 13 |
| | | | 100.00% |
| | Actionable Notifications | 13 | |
| East Zorra Tavistock, Municipality of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 56 | |
| | 6 - 10 | | 5 |
| | | 56 | 5 |
| | | 91.80% | 8.20% |
| | Actionable Notifications | 61 | |
| Eastern Ontario Power | Completed within | Compliant | Non-Compliant |
| | 0-5 | 46 | |
| | | 46 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 46 | |

Member

| Member | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------------------------|-----------|---------------|
| Eastlink | 0-5 | 2,462 | |
| | 6 - 10 | | 203 |
| | 11 - 15 | | 53 |
| | 15+ | | 59 |
| | | 2,462 | 315 |
| | | 88.66% | 11.34% |
| | Actionable Notifications | 2,777 | |
| ED Smith Foods | 0-5 | 8 | |
| | | 8 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 8 | |
| | Edwardsburgh-Cardinal, Township of | 0-5 | 21 |
| | | 21 | 0 |
| | | 100.00% | |
| Actionable Notifications | | 21 | |
| EHtel Networks Inc | | 0-5 | 48 |
| | 6 - 10 | | 19 |
| | 11 - 15 | | 7 |
| | | 48 | 26 |
| | | 64.86% | 35.14% |
| | Actionable Notifications | 74 | |
| Ellexicon Energy Inc | 0-5 | 1,380 | |
| | 6 - 10 | | 518 |

Member

| | | |
|--------------------------|--------|--------|
| 11 - 15 | | 332 |
| 15+ | | 530 |
| | 1,380 | 1,380 |
| | 50.00% | 50.00% |
| Actionable Notifications | 2,760 | |

| Elgin Area Primary Water Supply | Completed within | Compliant | Non-Compliant |
|---------------------------------|------------------|-----------|---------------|
| | 6 - 10 | | 1 |
| | 11 - 15 | | 2 |
| | 15+ | | 6 |
| | | 0 | 9 |
| | | | 100.00% |
| Actionable Notifications | 9 | | |

| Elgin, County of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 8 | |
| | 15+ | | 1 |
| | | 8 | 1 |
| | | 88.89% | 11.11% |
| Actionable Notifications | 9 | | |

| Elliot Lake, City of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 81 | |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 7 |
| | 15+ | | 1 |
| | | 81 | 9 |
| | | 90.00% | 10.00% |
| Actionable Notifications | 90 | | |

| Emerald Energy from Waste Inc | Completed within | Compliant | Non-Compliant |
|-------------------------------|------------------|-----------|---------------|
| | 6 - 10 | | 1 |

Member

| | | |
|--------------------------|---|---------|
| 15+ | | 2 |
| | 0 | 3 |
| | | 100.00% |
| Actionable Notifications | 3 | |

| Emo, Township of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 2 | |
| | | 2 | 0 |
| | | 100.00% | |
| Actionable Notifications | 2 | | |

| Enbridge Gas (Legacy Union Gas) | Completed within | Compliant | Non-Compliant |
|---------------------------------|------------------|-----------|---------------|
| | 0-5 | 18,481 | |
| | 6 - 10 | | 5,168 |
| | 11 - 15 | | 4,635 |
| | 15+ | | 5,343 |
| | | 18,481 | 15,146 |
| | | 54.96% | 45.04% |
| Actionable Notifications | 33,627 | | |

| Enbridge Gas Distribution | Completed within | Compliant | Non-Compliant |
|---------------------------|------------------|-----------|---------------|
| | 0-5 | 27,166 | |
| | 6 - 10 | | 5,735 |
| | 11 - 15 | | 4,340 |
| | 15+ | | 7,648 |
| | | 27,166 | 17,723 |
| | | 60.52% | 39.48% |
| Actionable Notifications | 44,889 | | |

| Enbridge Gas Distribution - Vital Mains | Completed within | Compliant | Non-Compliant |
|---|------------------|-----------|---------------|
| | 0-5 | 573 | |
| | 6 - 10 | | 206 |

Member

| | | |
|--------------------------|--------|--------|
| 11 - 15 | | 147 |
| 15+ | | 385 |
| | 573 | 738 |
| | 43.71% | 56.29% |
| Actionable Notifications | 1,311 | |

| Enbridge Gas Distribution (Gas Storage) | Completed within | Compliant | Non-Compliant |
|---|------------------|-----------|---------------|
| | 0-5 | 62 | |
| 15+ | | | 1 |
| | 62 | | 1 |
| | 98.41% | | 1.59% |
| Actionable Notifications | 63 | | |

| Enbridge Gas Storage and Transmission (Legacy Union Gas) | Completed within | Compliant | Non-Compliant |
|--|------------------|-----------|---------------|
| | 0-5 | 284 | |
| 6 - 10 | | | 9 |
| 11 - 15 | | | 2 |
| | 284 | | 11 |
| | 96.27% | | 3.73% |
| Actionable Notifications | 295 | | |

| Enbridge NEB Mains | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 26 | |
| 6 - 10 | | | 8 |
| 11 - 15 | | | 4 |
| 15+ | | | 25 |
| | 26 | | 37 |
| | 41.27% | | 58.73% |
| Actionable Notifications | 63 | | |

| Enbridge Pipelines | Completed within | Compliant | Non-Compliant |
|--------------------|------------------|-----------|---------------|
| | 0-5 | 816 | |

Member

| | | |
|--------------------------|--------|--------|
| 6 - 10 | | 31 |
| 11 - 15 | | 33 |
| 15+ | | 37 |
| | 816 | 101 |
| | 88.99% | 11.01% |
| Actionable Notifications | 917 | |

| Enbridge Wind Power | Completed within | Compliant | Non-Compliant |
|---------------------|--------------------------|-----------|---------------|
| | 15+ | | 2 |
| | | 0 | 2 |
| | | | 100.00% |
| | Actionable Notifications | 2 | |

| Englehart, Town of | Completed within | Compliant | Non-Compliant |
|--------------------|--------------------------|-----------|---------------|
| | 0-5 | 3 | |
| | 6 - 10 | | 6 |
| | 11 - 15 | | 3 |
| | 15+ | | 2 |
| | | 3 | 11 |
| | | 21.43% | 78.57% |
| | Actionable Notifications | 14 | |

| Enniskillen, Township of | Completed within | Compliant | Non-Compliant |
|--------------------------|--------------------------|-----------|---------------|
| | 0-5 | 89 | |
| | 6 - 10 | | 3 |
| | 11 - 15 | | 87 |
| | 15+ | | 46 |
| | | 89 | 136 |
| | | 39.56% | 60.44% |
| | Actionable Notifications | 225 | |

| Entegrus | Completed within | Compliant | Non-Compliant |
|----------|------------------|-----------|---------------|
|----------|------------------|-----------|---------------|

Member

| | | |
|--------------------------|--------|--------|
| 0-5 | 720 | |
| 6 - 10 | | 195 |
| 11 - 15 | | 85 |
| 15+ | | 262 |
| | 720 | 542 |
| | 57.05% | 42.95% |
| Actionable Notifications | 1,262 | |

Entegrus Powerlines Inc – St. Thomas

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 167 | |
| 6 - 10 | | 42 |
| 11 - 15 | | 29 |
| 15+ | | 12 |
| | 167 | 83 |
| | 66.80% | 33.20% |
| Actionable Notifications | 250 | |

Entegrus Services Inc

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 11 | |
| 6 - 10 | | 2 |
| 11 - 15 | | 4 |
| 15+ | | 1 |
| | 11 | 7 |
| | 61.11% | 38.89% |
| Actionable Notifications | 18 | |

ENVI Networks Ltd

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
| 0-5 | 18 | |
| 6 - 10 | | 12 |
| 11 - 15 | | 5 |
| 15+ | | 1 |

Member

| | |
|-----------------------------|--------|
| 18 | 18 |
| 50.00% | 50.00% |
| Actionable Notifications 36 | |

| Enwave Energy Corporation | | Completed within | Compliant | Non-Compliant |
|---------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 4 | | |
| | 6 - 10 | | | 23 |
| | 11 - 15 | | | 55 |
| | 15+ | | | 128 |
| | | 4 | | 206 |
| | | 1.90% | | 98.10% |
| | Actionable Notifications | | 210 | |

| Enwave Windsor Holdings LP | | Completed within | Compliant | Non-Compliant |
|----------------------------|--------------------------|------------------|-----------|---------------|
| | 6 - 10 | | | 1 |
| | 15+ | | | 3 |
| | | 0 | | 4 |
| | | | | 100.00% |
| | Actionable Notifications | | 4 | |

| Enwin for City of Windsor - Street Lights | | Completed within | Compliant | Non-Compliant |
|---|--------------------------|------------------|-----------|---------------|
| | 0-5 | 536 | | |
| | 6 - 10 | | | 62 |
| | 11 - 15 | | | 31 |
| | 15+ | | | 27 |
| | | 536 | | 120 |
| | | 81.71% | | 18.29% |
| | Actionable Notifications | | 656 | |

| Enwin Utilities - Electrical | | Completed within | Compliant | Non-Compliant |
|------------------------------|--------|------------------|-----------|---------------|
| | 0-5 | 213 | | |
| | 6 - 10 | | | 15 |

Member

| | | |
|--------------------------|--------|-------|
| 11 - 15 | | 2 |
| 15+ | | 4 |
| | 213 | 21 |
| | 91.03% | 8.97% |
| Actionable Notifications | 234 | |

| Enwin Utilities - Hydro | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 91 | |
| 6 - 10 | | 39 | |
| 11 - 15 | | 23 | |
| 15+ | | 14 | |
| | 91 | 76 | |
| | 54.49% | 45.51% | |
| Actionable Notifications | 167 | | |

| EPCOR Electricity Distribution Ontario Inc | Completed within | Compliant | Non-Compliant |
|--|------------------|-----------|---------------|
| | 0-5 | 327 | |
| | 327 | 0 | |
| | 100.00% | | |
| Actionable Notifications | 327 | | |

| Epcor Natural Gas LP | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 376 | |
| 6 - 10 | | 163 | |
| 11 - 15 | | 101 | |
| 15+ | | 196 | |
| | 376 | 460 | |
| | 44.98% | 55.02% | |
| Actionable Notifications | 836 | | |

| Erie Brook Energy | Completed within | Compliant | Non-Compliant |
|-------------------|------------------|-----------|---------------|
| | 6 - 10 | | 2 |

Member

| | | |
|--------------------------|---|---------|
| 11 - 15 | | 2 |
| | 0 | 4 |
| | | 100.00% |
| Actionable Notifications | 4 | |

Erieau Wind Farm

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 6 - 10 | | 8 |
| 11 - 15 | | 6 |
| 15+ | | 8 |
| | 0 | 22 |
| | | 100.00% |
| Actionable Notifications | 22 | |

Erin, Town of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 6 - 10 | | 33 |
| 11 - 15 | | 18 |
| 15+ | | 20 |
| | 0 | 71 |
| | | 100.00% |
| Actionable Notifications | 71 | |

ERTH Power Corporation

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 228 | |
| 6 - 10 | | 141 |
| 11 - 15 | | 77 |
| 15+ | | 61 |
| | 228 | 279 |
| | 44.97% | 55.03% |
| Actionable Notifications | 507 | |

Espanola Hydro

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
| 0-5 | 83 | |

Member

| | | |
|--------------------------|--------|-------|
| 6 - 10 | | 1 |
| 11 - 15 | | 2 |
| | 83 | 3 |
| | 96.51% | 3.49% |
| Actionable Notifications | 86 | |

| Espanola, Town of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 12 | |
| 6 - 10 | | 5 | |
| 11 - 15 | | 40 | |
| 15+ | | 22 | |
| | 12 | 67 | |
| | 15.19% | 84.81% | |
| Actionable Notifications | 79 | | |

| Essa, Township of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 17 | |
| 6 - 10 | | 6 | |
| 11 - 15 | | 6 | |
| 15+ | | 6 | |
| | 17 | 18 | |
| | 48.57% | 51.43% | |
| Actionable Notifications | 35 | | |

| Essex County Highways | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 33 | |
| 6 - 10 | | 1 | |
| 15+ | | 1 | |
| | 33 | 2 | |
| | 94.29% | 5.71% | |
| Actionable Notifications | 35 | | |

Member

| Member | Completed within | Compliant | Non-Compliant |
|-------------------|--------------------------|-----------|---------------|
| Essex Power | 0-5 | 301 | |
| | 6 - 10 | | 89 |
| | 11 - 15 | | 44 |
| | 15+ | | 48 |
| | | 301 | 181 |
| | | 62.45% | 37.55% |
| | Actionable Notifications | 482 | |
| Essex, Town of | 0-5 | 116 | |
| | 6 - 10 | | 9 |
| | 11 - 15 | | 9 |
| | 15+ | | 10 |
| | | 116 | 28 |
| | | 80.56% | 19.44% |
| | Actionable Notifications | 144 | |
| Execulink Telecom | 0-5 | 216 | |
| | 6 - 10 | | 198 |
| | 11 - 15 | | 146 |
| | 15+ | | 120 |
| | | 216 | 464 |
| | | 31.76% | 68.24% |
| | Actionable Notifications | 680 | |
| Fanshawe College | 6 - 10 | | 1 |
| | 11 - 15 | | 3 |
| | 15+ | | 8 |
| | | | |

Member

| | | | |
|---|--------------------------|-----------|---------------|
| | | 0 | 12 |
| | | | 100.00% |
| | Actionable Notifications | 12 | |
| Fanshawe College - Private Property | Completed within | Compliant | Non-Compliant |
| | 15+ | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |
| Faraday Resources Group Inc formerly Taqa North LTD (TAQA) | Completed within | Compliant | Non-Compliant |
| | 0-5 | 2 | |
| | 6 - 10 | | 3 |
| | 15+ | | 1 |
| | | 2 | 4 |
| | | 33.33% | 66.67% |
| | Actionable Notifications | 6 | |
| Fauquier-Strickland, Township of | Completed within | Compliant | Non-Compliant |
| | 15+ | | 2 |
| | | 0 | 2 |
| | | | 100.00% |
| | Actionable Notifications | 2 | |
| Festival Hydro | Completed within | Compliant | Non-Compliant |
| | 0-5 | 481 | |
| | 6 - 10 | | 27 |
| | 15+ | | 1 |
| | | 481 | 28 |
| | | 94.50% | 5.50% |
| | Actionable Notifications | 509 | |

Member

| Fibre Noire Internet Inc | | | |
|--------------------------|-----------|---------------|---------|
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 12 | | |
| 6 - 10 | | | 25 |
| 11 - 15 | | | 23 |
| 15+ | | | 45 |
| | 12 | | 93 |
| | 11.43% | | 88.57% |
| Actionable Notifications | 105 | | |
| FibreSpeed Inc | | | |
| Completed within | Compliant | Non-Compliant | |
| 11 - 15 | | | 6 |
| 15+ | | | 4 |
| | 0 | | 10 |
| | | | 100.00% |
| Actionable Notifications | 10 | | |
| First Nations Cable | | | |
| Completed within | Compliant | Non-Compliant | |
| 6 - 10 | | | 4 |
| 11 - 15 | | | 2 |
| 15+ | | | 6 |
| | 0 | | 12 |
| | | | 100.00% |
| Actionable Notifications | 12 | | |
| Fisher Wavy Inc | | | |
| Completed within | Compliant | Non-Compliant | |
| 15+ | | | 1 |
| | 0 | | 1 |
| | | | 100.00% |
| Actionable Notifications | 1 | | |
| Ford Canada | | | |
| Completed within | Compliant | Non-Compliant | |
| 15+ | | | 2 |

Member

| | |
|----------------------------|---------|
| 0 | 2 |
| | 100.00% |
| Actionable Notifications 2 | |

| Fort Erie, City of | | |
|------------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 350 | |
| 6 - 10 | | 5 |
| 11 - 15 | | 3 |
| | 350 | 8 |
| | 97.77% | 2.23% |
| Actionable Notifications 358 | | |

| Fort Frances Power | | |
|-----------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 32 | |
| 6 - 10 | | 2 |
| 11 - 15 | | 16 |
| 15+ | | 14 |
| | 32 | 32 |
| | 50.00% | 50.00% |
| Actionable Notifications 64 | | |

| Fort Frances, The Town of | | |
|-----------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 58 | |
| 6 - 10 | | 1 |
| 11 - 15 | | 9 |
| | 58 | 10 |
| | 85.29% | 14.71% |
| Actionable Notifications 68 | | |

| Gananoque, Town of | | |
|--------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 41 | |

Member

| | |
|--------------------------|---|
| 41 | 0 |
| 100.00% | |
| Actionable Notifications | |
| 41 | |

| GBTEL Inc | Completed within | Compliant | Non-Compliant |
|-----------|--------------------------|-----------|---------------|
| | 0-5 | 109 | |
| | 6 - 10 | | 41 |
| | 11 - 15 | | 5 |
| | 15+ | | 12 |
| | | 109 | 58 |
| | | 65.27% | 34.73% |
| | Actionable Notifications | | 167 |

| GEL Explorations | Completed within | Compliant | Non-Compliant |
|------------------|--------------------------|-----------|---------------|
| | 0-5 | 2 | |
| | | 2 | 0 |
| | | 100.00% | |
| | Actionable Notifications | | 2 |

| Georgian Bay, Township of | Completed within | Compliant | Non-Compliant |
|---------------------------|--------------------------|-----------|---------------|
| | 0-5 | 6 | |
| | | 6 | 0 |
| | | 100.00% | |
| | Actionable Notifications | | 6 |

| Georgian Bluffs, Township of | Completed within | Compliant | Non-Compliant |
|------------------------------|------------------|-----------|---------------|
| | 0-5 | 10 | |
| | 6 - 10 | | 2 |
| | 11 - 15 | | 5 |
| | 15+ | | 7 |

Member

| | | | |
|--------------------------------|--------------------------|-----------|---------------|
| | | 10 | 14 |
| | | 41.67% | 58.33% |
| | Actionable Notifications | 24 | |
| Georgian College | Completed within | Compliant | Non-Compliant |
| | 11 - 15 | | 1 |
| | 15+ | | 1 |
| | | 0 | 2 |
| | | | 100.00% |
| | Actionable Notifications | 2 | |
| Georgian Peaks Ski Club | Completed within | Compliant | Non-Compliant |
| | 15+ | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |
| Georgina, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 254 | |
| | 6 - 10 | | 39 |
| | 11 - 15 | | 29 |
| | | 254 | 68 |
| | | 78.88% | 21.12% |
| | Actionable Notifications | 322 | |
| Glenfred Gas Wells | Completed within | Compliant | Non-Compliant |
| | 15+ | | 3 |
| | | 0 | 3 |
| | | | 100.00% |
| | Actionable Notifications | 3 | |
| Goderich, Town of | Completed within | Compliant | Non-Compliant |

Member

| | | |
|--------------------------|--------|--------|
| 0-5 | 108 | |
| 6 - 10 | | 8 |
| 11 - 15 | | 3 |
| 15+ | | 3 |
| | 108 | 14 |
| | 88.52% | 11.48% |
| Actionable Notifications | 122 | |

Gogama LSB

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 15+ | | 1 |
| | 0 | 1 |
| | | 100.00% |
| Actionable Notifications | 1 | |

Gore Bay, Town of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 4 | |
| 11 - 15 | | 1 |
| 15+ | | 2 |
| | 4 | 3 |
| | 57.14% | 42.86% |
| Actionable Notifications | 7 | |

Gosfield North Communications

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 147 | |
| 6 - 10 | | 33 |
| 11 - 15 | | 13 |
| 15+ | | 6 |
| | 147 | 52 |
| | 73.87% | 26.13% |
| Actionable Notifications | 199 | |

Government of Canada

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
|------------------|-----------|---------------|

Member

| | | |
|--------------------------|---------|---|
| 0-5 | 16 | |
| | 16 | 0 |
| | 100.00% | |
| Actionable Notifications | 16 | |

| Grand Bend Wind LP | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 1 | |
| | 15+ | | 2 |
| | | 1 | 2 |
| | | 33.33% | 66.67% |
| Actionable Notifications | 3 | | |

| Grand Renewable Wind Farm | Completed within | Compliant | Non-Compliant |
|---------------------------|------------------|-----------|---------------|
| | 0-5 | 10 | |
| | 6 - 10 | | 7 |
| | 11 - 15 | | 2 |
| | | 10 | 9 |
| | | 52.63% | 47.37% |
| Actionable Notifications | 19 | | |

| Grand River Hospital Corp. - KW Campus and Freeport Campus | Completed within | Compliant | Non-Compliant |
|--|------------------|-----------|---------------|
| | 6 - 10 | | 1 |
| | 11 - 15 | | 2 |
| | 15+ | | 1 |
| | | 0 | 4 |
| | | | 100.00% |
| Actionable Notifications | 4 | | |

| Grand Valley Wind Farm | Completed within | Compliant | Non-Compliant |
|------------------------|------------------|-----------|---------------|
| | 6 - 10 | | 16 |
| | 15+ | | 3 |

Member

| | | | |
|--|--------------------------|-----------|---------------|
| | | 0 | 19 |
| | | | 100.00% |
| | Actionable Notifications | 19 | |
| Grand Valley, Town of | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 25 |
| | 11 - 15 | | 16 |
| | 15+ | | 24 |
| | | 0 | 65 |
| | | | 100.00% |
| | Actionable Notifications | 65 | |
| GrandBridge Energy (Legacy Brantford Power) | Completed within | Compliant | Non-Compliant |
| | 0-5 | 79 | |
| | 6 - 10 | | 214 |
| | 11 - 15 | | 122 |
| | 15+ | | 143 |
| | | 79 | 479 |
| | | 14.16% | 85.84% |
| | Actionable Notifications | 558 | |
| GrandBridge Energy (Legacy Energy Plus) | Completed within | Compliant | Non-Compliant |
| | 0-5 | 1,325 | |
| | 6 - 10 | | 3 |
| | | 1,325 | 3 |
| | | 99.77% | 0.23% |
| | Actionable Notifications | 1,328 | |
| Grasshopper Solar | Completed within | Compliant | Non-Compliant |
| | 11 - 15 | | 1 |

Member

| | |
|----------------------------|---------|
| 0 | 1 |
| | 100.00% |
| Actionable Notifications 1 | |

| Gravenhurst, Town of (SL) | | Completed within | Compliant | Non-Compliant |
|---------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 56 | | |
| | 6 - 10 | | | 7 |
| | 11 - 15 | | | 3 |
| | 15+ | | | 3 |
| | | 56 | | 13 |
| | | 81.16% | | 18.84% |
| | Actionable Notifications | | 69 | |

| Gravenhurst, Town of (SS) | | Completed within | Compliant | Non-Compliant |
|---------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 61 | | |
| | 11 - 15 | | | 4 |
| | 15+ | | | 4 |
| | | 61 | | 8 |
| | | 88.41% | | 11.59% |
| | Actionable Notifications | | 69 | |

| Greater Essex County District School Board - Facility | | Completed within | Compliant | Non-Compliant |
|---|--------------------------|------------------|-----------|---------------|
| | 15+ | | | 1 |
| | | 0 | | 1 |
| | | | | 100.00% |
| | Actionable Notifications | | 1 | |

| Greater Napanee, Town of | | Completed within | Compliant | Non-Compliant |
|--------------------------|---------|------------------|-----------|---------------|
| | 0-5 | 49 | | |
| | 6 - 10 | | | 2 |
| | 11 - 15 | | | 5 |
| | 15+ | | | 12 |

Member

| | | | |
|---|--------------------------|-----------|---------------|
| | | 49 | 19 |
| | | 72.06% | 27.94% |
| | Actionable Notifications | 68 | |
| Greater Sudbury Hydro (SH01) | Completed within | Compliant | Non-Compliant |
| | 0-5 | 622 | |
| | 6 - 10 | | 7 |
| | 15+ | | 2 |
| | | 622 | 9 |
| | | 98.57% | 1.43% |
| | Actionable Notifications | 631 | |
| Greater Sudbury Hydro Inc. - Sturgeon Falls Cache Bay | Completed within | Compliant | Non-Compliant |
| | 0-5 | 49 | |
| | 6 - 10 | | 1 |
| | | 49 | 1 |
| | | 98.00% | 2.00% |
| | Actionable Notifications | 50 | |
| Greater Sudbury Hydro Plus Inc. - Street Lights - Sudbury | Completed within | Compliant | Non-Compliant |
| | 0-5 | 403 | |
| | | 403 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 403 | |
| Greater Sudbury Hydro Plus Inc. - Street Lights West Nippissin | Completed within | Compliant | Non-Compliant |
| | 0-5 | 28 | |
| | | 28 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 28 | |
| Greater Sudbury, City of | Completed within | Compliant | Non-Compliant |

Member

| | | |
|--------------------------|--------|-------|
| 0-5 | 1,210 | |
| 6 - 10 | | 14 |
| 11 - 15 | | 1 |
| 15+ | | 2 |
| | 1,210 | 17 |
| | 98.61% | 1.39% |
| Actionable Notifications | 1,227 | |

Greater Toronto Airports Authority

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 2 | |
| 6 - 10 | | 8 |
| 11 - 15 | | 3 |
| 15+ | | 13 |
| | 2 | 24 |
| | 7.69% | 92.31% |
| Actionable Notifications | 26 | |

Greenfield Energy

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 1 | |
| | 1 | 0 |
| | 100.00% | |
| Actionable Notifications | 1 | |

Greenfield South Power Corporation

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 15+ | | 6 |
| | 0 | 6 |
| | | 100.00% |
| Actionable Notifications | 6 | |

Greenstone, Municipality of

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
| 0-5 | 1 | |
| 11 - 15 | | 9 |

Member

| | | |
|--------------------------|-------|--------|
| 15+ | | 6 |
| | 1 | 15 |
| | 6.25% | 93.75% |
| Actionable Notifications | 16 | |

Grey Bruce Health Services

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 1 | |
| 11 - 15 | | 1 |
| | 1 | 1 |
| | 50.00% | 50.00% |
| Actionable Notifications | 2 | |

Grey County

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 12 | |
| 6 - 10 | | 3 |
| 15+ | | 2 |
| | 12 | 5 |
| | 70.59% | 29.41% |
| Actionable Notifications | 17 | |

Grey Highlands Clean Wind Farm

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 1 | |
| | 1 | 0 |
| | 100.00% | |
| Actionable Notifications | 1 | |

Grey Highlands ZEP Windfarm

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 1 | |
| | 1 | 0 |
| | 100.00% | |
| Actionable Notifications | 1 | |

Member

| Grey Highlands, Municipality of | Completed within | Compliant | Non-Compliant |
|---------------------------------|--------------------------|-----------|---------------|
| | 0-5 | 12 | |
| | 6 - 10 | | 11 |
| | 11 - 15 | | 5 |
| | 15+ | | 1 |
| | | 12 | 17 |
| | | 41.38% | 58.62% |
| | Actionable Notifications | 29 | |
| Grimsby Power | Completed within | Compliant | Non-Compliant |
| | 0-5 | 175 | |
| | 6 - 10 | | 25 |
| | 11 - 15 | | 12 |
| | 15+ | | 1 |
| | | 175 | 38 |
| | | 82.16% | 17.84% |
| | Actionable Notifications | 213 | |
| Grimsby, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 174 | |
| | 6 - 10 | | 1 |
| | | 174 | 1 |
| | | 99.43% | 0.57% |
| | Actionable Notifications | 175 | |
| Guelph, City of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 1,141 | |
| | 6 - 10 | | 180 |
| | 11 - 15 | | 16 |
| | 15+ | | 111 |

Member

| | |
|--------------------------|--------|
| 1,141 | 307 |
| 78.80% | 21.20% |
| Actionable Notifications | |
| 1,448 | |

| Guelph, University of | | Completed within | Compliant | Non-Compliant |
|-----------------------|--|--------------------------|-----------|---------------|
| | | 0-5 | 9 | |
| | | 15+ | | 7 |
| | | | 9 | 7 |
| | | | 56.25% | 43.75% |
| | | Actionable Notifications | | 16 |

| Guelph-Eramosa Township | | Completed within | Compliant | Non-Compliant |
|-------------------------|--|--------------------------|-----------|---------------|
| | | 0-5 | 63 | |
| | | 6 - 10 | | 1 |
| | | 15+ | | 1 |
| | | | 63 | 2 |
| | | | 96.92% | 3.08% |
| | | Actionable Notifications | | 65 |

| Gunns Hill LP | | Completed within | Compliant | Non-Compliant |
|---------------|--|--------------------------|-----------|---------------|
| | | 0-5 | 1 | |
| | | 15+ | | 1 |
| | | | 1 | 1 |
| | | | 50.00% | 50.00% |
| | | Actionable Notifications | | 2 |

| Haldimand, County of | | Completed within | Compliant | Non-Compliant |
|----------------------|--|------------------|-----------|---------------|
| | | 0-5 | 103 | |
| | | 6 - 10 | | 22 |
| | | 11 - 15 | | 32 |
| | | 15+ | | 74 |

Member

| | |
|------------------------------|--------|
| 103 | 128 |
| 44.59% | 55.41% |
| Actionable Notifications 231 | |

| Haliburton, County of | Completed within | Compliant | Non-Compliant |
|-----------------------|----------------------------|-----------|---------------|
| | 6 - 10 | | 1 |
| | 11 - 15 | | 2 |
| | 15+ | | 3 |
| | | 0 | 6 |
| | | | 100.00% |
| | Actionable Notifications 6 | | |

| Hallebourg LSB | Completed within | Compliant | Non-Compliant |
|----------------|----------------------------|-----------|---------------|
| | 11 - 15 | | 2 |
| | 15+ | | 1 |
| | | 0 | 3 |
| | | | 100.00% |
| | Actionable Notifications 3 | | |

| Halton Hills Hydro | Completed within | Compliant | Non-Compliant |
|--------------------|------------------------------|-----------|---------------|
| | 0-5 | 529 | |
| | 6 - 10 | | 59 |
| | 15+ | | 2 |
| | | 529 | 61 |
| | | 89.66% | 10.34% |
| | Actionable Notifications 590 | | |

| Halton Hills, Town of | Completed within | Compliant | Non-Compliant |
|-----------------------|------------------|-----------|---------------|
| | 0-5 | 295 | |
| | 6 - 10 | | 3 |
| | 11 - 15 | | 3 |
| | 15+ | | 4 |

Member

| | |
|------------------------------|-------|
| 295 | 10 |
| 96.72% | 3.28% |
| Actionable Notifications 305 | |

| Halton Region | Completed within | Compliant | Non-Compliant |
|---------------|-----------------------------|-----------|---------------|
| | 0-5 | 10 | |
| | 11 - 15 | | 1 |
| | 15+ | | 5 |
| | | 10 | 6 |
| | | 62.50% | 37.50% |
| | Actionable Notifications 16 | | |

| Halton Region - Burlington Storm Sewer | Completed within | Compliant | Non-Compliant |
|--|-----------------------------|-----------|---------------|
| | 0-5 | 49 | |
| | 6 - 10 | | 1 |
| | 15+ | | 1 |
| | | 49 | 2 |
| | | 96.08% | 3.92% |
| | Actionable Notifications 51 | | |

| Halton Region - Burlington Street Lights | Completed within | Compliant | Non-Compliant |
|--|-----------------------------|-----------|---------------|
| | 0-5 | 48 | |
| | 6 - 10 | | 1 |
| | 15+ | | 1 |
| | | 48 | 2 |
| | | 96.00% | 4.00% |
| | Actionable Notifications 50 | | |

| Halton Region - Burlington Traffic Comm | Completed within | Compliant | Non-Compliant |
|---|------------------|-----------|---------------|
| | 0-5 | 20 | |
| | 6 - 10 | | 1 |

Member

| | |
|--------------------------|-------|
| 20 | 1 |
| 95.24% | 4.76% |
| Actionable Notifications | |
| 21 | |

| Halton Region - Burlington Traffic Signals | Completed within | Compliant | Non-Compliant |
|--|--------------------------|-----------|---------------|
| | 0-5 | 20 | |
| | 6 - 10 | | 1 |
| | | 20 | 1 |
| | | 95.24% | 4.76% |
| | Actionable Notifications | | 21 |

| Halton Region - Milton Storm Sewer | Completed within | Compliant | Non-Compliant |
|------------------------------------|--------------------------|-----------|---------------|
| | 0-5 | 65 | |
| | | 65 | 0 |
| | | 100.00% | |
| | Actionable Notifications | | 65 |

| Halton Region - Milton Traffic Comm | Completed within | Compliant | Non-Compliant |
|-------------------------------------|--------------------------|-----------|---------------|
| | 0-5 | 42 | |
| | | 42 | 0 |
| | | 100.00% | |
| | Actionable Notifications | | 42 |

| Halton Region - Milton Traffic Signals | Completed within | Compliant | Non-Compliant |
|--|--------------------------|-----------|---------------|
| | 0-5 | 34 | |
| | | 34 | 0 |
| | | 100.00% | |
| | Actionable Notifications | | 34 |

| Halton Region - MTO | Completed within | Compliant | Non-Compliant |
|---------------------|------------------|-----------|---------------|
| | 0-5 | 16 | |
| | 6 - 10 | | 1 |

Member

| | | |
|--------------------------|--------|--------|
| 15+ | | 3 |
| | 16 | 4 |
| | 80.00% | 20.00% |
| Actionable Notifications | 20 | |

Halton Region - Oakville Street Lights

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 22 | |
| 6 - 10 | | 18 |
| 11 - 15 | | 16 |
| 15+ | | 4 |
| | 22 | 38 |
| | 36.67% | 63.33% |
| Actionable Notifications | 60 | |

Halton Region - Oakville Traffic Com

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 19 | |
| 6 - 10 | | 12 |
| 11 - 15 | | 10 |
| 15+ | | 3 |
| | 19 | 25 |
| | 43.18% | 56.82% |
| Actionable Notifications | 44 | |

Halton Region - Oakville Traffic Signals

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 7 | |
| 6 - 10 | | 17 |
| 11 - 15 | | 9 |
| 15+ | | 2 |
| | 7 | 28 |
| | 20.00% | 80.00% |
| Actionable Notifications | 35 | |

Member

| Halton Region (HaltonHills) Traffic Com | | | |
|---|-----------|---------------|--------|
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 1 | | |
| 6 - 10 | | | 1 |
| 11 - 15 | | | 2 |
| 15+ | | | 2 |
| | 1 | | 5 |
| | 16.67% | | 83.33% |
| Actionable Notifications | 6 | | |
| Halton Region (HaltonHills) Traffic Signals | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 2 | | |
| 11 - 15 | | | 2 |
| 15+ | | | 2 |
| | 2 | | 4 |
| | 33.33% | | 66.67% |
| Actionable Notifications | 6 | | |
| Halton Region (Oakville) Storm | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 29 | | |
| 6 - 10 | | | 24 |
| 11 - 15 | | | 18 |
| 15+ | | | 5 |
| | 29 | | 47 |
| | 38.16% | | 61.84% |
| Actionable Notifications | 76 | | |
| Halton Region Water | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 748 | | |
| 6 - 10 | | | 11 |
| 11 - 15 | | | 4 |
| 15+ | | | 6 |

Member

| | | | |
|--|--------------------------|-----------|---------------|
| | | 748 | 21 |
| | | 97.27% | 2.73% |
| | Actionable Notifications | 769 | |
| Hamilton Community Energy | Completed within | Compliant | Non-Compliant |
| | 15+ | | 5 |
| | | 0 | 5 |
| | | | 100.00% |
| | Actionable Notifications | 5 | |
| Hamilton Health Sciences | Completed within | Compliant | Non-Compliant |
| | 0-5 | 3 | |
| | 6 - 10 | | 1 |
| | 15+ | | 6 |
| | | 3 | 7 |
| | | 30.00% | 70.00% |
| | Actionable Notifications | 10 | |
| Hamilton, City of (Parks) | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 70 |
| | 11 - 15 | | 181 |
| | 15+ | | 725 |
| | | 0 | 976 |
| | | | 100.00% |
| | Actionable Notifications | 976 | |
| Hamilton, City of (Street Lighting) | Completed within | Compliant | Non-Compliant |
| | 0-5 | 1,455 | |
| | 6 - 10 | | 349 |
| | 11 - 15 | | 518 |

Member

| | |
|--------------------------|--------|
| 1,455 | 867 |
| 62.66% | 37.34% |
| Actionable Notifications | |
| 2,322 | |

| Hamilton, City of (Traffic Ops) | | Completed within | Compliant | Non-Compliant |
|---------------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | | 334 | |
| | 6 - 10 | | | 2 |
| | | | 334 | 2 |
| | | | 99.40% | 0.60% |
| | Actionable Notifications | | 336 | |

| Hamilton, City of (Water) | | Completed within | Compliant | Non-Compliant |
|---------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | | 1,742 | |
| | 6 - 10 | | | 440 |
| | 11 - 15 | | | 840 |
| | 15+ | | | 730 |
| | | | 1,742 | 2,010 |
| | | | 46.43% | 53.57% |
| | Actionable Notifications | | 3,752 | |

| Hamilton, Township of | | Completed within | Compliant | Non-Compliant |
|-----------------------|--------------------------|------------------|-----------|---------------|
| | 6 - 10 | | | 12 |
| | 11 - 15 | | | 28 |
| | 15+ | | | 44 |
| | | | 0 | 84 |
| | | | | 100.00% |
| | Actionable Notifications | | 84 | |

| Hanover, Town of | | Completed within | Compliant | Non-Compliant |
|------------------|---------|------------------|-----------|---------------|
| | 6 - 10 | | | 5 |
| | 11 - 15 | | | 6 |
| | 15+ | | | 39 |

Member

| | | | |
|--|--------------------------|-----------|---------------|
| | | 0 | 50 |
| | | | 100.00% |
| | Actionable Notifications | 50 | |
| Harold and Grace Baker Centre | Completed within | Compliant | Non-Compliant |
| | 15+ | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |
| Havelock-Belmont-Methuen, Township of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 3 | |
| | 6 - 10 | | 2 |
| | 15+ | | 1 |
| | | 3 | 3 |
| | | 50.00% | 50.00% |
| | Actionable Notifications | 6 | |
| Hawkesbury, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 70 | |
| | 6 - 10 | | 14 |
| | | 70 | 14 |
| | | 83.33% | 16.67% |
| | Actionable Notifications | 84 | |
| Hay Communications | Completed within | Compliant | Non-Compliant |
| | 0-5 | 208 | |
| | 6 - 10 | | 12 |
| | 11 - 15 | | 2 |
| | 15+ | | 7 |

Member

| | | | |
|-----------------------------------|--------------------------|-----------|---------------|
| | | 208 | 21 |
| | | 90.83% | 9.17% |
| | Actionable Notifications | 229 | |
| HCE Telecom | Completed within | Compliant | Non-Compliant |
| | 0-5 | 21 | |
| | 6 - 10 | | 13 |
| | 11 - 15 | | 33 |
| | 15+ | | 16 |
| | | 21 | 62 |
| | | 25.30% | 74.70% |
| | Actionable Notifications | 83 | |
| Hearst Connect Corporation | Completed within | Compliant | Non-Compliant |
| | 0-5 | 9 | |
| | 15+ | | 1 |
| | | 9 | 1 |
| | | 90.00% | 10.00% |
| | Actionable Notifications | 10 | |
| Hearst Power | Completed within | Compliant | Non-Compliant |
| | 0-5 | 44 | |
| | | 44 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 44 | |
| Hearst, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 33 | |
| | | 33 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 33 | |

Member

| Member | Completed within | Compliant | Non-Compliant |
|--------------------------|--------------------------|-----------|---------------|
| Highbury Canco Corp | 15+ | 0 | 1 |
| | | 100.00% | 100.00% |
| | Actionable Notifications | 1 | |
| | | | |
| | | | |
| Hilton Beach, Village of | 0-5 | 1 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 1 | |
| | | | |
| | | | |
| Home Hardware Stores Ltd | 6 - 10 | 0 | 6 |
| | | | 100.00% |
| | Actionable Notifications | 6 | |
| | | | |
| | | | |
| Horton, Township of | 11 - 15 | | 8 |
| | 15+ | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 9 | |
| | | | |
| Howick, Town of | 0-5 | 40 | |
| | 6 - 10 | 40 | 34 |
| | | 54.05% | 45.95% |
| | Actionable Notifications | 74 | |
| | | | |

Member

| Huntsville, Town of | | | Completed within | Compliant | Non-Compliant |
|---------------------------------|--------------------------|---------|------------------|-----------|---------------|
| | | 6 - 10 | | | 5 |
| | | 11 - 15 | | | 4 |
| | | 15+ | | | 37 |
| | | | | 0 | 46 |
| | | | | | 100.00% |
| | Actionable Notifications | | 46 | | |
| Huron East, Municipality of | | | Completed within | Compliant | Non-Compliant |
| | | 0-5 | | 86 | |
| | | 6 - 10 | | | 7 |
| | | | | 86 | 7 |
| | | | | 92.47% | 7.53% |
| | Actionable Notifications | | 93 | | |
| Huron Perth Healthcare Alliance | | | Completed within | Compliant | Non-Compliant |
| | | 11 - 15 | | | 2 |
| | | 15+ | | | 1 |
| | | | | 0 | 3 |
| | | | | | 100.00% |
| | Actionable Notifications | | 3 | | |
| Huron Shores, Municipality of | | | Completed within | Compliant | Non-Compliant |
| | | 15+ | | | 1 |
| | | | | 0 | 1 |
| | | | | | 100.00% |
| | Actionable Notifications | | 1 | | |
| Huron, County of (Auburn) | | | Completed within | Compliant | Non-Compliant |
| | | 6 - 10 | | | 1 |
| | | 11 - 15 | | | 4 |
| | | 15+ | | | 2 |

Member

| | |
|----------------------------|---------|
| 0 | 7 |
| | 100.00% |
| Actionable Notifications 7 | |

| Huron, County of (Traffic Signals) | | Compliant | Non-Compliant |
|------------------------------------|--|-----------|---------------|
| Completed within | | | |
| 6 - 10 | | | 1 |
| 11 - 15 | | | 3 |
| 15+ | | | 1 |
| | | 0 | 5 |
| | | | 100.00% |
| Actionable Notifications | | 5 | |

| Huron, County of (Wroxeter) | | Compliant | Non-Compliant |
|-----------------------------|--|-----------|---------------|
| Completed within | | | |
| 0-5 | | 6 | |
| 6 - 10 | | | 1 |
| | | 6 | 1 |
| | | 85.71% | 14.29% |
| Actionable Notifications | | 7 | |

| Huron, County of (Zurich) | | Compliant | Non-Compliant |
|---------------------------|--|-----------|---------------|
| Completed within | | | |
| 0-5 | | 7 | |
| 15+ | | | 1 |
| | | 7 | 1 |
| | | 87.50% | 12.50% |
| Actionable Notifications | | 8 | |

| Huron-Kinloss, Township of | | Compliant | Non-Compliant |
|----------------------------|--|-----------|---------------|
| Completed within | | | |
| 6 - 10 | | | 13 |
| 11 - 15 | | | 6 |
| 15+ | | | 48 |

Member

| | | |
|--------------------------|----|---------|
| | 0 | 67 |
| | | 100.00% |
| Actionable Notifications | 67 | |

| Hurontel | Completed within | Compliant | Non-Compliant |
|----------|--------------------------|-----------|---------------|
| | 0-5 | 320 | |
| | 6 - 10 | | 126 |
| | 11 - 15 | | 28 |
| | 15+ | | 46 |
| | | 320 | 200 |
| | | 61.54% | 38.46% |
| | Actionable Notifications | 520 | |

| Hydro 2000 | Completed within | Compliant | Non-Compliant |
|------------|--------------------------|-----------|---------------|
| | 0-5 | 12 | |
| | 6 - 10 | | 2 |
| | | 12 | 2 |
| | | 85.71% | 14.29% |
| | Actionable Notifications | 14 | |

| Hydro Embrun | Completed within | Compliant | Non-Compliant |
|--------------|--------------------------|-----------|---------------|
| | 0-5 | 47 | |
| | 6 - 10 | | 18 |
| | 11 - 15 | | 1 |
| | 15+ | | 8 |
| | | 47 | 27 |
| | | 63.51% | 36.49% |
| | Actionable Notifications | 74 | |

| Hydro Hawkesbury | Completed within | Compliant | Non-Compliant |
|------------------|------------------|-----------|---------------|
| | 0-5 | 34 | |
| | 6 - 10 | | 6 |

Member

| | | |
|--------------------------|--------|--------|
| 11 - 15 | | 1 |
| 15+ | | 1 |
| | 34 | 8 |
| | 80.95% | 19.05% |
| Actionable Notifications | 42 | |

| Hydro One Networks Inc - Fibre | | |
|--------------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 49 | |
| 15+ | | 1 |
| | 49 | 1 |
| | 98.00% | 2.00% |
| Actionable Notifications | 50 | |

| Hydro One Networks Inc (Distribution) | | |
|---------------------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 11,960 | |
| 6 - 10 | | 6,066 |
| 11 - 15 | | 3,057 |
| 15+ | | 3,697 |
| | 11,960 | 12,820 |
| | 48.26% | 51.74% |
| Actionable Notifications | 24,780 | |

| Hydro One Networks Inc (Haldimand) | | |
|------------------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 466 | |
| 6 - 10 | | 47 |
| 11 - 15 | | 135 |
| 15+ | | 2 |
| | 466 | 184 |
| | 71.69% | 28.31% |
| Actionable Notifications | 650 | |

| Hydro One Networks Inc (Norfolk) | | |
|----------------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |

Member

| | | |
|--------------------------|--------|--------|
| 0-5 | 130 | |
| 6 - 10 | | 133 |
| 11 - 15 | | 41 |
| 15+ | | 27 |
| | 130 | 201 |
| | 39.27% | 60.73% |
| Actionable Notifications | 331 | |

Hydro One Networks Inc (Orillia)

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 54 | |
| 6 - 10 | | 73 |
| 11 - 15 | | 48 |
| 15+ | | 31 |
| | 54 | 152 |
| | 26.21% | 73.79% |
| Actionable Notifications | 206 | |

Hydro One Networks Inc (Peterborough)

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 53 | |
| 6 - 10 | | 108 |
| 11 - 15 | | 102 |
| 15+ | | 345 |
| | 53 | 555 |
| | 8.72% | 91.28% |
| Actionable Notifications | 608 | |

Hydro One Networks Inc (Transmission)

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
| 0-5 | 243 | |
| 6 - 10 | | 22 |
| 11 - 15 | | 90 |
| 15+ | | 592 |

Member

| | | | |
|---|--------------------------|-----------|---------------|
| | | 243 | 704 |
| | | 25.66% | 74.34% |
| | Actionable Notifications | 947 | |
| Hydro One Networks Inc (Woodstock) | Completed within | Compliant | Non-Compliant |
| | 0-5 | 112 | |
| | 6 - 10 | | 89 |
| | 11 - 15 | | 44 |
| | 15+ | | 44 |
| | | 112 | 177 |
| | | 38.75% | 61.25% |
| | Actionable Notifications | 289 | |
| Hydro One Remote Communities Inc | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 2 |
| | 15+ | | 1 |
| | | 0 | 3 |
| | | | 100.00% |
| | Actionable Notifications | 3 | |
| Hydro Ottawa | Completed within | Compliant | Non-Compliant |
| | 0-5 | 4,613 | |
| | 6 - 10 | | 1,426 |
| | 11 - 15 | | 670 |
| | 15+ | | 389 |
| | | 4,613 | 2,485 |
| | | 64.99% | 35.01% |
| | Actionable Notifications | 7,098 | |
| Ignace, Township of | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 8 |
| | 11 - 15 | | 2 |

Member

| | | |
|--------------------------|----|---------|
| 15+ | | 11 |
| | 0 | 21 |
| | | 100.00% |
| Actionable Notifications | 21 | |

| Imperial Oil Pipelines (I002) | Completed within | Compliant | Non-Compliant |
|-------------------------------|------------------|-----------|---------------|
| | 0-5 | 221 | |
| | 6 - 10 | | 37 |
| | 11 - 15 | | 26 |
| | 15+ | | 86 |
| | | 221 | 149 |
| | | 59.73% | 40.27% |
| Actionable Notifications | 370 | | |

| Imperial Oil Pipelines (I003) | Completed within | Compliant | Non-Compliant |
|-------------------------------|------------------|-----------|---------------|
| | 0-5 | 3 | |
| | | 3 | 0 |
| | | 100.00% | |
| Actionable Notifications | 3 | | |

| Imperial Oil Pipelines (I004) | Completed within | Compliant | Non-Compliant |
|-------------------------------|------------------|-----------|---------------|
| | 0-5 | 7 | |
| | | 7 | 0 |
| | | 100.00% | |
| Actionable Notifications | 7 | | |

| Imperial Oil Refinery and Chemicals (IM01) | Completed within | Compliant | Non-Compliant |
|--|------------------|-----------|---------------|
| | 15+ | | 2 |
| | | 0 | 2 |
| | | | 100.00% |
| Actionable Notifications | 2 | | |

Member

| Member | Completed within | Compliant | Non-Compliant |
|---|--------------------------------------|-----------|---------------|
| Imperial Oil Refinery and Chemicals (IM02) | 0-5 | 26 | |
| | 11 - 15 | | 2 |
| | 15+ | | 5 |
| | | 26 | 7 |
| | | 78.79% | 21.21% |
| | Actionable Notifications | 33 | |
| | Index Energy Ajax Corporation | 0-5 | 16 |
| | | 16 | 0 |
| | | 100.00% | |
| Actionable Notifications | | 16 | |
| Ingersoll, Town of | | 0-5 | 57 |
| | 15+ | | 1 |
| | | 57 | 1 |
| | | 98.28% | 1.72% |
| | Actionable Notifications | 58 | |
| InnPower | 0-5 | 336 | |
| | 6 - 10 | | 17 |
| | 11 - 15 | | 71 |
| | 15+ | | 156 |
| | | 336 | 244 |
| | | 57.93% | 42.07% |
| | Actionable Notifications | 580 | |
| InnServices Utilities Inc | 0-5 | 221 | |

Member

| | | |
|--------------------------|--------|--------|
| 6 - 10 | | 8 |
| 11 - 15 | | 58 |
| 15+ | | 80 |
| | 221 | 146 |
| | 60.22% | 39.78% |
| Actionable Notifications | 367 | |

| Integrated Gas Recovery Services | Completed within | Compliant | Non-Compliant |
|----------------------------------|------------------|-----------|---------------|
| | 6 - 10 | | 1 |
| | 15+ | | 2 |
| | | 0 | 3 |
| | | | 100.00% |
| Actionable Notifications | 3 | | |

| Internet Access Solutions Ltd | Completed within | Compliant | Non-Compliant |
|-------------------------------|------------------|-----------|---------------|
| | 0-5 | 18 | |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 12 |
| | 15+ | | 2 |
| | | 18 | 15 |
| | | 54.55% | 45.45% |
| Actionable Notifications | 33 | | |

| INVISTA | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 1 | |
| | | 1 | 0 |
| | | 100.00% | |
| Actionable Notifications | 1 | | |

| Iroquois Falls, Town of | Completed within | Compliant | Non-Compliant |
|-------------------------|------------------|-----------|---------------|
| | 0-5 | 8 | |
| | 6 - 10 | | 9 |

Member

| | | |
|--------------------------|--------|--------|
| 11 - 15 | | 9 |
| 15+ | | 16 |
| | 8 | 34 |
| | 19.05% | 80.95% |
| Actionable Notifications | 42 | |

James, Township of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 11 - 15 | | 1 |
| 15+ | | 1 |
| | 0 | 2 |
| | | 100.00% |
| Actionable Notifications | 2 | |

Johnson, Township of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 11 - 15 | | 1 |
| 15+ | | 2 |
| | 0 | 3 |
| | | 100.00% |
| Actionable Notifications | 3 | |

K2 Wind Farm Ontario

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 2 | |
| 6 - 10 | | 2 |
| | 2 | 2 |
| | 50.00% | 50.00% |
| Actionable Notifications | 4 | |

Kap Power Corp

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
| 0-5 | 1 | |

Member

| | |
|--------------------------|---|
| 1 | 0 |
| 100.00% | |
| Actionable Notifications | |
| 1 | |

| Kapuskasing, Town of | Completed within | Compliant | Non-Compliant |
|----------------------|--------------------------|-----------|---------------|
| | 0-5 | 26 | |
| | 6 - 10 | | 10 |
| | 11 - 15 | | 8 |
| | 15+ | | 4 |
| | | 26 | 22 |
| | | 54.17% | 45.83% |
| | Actionable Notifications | | 48 |

| Kawartha Lakes, City of | Completed within | Compliant | Non-Compliant |
|-------------------------|--------------------------|-----------|---------------|
| | 0-5 | 273 | |
| | 6 - 10 | | 78 |
| | 11 - 15 | | 1 |
| | 15+ | | 1 |
| | | 273 | 80 |
| | | 77.34% | 22.66% |
| | Actionable Notifications | | 353 |

| Kawartha Pine Ridge District Schoolboard | Completed within | Compliant | Non-Compliant |
|--|--------------------------|-----------|---------------|
| | 0-5 | 4 | |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 3 |
| | 15+ | | 14 |
| | | 4 | 18 |
| | | 18.18% | 81.82% |
| | Actionable Notifications | | 22 |

| Kenora, City of | Completed within | Compliant | Non-Compliant |
|-----------------|------------------|-----------|---------------|
|-----------------|------------------|-----------|---------------|

Member

| | | |
|--------------------------|--------|--------|
| 0-5 | 90 | |
| 6 - 10 | | 6 |
| 11 - 15 | | 4 |
| 15+ | | 1 |
| | 90 | 11 |
| | 89.11% | 10.89% |
| Actionable Notifications | 101 | |

Kent Breeze Wind Farm

| | | |
|--------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 6 - 10 | | 2 |
| | 0 | 2 |
| | | 100.00% |
| Actionable Notifications | 2 | |

Killaloe, Hagarty & Richards, Township of

| | | |
|--------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 14 | |
| 15+ | | 1 |
| | 14 | 1 |
| | 93.33% | 6.67% |
| Actionable Notifications | 15 | |

Killarney, Municipality of

| | | |
|--------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 6 - 10 | | 1 |
| 11 - 15 | | 1 |
| | 0 | 2 |
| | | 100.00% |
| Actionable Notifications | 2 | |

Kincardine, Municipality of

| | | |
|------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 81 | |
| 6 - 10 | | 2 |

Member

| | |
|-----------------------------|-------|
| 81 | 2 |
| 97.59% | 2.41% |
| Actionable Notifications 83 | |

| Kinder Morgan Pipeline | | Compliant | Non-Compliant |
|--------------------------|--|-----------|---------------|
| Completed within | | | |
| 6 - 10 | | | 2 |
| 11 - 15 | | | 1 |
| 15+ | | | 4 |
| | | 0 | 7 |
| | | | 100.00% |
| Actionable Notifications | | 7 | |

| King, Township of | | Compliant | Non-Compliant |
|--------------------------|--|-----------|---------------|
| Completed within | | | |
| 0-5 | | 142 | |
| 6 - 10 | | | 48 |
| 11 - 15 | | | 52 |
| 15+ | | | 75 |
| | | 142 | 175 |
| | | 44.79% | 55.21% |
| Actionable Notifications | | 317 | |

| Kings University College | | Compliant | Non-Compliant |
|--------------------------|--|-----------|---------------|
| Completed within | | | |
| 6 - 10 | | | 1 |
| 15+ | | | 1 |
| | | 0 | 2 |
| | | | 100.00% |
| Actionable Notifications | | 2 | |

| Kingsbridge Wind Farm | | Compliant | Non-Compliant |
|-----------------------|--|-----------|---------------|
| Completed within | | | |
| 0-5 | | 1 | |

Member

| | | | |
|---|--------------------------|-----------|---------------|
| | | 1 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 1 | |
| Kingston General Hospital | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 2 |
| | 15+ | | 1 |
| | | 0 | 3 |
| | | | 100.00% |
| | Actionable Notifications | 3 | |
| Kingston, City of (Utilities Kingston) | Completed within | Compliant | Non-Compliant |
| | 0-5 | 404 | |
| | 6 - 10 | | 108 |
| | 11 - 15 | | 16 |
| | 15+ | | 5 |
| | | 404 | 129 |
| | | 75.80% | 24.20% |
| | Actionable Notifications | 533 | |
| Kingsville, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 38 | |
| | 6 - 10 | | 69 |
| | 11 - 15 | | 123 |
| | 15+ | | 46 |
| | | 38 | 238 |
| | | 13.77% | 86.23% |
| | Actionable Notifications | 276 | |
| Kirkland Lake, Town of | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 9 |
| | 11 - 15 | | 19 |

Member

| | | |
|--------------------------|----|---------|
| 15+ | | 24 |
| | 0 | 52 |
| | | 100.00% |
| Actionable Notifications | 52 | |

Kitchener Utilities

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 974 | |
| 6 - 10 | | 180 |
| 11 - 15 | | 59 |
| 15+ | | 34 |
| | 974 | 273 |
| | 78.11% | 21.89% |
| Actionable Notifications | 1,247 | |

Kitchener Utilities - Gas and Water

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 311 | |
| 6 - 10 | | 7 |
| 11 - 15 | | 5 |
| 15+ | | 9 |
| | 311 | 21 |
| | 93.67% | 6.33% |
| Actionable Notifications | 332 | |

Kitchener, City of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 16 | |
| 6 - 10 | | 162 |
| 11 - 15 | | 206 |
| 15+ | | 538 |
| | 16 | 906 |
| | 1.74% | 98.26% |
| Actionable Notifications | 922 | |

Member

| Kitchener-Wilmot Hydro | | | |
|------------------------------|-----------|---------------|---------|
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 243 | | |
| 6 - 10 | | | 516 |
| 11 - 15 | | | 252 |
| 15+ | | | 7 |
| | 243 | | 775 |
| | 23.87% | | 76.13% |
| Actionable Notifications | 1,018 | | |
| Kitchener-Wilmot Hydro (LSP) | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 11 | | |
| 6 - 10 | | | 65 |
| 11 - 15 | | | 95 |
| 15+ | | | 213 |
| | 11 | | 373 |
| | 2.86% | | 97.14% |
| Actionable Notifications | 384 | | |
| Kruger Energy | | | |
| Completed within | Compliant | Non-Compliant | |
| 11 - 15 | | | 1 |
| 15+ | | | 3 |
| | 0 | | 4 |
| | | | 100.00% |
| Actionable Notifications | 4 | | |
| KWIC Internet | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 5 | | |
| 6 - 10 | | | 2 |
| 15+ | | | 1 |

Member

| | | | |
|---|--------------------------|-----------|---------------|
| | | 5 | 3 |
| | | 62.50% | 37.50% |
| | Actionable Notifications | 8 | |
| Lagasco Inc | Completed within | Compliant | Non-Compliant |
| | 0-5 | 12 | |
| | 6 - 10 | | 6 |
| | 11 - 15 | | 2 |
| | 15+ | | 2 |
| | | 12 | 10 |
| | | 54.55% | 45.45% |
| | Actionable Notifications | 22 | |
| Lagasco Limited | Completed within | Compliant | Non-Compliant |
| | 0-5 | 12 | |
| | | 12 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 12 | |
| Lake Huron Primary Water Supply System | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 7 |
| | 15+ | | 20 |
| | | 0 | 28 |
| | | | 100.00% |
| | Actionable Notifications | 28 | |
| Lake of Bays, Township of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 2 | |
| | 11 - 15 | | 1 |
| | 15+ | | 1 |

Member

| | | |
|--------------------------|--------|--------|
| | 2 | 2 |
| | 50.00% | 50.00% |
| Actionable Notifications | 4 | |

| Lakefront Utilities | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 163 | |
| | 6 - 10 | | 2 |
| | | 163 | 2 |
| | | 98.79% | 1.21% |
| Actionable Notifications | 165 | | |

| Lakefront Utilities - Grafton Water | Completed within | Compliant | Non-Compliant |
|-------------------------------------|------------------|-----------|---------------|
| | 0-5 | 12 | |
| | 6 - 10 | | 2 |
| | | 12 | 2 |
| | | 85.71% | 14.29% |
| Actionable Notifications | 14 | | |

| Lakefront Utilities - Town of Cobourg Water | Completed within | Compliant | Non-Compliant |
|---|------------------|-----------|---------------|
| | 0-5 | 153 | |
| | 6 - 10 | | 1 |
| | | 153 | 1 |
| | | 99.35% | 0.65% |
| Actionable Notifications | 154 | | |

| Lakeland Networks | Completed within | Compliant | Non-Compliant |
|-------------------|------------------|-----------|---------------|
| | 0-5 | 42 | |
| | 6 - 10 | | 43 |
| | 11 - 15 | | 30 |
| | 15+ | | 14 |

Member

| | |
|--------------------------|--------|
| 42 | 87 |
| 32.56% | 67.44% |
| Actionable Notifications | |
| 129 | |

| Lakeland Power | Completed within | Compliant | Non-Compliant |
|----------------|--------------------------|-----------|---------------|
| | 0-5 | 90 | |
| | 6 - 10 | | 55 |
| | 11 - 15 | | 32 |
| | 15+ | | 24 |
| | | 90 | 111 |
| | | 44.78% | 55.22% |
| | Actionable Notifications | | 201 |

| Lakeshore, Municipality of | Completed within | Compliant | Non-Compliant |
|----------------------------|--------------------------|-----------|---------------|
| | 0-5 | 444 | |
| | 6 - 10 | | 87 |
| | 11 - 15 | | 2 |
| | 15+ | | 2 |
| | | 444 | 91 |
| | | 82.99% | 17.01% |
| | Actionable Notifications | | 535 |

| Lakeview Water System | Completed within | Compliant | Non-Compliant |
|-----------------------|--------------------------|-----------|---------------|
| | 6 - 10 | | 1 |
| | 11 - 15 | | 1 |
| | 15+ | | 1 |
| | | 0 | 3 |
| | | | 100.00% |
| | Actionable Notifications | | 3 |

| Lambton Area Water Supply System | Completed within | Compliant | Non-Compliant |
|----------------------------------|------------------|-----------|---------------|
| | 6 - 10 | | 15 |

Member

| | | |
|--------------------------|-----|---------|
| 11 - 15 | | 30 |
| 15+ | | 92 |
| | 0 | 137 |
| | | 100.00% |
| Actionable Notifications | 137 | |

| Lambton County | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 7 | |
| | 6 - 10 | | 7 |
| | 11 - 15 | | 2 |
| | 15+ | | 14 |
| | | 7 | 23 |
| | | 23.33% | 76.67% |
| Actionable Notifications | 30 | | |

| Lambton Shores, Municipality of | Completed within | Compliant | Non-Compliant |
|---------------------------------|------------------|-----------|---------------|
| | 0-5 | 185 | |
| | 6 - 10 | | 10 |
| | | 185 | 10 |
| | | 94.87% | 5.13% |
| Actionable Notifications | 195 | | |

| LamSar for SXL (Sunoco Logistics) | Completed within | Compliant | Non-Compliant |
|-----------------------------------|------------------|-----------|---------------|
| | 6 - 10 | | 2 |
| | 15+ | | 2 |
| | | 0 | 4 |
| | | | 100.00% |
| Actionable Notifications | 4 | | |

| Lanark Highlands, Township of | Completed within | Compliant | Non-Compliant |
|-------------------------------|------------------|-----------|---------------|
| | 6 - 10 | | 1 |
| | 15+ | | 4 |

Member

| | | | |
|---------------------------------|--------------------------|-----------|---------------|
| | | 0 | 5 |
| | | | 100.00% |
| | Actionable Notifications | 5 | |
| Lanark, County of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 1 | |
| | 15+ | | 1 |
| | | 1 | 1 |
| | | 50.00% | 50.00% |
| | Actionable Notifications | 2 | |
| Lanxess Canada | Completed within | Compliant | Non-Compliant |
| | 0-5 | 1 | |
| | 6 - 10 | | 3 |
| | 15+ | | 2 |
| | | 1 | 5 |
| | | 16.67% | 83.33% |
| | Actionable Notifications | 6 | |
| Larder Lake, Township of | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 1 |
| | 15+ | | 1 |
| | | 0 | 3 |
| | | | 100.00% |
| | Actionable Notifications | 3 | |
| LaSalle, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 210 | |

Member

| | | | |
|--|--------------------------|-----------|---------------|
| | | 210 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 210 | |
| Latchford, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 1 | |
| | | 1 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 1 | |
| Laurentian Hills, Town of | Completed within | Compliant | Non-Compliant |
| | 11 - 15 | | 2 |
| | 15+ | | 5 |
| | | 0 | 7 |
| | | | 100.00% |
| | Actionable Notifications | 7 | |
| Laurentian University | Completed within | Compliant | Non-Compliant |
| | 0-5 | 1 | |
| | | 1 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 1 | |
| Laurentian Valley, Township of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 22 | |
| | 6 - 10 | | 1 |
| | | 22 | 1 |
| | | 95.65% | 4.35% |
| | Actionable Notifications | 23 | |
| Leamington Area Drip Irrigation | Completed within | Compliant | Non-Compliant |
| | 0-5 | 5 | |

Member

| | |
|----------------------------|---|
| 5 | 0 |
| 100.00% | |
| Actionable Notifications 5 | |

| Leamington Sewer and Traffic | Completed within | Compliant | Non-Compliant |
|------------------------------|------------------------------|-----------|---------------|
| | 6 - 10 | | 13 |
| | 11 - 15 | | 13 |
| | 15+ | | 80 |
| | | 0 | 106 |
| | | 100.00% | |
| | Actionable Notifications 106 | | |

| Leamington Water Services | Completed within | Compliant | Non-Compliant |
|---------------------------|------------------------------|-----------|---------------|
| | 0-5 | 152 | |
| | 11 - 15 | | 6 |
| | 15+ | | 6 |
| | | 152 | 12 |
| | | 92.68% | 7.32% |
| | Actionable Notifications 164 | | |

| Leeds & Grenville, United Counties of | Completed within | Compliant | Non-Compliant |
|---------------------------------------|-----------------------------|-----------|---------------|
| | 6 - 10 | | 10 |
| | 11 - 15 | | 8 |
| | 15+ | | 53 |
| | | 0 | 71 |
| | | | 100.00% |
| | Actionable Notifications 71 | | |

| Leeds & Thousand Islands, Township of | Completed within | Compliant | Non-Compliant |
|---------------------------------------|------------------|-----------|---------------|
| | 15+ | | 2 |

Member

| | | | |
|--|--------------------------|-----------|---------------|
| | | 0 | 2 |
| | | | 100.00% |
| | Actionable Notifications | 2 | |
| Lennox and Addington, County of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 20 | |
| | 6 - 10 | | 5 |
| | 11 - 15 | | 1 |
| | 15+ | | 1 |
| | | 20 | 7 |
| | | 74.07% | 25.93% |
| | Actionable Notifications | 27 | |
| Liberty Oil and Gas | Completed within | Compliant | Non-Compliant |
| | 0-5 | 2 | |
| | 15+ | | 1 |
| | | 2 | 1 |
| | | 66.67% | 33.33% |
| | Actionable Notifications | 3 | |
| Lincoln, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 229 | |
| | | 229 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 229 | |
| Linde - Mississauga | Completed within | Compliant | Non-Compliant |
| | 15+ | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |

Member

| Linde Canada Inc | | | |
|--------------------------------|-----------|---------------|---------|
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 13 | | |
| 6 - 10 | | | 1 |
| 11 - 15 | | | 1 |
| 15+ | | | 8 |
| | 13 | | 10 |
| | 56.52% | | 43.48% |
| Actionable Notifications | 23 | | |
| Linde Canada Inc - Scarborough | | | |
| Completed within | Compliant | Non-Compliant | |
| 6 - 10 | | | 3 |
| 11 - 15 | | | 4 |
| 15+ | | | 7 |
| | 0 | | 14 |
| | | | 100.00% |
| Actionable Notifications | 14 | | |
| London District Energy | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 64 | | |
| 6 - 10 | | | 3 |
| | 64 | | 3 |
| | 95.52% | | 4.48% |
| Actionable Notifications | 67 | | |
| London Health Sciences | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 1 | | |
| 6 - 10 | | | 2 |
| 11 - 15 | | | 1 |
| 15+ | | | 2 |

Member

| | | |
|--------------------------|--------|--------|
| | 1 | 5 |
| | 16.67% | 83.33% |
| Actionable Notifications | 6 | |

| London Hydro | Completed within | Compliant | Non-Compliant |
|--------------|--------------------------|-----------|---------------|
| | 0-5 | 1,736 | |
| | 6 - 10 | | 700 |
| | 11 - 15 | | 344 |
| | 15+ | | 410 |
| | | 1,736 | 1,454 |
| | | 54.42% | 45.58% |
| | Actionable Notifications | 3,190 | |

| London, City of | Completed within | Compliant | Non-Compliant |
|-----------------|--------------------------|-----------|---------------|
| | 0-5 | 1,678 | |
| | 6 - 10 | | 764 |
| | 11 - 15 | | 355 |
| | 15+ | | 421 |
| | | 1,678 | 1,540 |
| | | 52.14% | 47.86% |
| | Actionable Notifications | 3,218 | |

| Long Point Provincial Park | Completed within | Compliant | Non-Compliant |
|----------------------------|--------------------------|-----------|---------------|
| | 0-5 | 1 | |
| | | 1 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 1 | |

| Lowland 450 Phillip Street GP Ltd | Completed within | Compliant | Non-Compliant |
|-----------------------------------|------------------|-----------|---------------|
| | 11 - 15 | | 1 |

Member

| | | | |
|---|--------------------------|-----------|---------------|
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |
| Loyalist Solar LP | Completed within | Compliant | Non-Compliant |
| | 11 - 15 | | 3 |
| | | 0 | 3 |
| | | | 100.00% |
| | Actionable Notifications | 3 | |
| Loyalist Township | Completed within | Compliant | Non-Compliant |
| | 0-5 | 238 | |
| | 6 - 10 | | 10 |
| | | 238 | 10 |
| | | 95.97% | 4.03% |
| | Actionable Notifications | 248 | |
| Lucan-Biddulph, Township of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 68 | |
| | 6 - 10 | | 2 |
| | 15+ | | 2 |
| | | 68 | 4 |
| | | 94.44% | 5.56% |
| | Actionable Notifications | 72 | |
| MacDonald, Meredith, and Aberdeen, Mun. of | Completed within | Compliant | Non-Compliant |
| | 11 - 15 | | 2 |
| | | 0 | 2 |
| | | | 100.00% |
| | Actionable Notifications | 2 | |
| Machin, Municipality of | Completed within | Compliant | Non-Compliant |

Member

| | | |
|--------------------------|---|---------|
| 15+ | | 1 |
| | 0 | 1 |
| | | 100.00% |
| Actionable Notifications | 1 | |

Madawaska Valley, Township of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 6 - 10 | | 1 |
| 11 - 15 | | 1 |
| 15+ | | 3 |
| | 0 | 5 |
| | | 100.00% |
| Actionable Notifications | 5 | |

Malahide, Township of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 15 | |
| 6 - 10 | | 3 |
| | 15 | 3 |
| | 83.33% | 16.67% |
| Actionable Notifications | 18 | |

Manitouwadge, Township of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 11 - 15 | | 1 |
| 15+ | | 5 |
| | 0 | 6 |
| | | 100.00% |
| Actionable Notifications | 6 | |

Mapleton, Township of

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
| 0-5 | 12 | |
| 6 - 10 | | 10 |
| 11 - 15 | | 1 |
| 15+ | | 3 |

Member

| | |
|-----------------------------|--------|
| 12 | 14 |
| 46.15% | 53.85% |
| Actionable Notifications 26 | |

| Marathon, Town of | | Completed within | Compliant | Non-Compliant |
|-------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 72 | | |
| | 6 - 10 | | | 1 |
| | | 72 | | 1 |
| | | 98.63% | | 1.37% |
| | Actionable Notifications | | 73 | |

| Markham District Energy | | Completed within | Compliant | Non-Compliant |
|-------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 24 | | |
| | 15+ | | | 2 |
| | | 24 | | 2 |
| | | 92.31% | | 7.69% |
| | Actionable Notifications | | 26 | |

| Markham, City of | | Completed within | Compliant | Non-Compliant |
|------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 199 | | |
| | 6 - 10 | | | 183 |
| | 11 - 15 | | | 353 |
| | 15+ | | | 383 |
| | | 199 | | 919 |
| | | 17.80% | | 82.20% |
| | Actionable Notifications | | 1,118 | |

| Markham, City of - Traffic Signals | | Completed within | Compliant | Non-Compliant |
|------------------------------------|---------|------------------|-----------|---------------|
| | 0-5 | 21 | | |
| | 6 - 10 | | | 28 |
| | 11 - 15 | | | 26 |
| | 15+ | | | 48 |

Member

| | | | |
|---|--------------------------|-----------|---------------|
| | | 21 | 102 |
| | | 17.07% | 82.93% |
| | Actionable Notifications | 123 | |
| Markham, City of - Water and Sewer | Completed within | Compliant | Non-Compliant |
| | 0-5 | 732 | |
| | 6 - 10 | | 100 |
| | 11 - 15 | | 179 |
| | 15+ | | 68 |
| | | 732 | 347 |
| | | 67.84% | 32.16% |
| | Actionable Notifications | 1,079 | |
| Markstay-Warren, Municipality of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 3 | |
| | 11 - 15 | | 1 |
| | 15+ | | 1 |
| | | 3 | 2 |
| | | 60.00% | 40.00% |
| | Actionable Notifications | 5 | |
| Marmora and Lake, Municipality of | Completed within | Compliant | Non-Compliant |
| | 11 - 15 | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |
| Matachewan, Township of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 1 | |

Member

| | | | |
|--|--------------------------|-----------|---------------|
| | | 1 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 1 | |
| Mattawa, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 5 | |
| | 11 - 15 | | 1 |
| | 15+ | | 3 |
| | | 5 | 4 |
| | | 55.56% | 44.44% |
| | Actionable Notifications | 9 | |
| Mattice-Val Cote, Municipality of | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 3 |
| | 15+ | | 3 |
| | | 0 | 6 |
| | | | 100.00% |
| | Actionable Notifications | 6 | |
| McCann Solar | Completed within | Compliant | Non-Compliant |
| | 15+ | | 4 |
| | | 0 | 4 |
| | | | 100.00% |
| | Actionable Notifications | 4 | |
| McDougall, Municipality of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 3 | |
| | 6 - 10 | | 3 |
| | | 3 | 3 |
| | | 50.00% | 50.00% |
| | Actionable Notifications | 6 | |

Member

| McGarry Township | | | |
|-----------------------------|-----------|---------------|--|
| Completed within | Compliant | Non-Compliant | |
| 15+ | | 1 | |
| | 0 | 1 | |
| | | 100.00% | |
| Actionable Notifications | 1 | | |
| McNab Braeside, Township of | | | |
| Completed within | Compliant | Non-Compliant | |
| 6 - 10 | | 5 | |
| 11 - 15 | | 13 | |
| 15+ | | 51 | |
| | 0 | 69 | |
| | | 100.00% | |
| Actionable Notifications | 69 | | |
| Meaford, Municipality of | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 1 | | |
| 6 - 10 | | 13 | |
| 11 - 15 | | 10 | |
| 15+ | | 20 | |
| | 1 | 43 | |
| | 2.27% | 97.73% | |
| Actionable Notifications | 44 | | |
| Melancthon Windfarm | | | |
| Completed within | Compliant | Non-Compliant | |
| 11 - 15 | | 1 | |
| 15+ | | 5 | |
| | 0 | 6 | |
| | | 100.00% | |
| Actionable Notifications | 6 | | |
| Melancthon Wolfe Wind LP | | | |
| Completed within | Compliant | Non-Compliant | |
| 15+ | | 1 | |

Member

| | |
|----------------------------|---------|
| 0 | 1 |
| | 100.00% |
| Actionable Notifications 1 | |

| Merrickville-Wolford, Village of | | Completed within | Compliant | Non-Compliant |
|----------------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | | 6 | |
| | 6 - 10 | | | 2 |
| | 11 - 15 | | | 4 |
| | 15+ | | | 7 |
| | | | 6 | 13 |
| | | | 31.58% | 68.42% |
| | Actionable Notifications | | 19 | |

| Metalore Resources | | Completed within | Compliant | Non-Compliant |
|--------------------|--------------------------|------------------|-----------|---------------|
| | 6 - 10 | | | 4 |
| | 11 - 15 | | | 4 |
| | 15+ | | | 4 |
| | | | 0 | 12 |
| | | | | 100.00% |
| | Actionable Notifications | | 12 | |

| Metro Fibrewerx | | Completed within | Compliant | Non-Compliant |
|-----------------|--------------------------|------------------|-----------|---------------|
| | 11 - 15 | | | 3 |
| | 15+ | | | 3 |
| | | | 0 | 6 |
| | | | | 100.00% |
| | Actionable Notifications | | 6 | |

| Metro Loop | | Completed within | Compliant | Non-Compliant |
|------------|---------|------------------|-----------|---------------|
| | 0-5 | | 117 | |
| | 6 - 10 | | | 159 |
| | 11 - 15 | | | 52 |

Member

| | | |
|--------------------------|--------|--------|
| 15+ | | 71 |
| | 117 | 282 |
| | 29.32% | 70.68% |
| Actionable Notifications | 399 | |

Middlesex Centre, Municipality of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 64 | |
| 6 - 10 | | 13 |
| 11 - 15 | | 9 |
| 15+ | | 25 |
| | 64 | 47 |
| | 57.66% | 42.34% |
| Actionable Notifications | 111 | |

Middlesex County

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 64 | |
| 15+ | | 2 |
| | 64 | 2 |
| | 96.97% | 3.03% |
| Actionable Notifications | 66 | |

Midland Water and Wastewater Services

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 53 | |
| 6 - 10 | | 2 |
| 11 - 15 | | 3 |
| 15+ | | 7 |
| | 53 | 12 |
| | 81.54% | 18.46% |
| Actionable Notifications | 65 | |

Midland, Town of - Street lights

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
| 6 - 10 | | 5 |

Member

| | | |
|--------------------------|----|---------|
| 11 - 15 | | 6 |
| 15+ | | 22 |
| | 0 | 33 |
| | | 100.00% |
| Actionable Notifications | 33 | |

| Milton Hydro | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 430 | |
| | 6 - 10 | | 293 |
| | 11 - 15 | | 35 |
| | 15+ | | 10 |
| | | 430 | 338 |
| | | 55.99% | 44.01% |
| Actionable Notifications | 768 | | |

| Milton, Town of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 211 | |
| | 6 - 10 | | 125 |
| | 11 - 15 | | 20 |
| | 15+ | | 5 |
| | | 211 | 150 |
| | | 58.45% | 41.55% |
| Actionable Notifications | 361 | | |

| Minden Hills, Township of - Water | Completed within | Compliant | Non-Compliant |
|-----------------------------------|------------------|-----------|---------------|
| | 11 - 15 | | 2 |
| | 15+ | | 9 |
| | | 0 | 11 |
| | | | 100.00% |
| Actionable Notifications | 11 | | |

| Minto, Town of | Completed within | Compliant | Non-Compliant |
|----------------|------------------|-----------|---------------|
|----------------|------------------|-----------|---------------|

Member

| | | |
|--------------------------|--------|-------|
| 0-5 | 60 | |
| 6 - 10 | | 2 |
| | 60 | 2 |
| | 96.77% | 3.23% |
| Actionable Notifications | 62 | |

Mississauga, City of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 1,097 | |
| | 1,097 | 0 |
| | 100.00% | |
| Actionable Notifications | 1,097 | |

Mississauga, City of - Traffic Signals

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 225 | |
| 6 - 10 | | 21 |
| 11 - 15 | | 1 |
| 15+ | | 1 |
| | 225 | 23 |
| | 90.73% | 9.27% |
| Actionable Notifications | 248 | |

Mississippi Mills, Municipality of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 24 | |
| 6 - 10 | | 1 |
| 11 - 15 | | 20 |
| 15+ | | 36 |
| | 24 | 57 |
| | 29.63% | 70.37% |
| Actionable Notifications | 81 | |

MNSI Managed Network Systems Inc

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
| 0-5 | 1,049 | |

Member

| | | |
|--------------------------|--------|-------|
| 6 - 10 | | 25 |
| 11 - 15 | | 1 |
| 15+ | | 8 |
| | 1,049 | 34 |
| | 96.86% | 3.14% |
| Actionable Notifications | 1,083 | |

| Mohawk on the Bay of Quinte Fibre (7GEN01) | Completed within | Compliant | Non-Compliant |
|--|------------------|-----------|---------------|
| 0-5 | 13 | | |
| 6 - 10 | | | 3 |
| 11 - 15 | | | 8 |
| 15+ | | | 16 |
| | 13 | 27 | |
| | 32.50% | 67.50% | |
| Actionable Notifications | 40 | | |

| Mohawks of the Bay of Quinte - Water and Sewer | Completed within | Compliant | Non-Compliant |
|--|------------------|-----------|---------------|
| 0-5 | 1 | | |
| 6 - 10 | | | 2 |
| 11 - 15 | | | 9 |
| 15+ | | | 12 |
| | 1 | 23 | |
| | 4.17% | 95.83% | |
| Actionable Notifications | 24 | | |

| Mono, Town of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| 0-5 | 33 | | |
| 6 - 10 | | | 1 |
| | 33 | 1 | |
| | 97.06% | 2.94% | |
| Actionable Notifications | 34 | | |

Member

| Montague, Township of | | | |
|-----------------------------------|-----------|---------------|--|
| Completed within | Compliant | Non-Compliant | |
| 6 - 10 | | 1 | |
| 15+ | | 1 | |
| | 0 | 2 | |
| | | 100.00% | |
| Actionable Notifications | 2 | | |
| Moonbeam, Township of | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 1 | | |
| 15+ | | 1 | |
| | 1 | 1 | |
| | 50.00% | 50.00% | |
| Actionable Notifications | 2 | | |
| Mornington Communications | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 148 | | |
| 6 - 10 | | 41 | |
| 11 - 15 | | 24 | |
| 15+ | | 23 | |
| | 148 | 88 | |
| | 62.71% | 37.29% | |
| Actionable Notifications | 236 | | |
| Morris-Turnberry, Municipality of | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 1 | | |
| 6 - 10 | | 6 | |
| 11 - 15 | | 12 | |
| 15+ | | 15 | |
| | 1 | 33 | |
| | 2.94% | 97.06% | |
| Actionable Notifications | 34 | | |

Member

| Member | Completed within | Compliant | Non-Compliant |
|---------------------------------------|--------------------------|-----------|---------------|
| Mt Sinai Hospital | 6 - 10 | | 1 |
| | 15+ | | 1 |
| | | 0 | 2 |
| | | | 100.00% |
| | Actionable Notifications | 2 | |
| | | | |
| Mulmur, Township of | 11 - 15 | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |
| | | | |
| Muskoka Lakes, Township of | 0-5 | 11 | |
| | 11 - 15 | | 2 |
| | 15+ | | 28 |
| | | 11 | 30 |
| | | 26.83% | 73.17% |
| | Actionable Notifications | 41 | |
| Muskoka, District of | 0-5 | 174 | |
| | 6 - 10 | | 47 |
| | 11 - 15 | | 38 |
| | 15+ | | 52 |
| | | 174 | 137 |
| | | 55.95% | 44.05% |
| Actionable Notifications | 311 | | |
| Muskoka, District of (Traffic) | 15+ | | 3 |
| | | | |

Member

| | | | |
|-------------------------------------|--------------------------|-----------|---------------|
| | | 0 | 3 |
| | | | 100.00% |
| | Actionable Notifications | 3 | |
| Nairn and Hyman, Township of | Completed within | Compliant | Non-Compliant |
| | 11 - 15 | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |
| Nation, Municipality of the | Completed within | Compliant | Non-Compliant |
| | 0-5 | 10 | |
| | 6 - 10 | | 9 |
| | 11 - 15 | | 1 |
| | 15+ | | 7 |
| | | 10 | 17 |
| | | 37.04% | 62.96% |
| | Actionable Notifications | 27 | |
| Net Optiks - Brantford Hydro | Completed within | Compliant | Non-Compliant |
| | 0-5 | 3 | |
| | 6 - 10 | | 12 |
| | 11 - 15 | | 6 |
| | 15+ | | 8 |
| | | 3 | 26 |
| | | 10.34% | 89.66% |
| | Actionable Notifications | 29 | |
| Netflash Internet Solutions | Completed within | Compliant | Non-Compliant |
| | 0-5 | 34 | |
| | 6 - 10 | | 6 |
| | 11 - 15 | | 8 |

Member

| | | | |
|--------------------------------------|--------------------------|-----------|---------------|
| | 15+ | | 8 |
| | | 34 | 22 |
| | | 60.71% | 39.29% |
| | Actionable Notifications | 56 | |
| New Tecumseth, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 196 | |
| | | 196 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 196 | |
| Newbury, Village of | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 3 |
| | 11 - 15 | | 1 |
| | 15+ | | 1 |
| | | 0 | 5 |
| | | | 100.00% |
| | Actionable Notifications | 5 | |
| Newmarket, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 96 | |
| | 6 - 10 | | 9 |
| | 11 - 15 | | 1 |
| | 15+ | | 5 |
| | | 96 | 15 |
| | | 86.49% | 13.51% |
| | Actionable Notifications | 111 | |
| Newmarket-Tay Power (Midland) | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 16 |
| | 11 - 15 | | 15 |
| | 15+ | | 68 |

Member

| | |
|-----------------------------|---------|
| 0 | 99 |
| | 100.00% |
| Actionable Notifications 99 | |

| Newmarket-Tay Power (Newmarket) | | |
|---------------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 6 - 10 | | 48 |
| 11 - 15 | | 138 |
| 15+ | | 256 |
| | 0 | 442 |
| | | 100.00% |
| Actionable Notifications 442 | | |

| Newmarket-Tay Power (Tay) | | |
|-----------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 6 - 10 | | 13 |
| 11 - 15 | | 20 |
| 15+ | | 22 |
| | 0 | 55 |
| | | 100.00% |
| Actionable Notifications 55 | | |

| Nexicom Telecommunications | | |
|------------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 6 - 10 | | 32 |
| 11 - 15 | | 55 |
| 15+ | | 214 |
| | 0 | 301 |
| | | 100.00% |
| Actionable Notifications 301 | | |

| Niagara Falls, City of | | |
|------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 809 | |
| 6 - 10 | | 41 |
| 11 - 15 | | 1 |

Member

| | |
|------------------------------|-------|
| 809 | 42 |
| 95.06% | 4.94% |
| Actionable Notifications 851 | |

| Niagara Parks Commission | | Completed within | Compliant | Non-Compliant |
|--------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 27 | | |
| | 6 - 10 | | | 12 |
| | 11 - 15 | | | 6 |
| | 15+ | | | 1 |
| | | 27 | | 19 |
| | | 58.70% | | 41.30% |
| | Actionable Notifications | | 46 | |

| Niagara Peninsula Energy | | Completed within | Compliant | Non-Compliant |
|--------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 640 | | |
| | 6 - 10 | | | 257 |
| | 11 - 15 | | | 108 |
| | 15+ | | | 10 |
| | | 640 | | 375 |
| | | 63.05% | | 36.95% |
| | Actionable Notifications | | 1,015 | |

| Niagara Region Water Sanitary Storm | | Completed within | Compliant | Non-Compliant |
|-------------------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 1,052 | | |
| | 6 - 10 | | | 29 |
| | 15+ | | | 4 |
| | | 1,052 | | 33 |
| | | 96.96% | | 3.04% |
| | Actionable Notifications | | 1,085 | |

| Niagara Region Wind Farm | | Completed within | Compliant | Non-Compliant |
|--------------------------|-----|------------------|-----------|---------------|
| | 0-5 | 10 | | |

Member

| | | |
|--------------------------|--------|--------|
| 6 - 10 | | 1 |
| 11 - 15 | | 2 |
| 15+ | | 2 |
| | 10 | 5 |
| | 66.67% | 33.33% |
| Actionable Notifications | 15 | |

| Niagara Regional Broadband Network | Completed within | Compliant | Non-Compliant |
|------------------------------------|------------------|-----------|---------------|
| | 0-5 | 351 | |
| | 6 - 10 | | 194 |
| | 11 - 15 | | 87 |
| | 15+ | | 24 |
| | | 351 | 305 |
| | | 53.51% | 46.49% |
| Actionable Notifications | 656 | | |

| Niagara, Region of - Transportation Services | Completed within | Compliant | Non-Compliant |
|--|------------------|-----------|---------------|
| | 0-5 | 308 | |
| | 6 - 10 | | 184 |
| | 11 - 15 | | 63 |
| | 15+ | | 38 |
| | | 308 | 285 |
| | | 51.94% | 48.06% |
| Actionable Notifications | 593 | | |

| Niagara-On-The-Lake Hydro | Completed within | Compliant | Non-Compliant |
|---------------------------|------------------|-----------|---------------|
| | 0-5 | 257 | |
| | 6 - 10 | | 87 |
| | 11 - 15 | | 20 |
| | 15+ | | 5 |

Member

| | | | |
|-------------------------------------|--------------------------|-----------|---------------|
| | | 257 | 112 |
| | | 69.65% | 30.35% |
| | Actionable Notifications | 369 | |
| Niagara-On-The-Lake, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 216 | |
| | 6 - 10 | | 80 |
| | 11 - 15 | | 19 |
| | 15+ | | 5 |
| | | 216 | 104 |
| | | 67.50% | 32.50% |
| | Actionable Notifications | 320 | |
| Nipigon, Town of | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 6 |
| | 15+ | | 2 |
| | | 0 | 9 |
| | | | 100.00% |
| | Actionable Notifications | 9 | |
| Nor-Del | Completed within | Compliant | Non-Compliant |
| | 0-5 | 292 | |
| | 6 - 10 | | 16 |
| | 11 - 15 | | 2 |
| | 15+ | | 1 |
| | | 292 | 19 |
| | | 93.89% | 6.11% |
| | Actionable Notifications | 311 | |
| Norfolk County | Completed within | Compliant | Non-Compliant |
| | 0-5 | 680 | |

Member

| | | |
|--------------------------|--------|--------|
| 6 - 10 | | 116 |
| 11 - 15 | | 33 |
| 15+ | | 15 |
| | 680 | 164 |
| | 80.57% | 19.43% |
| Actionable Notifications | 844 | |

| Norfolk Oil & Gas Ltd | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 15+ | | 2 |
| | | 0 | 2 |
| | | | 100.00% |
| Actionable Notifications | 2 | | |

| North Bay Hydro | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 162 | |
| | 6 - 10 | | 65 |
| | 11 - 15 | | 37 |
| | 15+ | | 29 |
| | | 162 | 131 |
| | | 55.29% | 44.71% |
| Actionable Notifications | 293 | | |

| North Bay, City of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 70 | |
| | 6 - 10 | | 29 |
| | 11 - 15 | | 23 |
| | 15+ | | 38 |
| | | 70 | 90 |
| | | 43.75% | 56.25% |
| Actionable Notifications | 160 | | |

| North Bay, City of - Private Hydro Lines | Completed within | Compliant | Non-Compliant |
|--|------------------|-----------|---------------|
|--|------------------|-----------|---------------|

Member

| | | |
|--------------------------|---------|---|
| 0-5 | 20 | |
| | 20 | 0 |
| | 100.00% | |
| Actionable Notifications | 20 | |

| North Dundas, Township of | Completed within | Compliant | Non-Compliant |
|---------------------------|------------------|-----------|---------------|
| | 0-5 | 26 | |
| | 6 - 10 | | 11 |
| | 11 - 15 | | 17 |
| | 15+ | | 20 |
| | | 26 | 48 |
| | | 35.14% | 64.86% |
| Actionable Notifications | 74 | | |

| North Frontenac Telephone Company | Completed within | Compliant | Non-Compliant |
|-----------------------------------|------------------|-----------|---------------|
| | 0-5 | 211 | |
| | 6 - 10 | | 2 |
| | | 211 | 2 |
| | | 99.06% | 0.94% |
| Actionable Notifications | 213 | | |

| North Glengarry, Township of | Completed within | Compliant | Non-Compliant |
|------------------------------|------------------|-----------|---------------|
| | 0-5 | 17 | |
| | 6 - 10 | | 12 |
| | 11 - 15 | | 2 |
| | 15+ | | 2 |
| | | 17 | 16 |
| | | 51.52% | 48.48% |
| Actionable Notifications | 33 | | |

| North Grenville, Municipality of | Completed within | Compliant | Non-Compliant |
|----------------------------------|------------------|-----------|---------------|
| | 6 - 10 | | 18 |

Member

| | | |
|--------------------------|-----|---------|
| 11 - 15 | | 34 |
| 15+ | | 72 |
| | 0 | 124 |
| | | 100.00% |
| Actionable Notifications | 124 | |

| North Huron, Township of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 4 | |
| | 6 - 10 | | 22 |
| | 11 - 15 | | 6 |
| | 15+ | | 8 |
| | | 4 | 36 |
| | | 10.00% | 90.00% |
| Actionable Notifications | 40 | | |

| North Kent Wind 1 LP | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 6 | |
| | 6 - 10 | | 7 |
| | 15+ | | 1 |
| | | 6 | 8 |
| | | 42.86% | 57.14% |
| Actionable Notifications | 14 | | |

| North Middlesex, Municipality of | Completed within | Compliant | Non-Compliant |
|----------------------------------|------------------|-----------|---------------|
| | 6 - 10 | | 13 |
| | 11 - 15 | | 24 |
| | 15+ | | 54 |
| | | 0 | 91 |
| | | | 100.00% |
| Actionable Notifications | 91 | | |

| North Perth, Municipality of | Completed within | Compliant | Non-Compliant |
|------------------------------|------------------|-----------|---------------|
|------------------------------|------------------|-----------|---------------|

Member

| | | |
|--------------------------|--------|--------|
| 0-5 | 86 | |
| 6 - 10 | | 9 |
| 11 - 15 | | 8 |
| | 86 | 17 |
| | 83.50% | 16.50% |
| Actionable Notifications | 103 | |

| North Renfrew Telecom Company (NRTC) | Completed within | Compliant | Non-Compliant |
|--------------------------------------|------------------|-----------|---------------|
| | 0-5 | 224 | |
| | 6 - 10 | | 123 |
| | 11 - 15 | | 6 |
| | 15+ | | 27 |
| | | 224 | 156 |
| | | 58.95% | 41.05% |
| Actionable Notifications | 380 | | |

| North Stormont, Township of | Completed within | Compliant | Non-Compliant |
|-----------------------------|------------------|-----------|---------------|
| | 0-5 | 7 | |
| | 6 - 10 | | 16 |
| | 11 - 15 | | 17 |
| | 15+ | | 12 |
| | | 7 | 45 |
| | | 13.46% | 86.54% |
| Actionable Notifications | 52 | | |

| Northeastern Manitoulin and the Islands, Town | Completed within | Compliant | Non-Compliant |
|---|------------------|-----------|---------------|
| | 15+ | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| Actionable Notifications | 1 | | |

| Northern Bruce Peninsula, Municipality of | Completed within | Compliant | Non-Compliant |
|---|------------------|-----------|---------------|
|---|------------------|-----------|---------------|

Member

| | | |
|--------------------------|----|---------|
| 11 - 15 | | 5 |
| 15+ | | 5 |
| | 0 | 10 |
| | | 100.00% |
| Actionable Notifications | 10 | |

Northern Cross Energy

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 13 | |
| | 13 | 0 |
| | 100.00% | |
| Actionable Notifications | 13 | |

Northern Ontario Wires

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 55 | |
| 15+ | | 1 |
| | 55 | 1 |
| | 98.21% | 1.79% |
| Actionable Notifications | 56 | |

Northern Tel Limited Partnership

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 186 | |
| 6 - 10 | | 18 |
| 11 - 15 | | 16 |
| 15+ | | 69 |
| | 186 | 103 |
| | 64.36% | 35.64% |
| Actionable Notifications | 289 | |

Northumberland, County of

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
| 0-5 | 38 | |
| 6 - 10 | | 8 |
| 11 - 15 | | 9 |

Member

| | | |
|--------------------------|--------|--------|
| 15+ | | 9 |
| | 38 | 26 |
| | 59.38% | 40.63% |
| Actionable Notifications | 64 | |

Norwich, Township Of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 114 | |
| 6 - 10 | | 5 |
| 15+ | | 1 |
| | 114 | 6 |
| | 95.00% | 5.00% |
| Actionable Notifications | 120 | |

Nova Chemicals Corporation

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 41 | |
| 6 - 10 | | 2 |
| 15+ | | 10 |
| | 41 | 12 |
| | 77.36% | 22.64% |
| Actionable Notifications | 53 | |

O'Connor, Township of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 6 - 10 | | 4 |
| | 0 | 4 |
| | | 100.00% |
| Actionable Notifications | 4 | |

Oakville Hydro

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
| 0-5 | 775 | |
| 6 - 10 | | 649 |
| 11 - 15 | | 113 |
| 15+ | | 39 |

Member

| | | | |
|--|--------------------------|-----------|---------------|
| | | 775 | 801 |
| | | 49.18% | 50.82% |
| | Actionable Notifications | 1,576 | |
| Oakville, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 1,059 | |
| | 6 - 10 | | 423 |
| | 11 - 15 | | 92 |
| | 15+ | | 41 |
| | | 1,059 | 556 |
| | | 65.57% | 34.43% |
| | Actionable Notifications | 1,615 | |
| Oil Springs, Village of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 4 | |
| | 6 - 10 | | 3 |
| | 11 - 15 | | 4 |
| | 15+ | | 4 |
| | | 4 | 11 |
| | | 26.67% | 73.33% |
| | Actionable Notifications | 15 | |
| Oliver Paipoonge, Municipality of | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 1 |
| | 15+ | | 6 |
| | | 0 | 8 |
| | | | 100.00% |
| | Actionable Notifications | 8 | |
| ON-Energy Corp | Completed within | Compliant | Non-Compliant |
| | 0-5 | 5 | |

Member

| | | |
|--------------------------|--------|--------|
| 6 - 10 | | 3 |
| 11 - 15 | | 1 |
| | 5 | 4 |
| | 55.56% | 44.44% |
| Actionable Notifications | 9 | |

Ontario Power Generation - Darlington

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 11 - 15 | | 1 |
| | 0 | 1 |
| | | 100.00% |
| Actionable Notifications | 1 | |

Ontario Power Generation - Niagara

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 1 | |
| 6 - 10 | | 1 |
| | 1 | 1 |
| | 50.00% | 50.00% |
| Actionable Notifications | 2 | |

Ontera - A Division of NorthernTel

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 179 | |
| 6 - 10 | | 31 |
| 11 - 15 | | 16 |
| 15+ | | 26 |
| | 179 | 73 |
| | 71.03% | 28.97% |
| Actionable Notifications | 252 | |

Orangeville Hydro

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
| 0-5 | 208 | |
| 6 - 10 | | 34 |
| 11 - 15 | | 4 |

Member

| | | |
|--------------------------|--------|--------|
| 15+ | | 10 |
| | 208 | 48 |
| | 81.25% | 18.75% |
| Actionable Notifications | 256 | |

Orangeville, Town of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 172 | |
| 6 - 10 | | 20 |
| 11 - 15 | | 2 |
| 15+ | | 8 |
| | 172 | 30 |
| | 85.15% | 14.85% |
| Actionable Notifications | 202 | |

Orillia, City of (EIS Dept)

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 410 | |
| 6 - 10 | | 36 |
| 11 - 15 | | 20 |
| 15+ | | 5 |
| | 410 | 61 |
| | 87.05% | 12.95% |
| Actionable Notifications | 471 | |

Oro-Medonte, Township of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 75 | |
| 6 - 10 | | 2 |
| | 75 | 2 |
| | 97.40% | 2.60% |
| Actionable Notifications | 77 | |

Oshawa Hydro

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
| 0-5 | 227 | |

Member

| | | |
|--------------------------|--------|--------|
| 6 - 10 | | 141 |
| 11 - 15 | | 93 |
| 15+ | | 105 |
| | 227 | 339 |
| | 40.11% | 59.89% |
| Actionable Notifications | 566 | |

| Oshawa, City of | Completed within | Compliant | Non-Compliant |
|-----------------|--------------------------|-----------|---------------|
| | 0-5 | 187 | |
| | 6 - 10 | | 47 |
| | 11 - 15 | | 56 |
| | 15+ | | 84 |
| | | 187 | 187 |
| | | 50.00% | 50.00% |
| | Actionable Notifications | 374 | |

| Oshawa, City of - Catch Basins | Completed within | Compliant | Non-Compliant |
|--------------------------------|--------------------------|-----------|---------------|
| | 0-5 | 8 | |
| | 6 - 10 | | 4 |
| | 11 - 15 | | 1 |
| | 15+ | | 11 |
| | | 8 | 16 |
| | | 33.33% | 66.67% |
| | Actionable Notifications | 24 | |

| Osler Bluff Ski-Club | Completed within | Compliant | Non-Compliant |
|----------------------|--------------------------|-----------|---------------|
| | 6 - 10 | | 1 |
| | 15+ | | 2 |
| | | 0 | 3 |
| | | | 100.00% |
| | Actionable Notifications | 3 | |

Member

| Otonabee-South Monaghan | | | |
|--|-----------|---------------|--------|
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 2 | | |
| 6 - 10 | | | 1 |
| 11 - 15 | | | 3 |
| 15+ | | | 9 |
| | 2 | | 13 |
| | 13.33% | | 86.67% |
| Actionable Notifications | 15 | | |
| Ottawa River Power | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 187 | | |
| 6 - 10 | | | 15 |
| 15+ | | | 1 |
| | 187 | | 16 |
| | 92.12% | | 7.88% |
| Actionable Notifications | 203 | | |
| Ottawa, City of - Street Lights | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 5,595 | | |
| 6 - 10 | | | 1,298 |
| 11 - 15 | | | 199 |
| 15+ | | | 42 |
| | 5,595 | | 1,539 |
| | 78.43% | | 21.57% |
| Actionable Notifications | 7,134 | | |
| Ottawa, City of - Traffic Signals -976 | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 913 | | |
| 6 - 10 | | | 6 |
| 15+ | | | 1 |

Member

| | | | |
|--|--------------------------|-----------|---------------|
| | | 913 | 7 |
| | | 99.24% | 0.76% |
| | Actionable Notifications | 920 | |
| Ottawa, City of - Water-Sewer - 975 | Completed within | Compliant | Non-Compliant |
| | 0-5 | 4,165 | |
| | 6 - 10 | | 998 |
| | 11 - 15 | | 163 |
| | 15+ | | 6 |
| | | 4,165 | 1,167 |
| | | 78.11% | 21.89% |
| | Actionable Notifications | 5,332 | |
| Ottawa, University of | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 2 |
| | 11 - 15 | | 4 |
| | 15+ | | 13 |
| | | 0 | 19 |
| | | | 100.00% |
| | Actionable Notifications | 19 | |
| Owen Sound, City of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 96 | |
| | 6 - 10 | | 46 |
| | 11 - 15 | | 4 |
| | 15+ | | 87 |
| | | 96 | 137 |
| | | 41.20% | 58.80% |
| | Actionable Notifications | 233 | |
| Oxford, County of - Fiber | Completed within | Compliant | Non-Compliant |
| | 0-5 | 2 | |

Member

| | | |
|--------------------------|--------|--------|
| 6 - 10 | | 2 |
| 11 - 15 | | 4 |
| | 2 | 6 |
| | 25.00% | 75.00% |
| Actionable Notifications | 8 | |

| Oxford, County of - Street Lights | Completed within | Compliant | Non-Compliant |
|-----------------------------------|------------------|-----------|---------------|
| | 6 - 10 | | 3 |
| | 15+ | | 1 |
| | | 0 | 4 |
| | | | 100.00% |
| Actionable Notifications | 4 | | |

| Oxford, County of - Traffic | Completed within | Compliant | Non-Compliant |
|-----------------------------|------------------|-----------|---------------|
| | 0-5 | 5 | |
| | 6 - 10 | | 3 |
| | 11 - 15 | | 3 |
| | 15+ | | 3 |
| | | 5 | 9 |
| | | 35.71% | 64.29% |
| Actionable Notifications | 14 | | |

| Oxford, County of - Water & Sewer | Completed within | Compliant | Non-Compliant |
|-----------------------------------|------------------|-----------|---------------|
| | 0-5 | 429 | |
| | 6 - 10 | | 15 |
| | | 429 | 15 |
| | | 96.62% | 3.38% |
| Actionable Notifications | 444 | | |

| Packet Works | Completed within | Compliant | Non-Compliant |
|--------------|------------------|-----------|---------------|
| | 0-5 | 5 | |
| | 6 - 10 | | 7 |

Member

| | | |
|--------------------------|--------|--------|
| 11 - 15 | | 1 |
| 15+ | | 3 |
| | 5 | 11 |
| | 31.25% | 68.75% |
| Actionable Notifications | 16 | |

| Parkhill Wind Farm (Nextera) | Completed within | Compliant | Non-Compliant |
|------------------------------|------------------|-----------|---------------|
| | 6 - 10 | | 13 |
| 11 - 15 | | 25 | |
| 15+ | | 40 | |
| | 0 | 78 | |
| | | 100.00% | |
| Actionable Notifications | 78 | | |

| Parkland Fuel Corporation | Completed within | Compliant | Non-Compliant |
|---------------------------|------------------|-----------|---------------|
| | 11 - 15 | | 1 |
| | 0 | 1 | |
| | | 100.00% | |
| Actionable Notifications | 1 | | |

| Parry Sound, Town of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 41 | |
| 6 - 10 | | 6 | |
| | 41 | 6 | |
| | 87.23% | 12.77% | |
| Actionable Notifications | 47 | | |

| Pearson (PIFF) and GTAA | Completed within | Compliant | Non-Compliant |
|-------------------------|------------------|-----------|---------------|
| | 11 - 15 | | 1 |
| 15+ | | 2 | |

Member

| | |
|----------------------------|---------|
| 0 | 3 |
| | 100.00% |
| Actionable Notifications 3 | |

| Peel Region - Monitored Sites | | Completed within | Compliant | Non-Compliant |
|-------------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 5 | | |
| | 6 - 10 | | | 4 |
| | 11 - 15 | | | 7 |
| | 15+ | | | 6 |
| | | 5 | | 17 |
| | | 22.73% | | 77.27% |
| | Actionable Notifications | | 22 | |

| Peel, Region of - Brampton - Sanitary | | Completed within | Compliant | Non-Compliant |
|---------------------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 138 | | |
| | 6 - 10 | | | 93 |
| | 11 - 15 | | | 59 |
| | 15+ | | | 131 |
| | | 138 | | 283 |
| | | 32.78% | | 67.22% |
| | Actionable Notifications | | 421 | |

| Peel, Region of - Brampton - Storm | | Completed within | Compliant | Non-Compliant |
|------------------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 16 | | |
| | 6 - 10 | | | 27 |
| | 11 - 15 | | | 17 |
| | 15+ | | | 46 |
| | | 16 | | 90 |
| | | 15.09% | | 84.91% |
| | Actionable Notifications | | 106 | |

| Peel, Region of - Brampton - Water | | Completed within | Compliant | Non-Compliant |
|------------------------------------|--|------------------|-----------|---------------|
|------------------------------------|--|------------------|-----------|---------------|

Member

| | | |
|--------------------------|--------|--------|
| 0-5 | 226 | |
| 6 - 10 | | 129 |
| 11 - 15 | | 96 |
| 15+ | | 218 |
| | 226 | 443 |
| | 33.78% | 66.22% |
| Actionable Notifications | 669 | |

Peel, Region of - Caledon - Sanitary

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 8 | |
| 6 - 10 | | 26 |
| 11 - 15 | | 25 |
| 15+ | | 43 |
| | 8 | 94 |
| | 7.84% | 92.16% |
| Actionable Notifications | 102 | |

Peel, Region of - Caledon - Storm

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 6 | |
| 6 - 10 | | 27 |
| 11 - 15 | | 25 |
| 15+ | | 15 |
| | 6 | 67 |
| | 8.22% | 91.78% |
| Actionable Notifications | 73 | |

Peel, Region of - Caledon - Water

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
| 0-5 | 20 | |
| 6 - 10 | | 48 |
| 11 - 15 | | 58 |
| 15+ | | 114 |

Member

| | | | |
|--|--------------------------|-----------|---------------|
| | | 20 | 220 |
| | | 8.33% | 91.67% |
| | Actionable Notifications | 240 | |
| Peel, Region of - Dedicated Locator (Mississauga) | Completed within | Compliant | Non-Compliant |
| | 15+ | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |
| Peel, Region of - Mississauga - Sanitary | Completed within | Compliant | Non-Compliant |
| | 0-5 | 111 | |
| | 6 - 10 | | 115 |
| | 11 - 15 | | 107 |
| | 15+ | | 230 |
| | | 111 | 452 |
| | | 19.72% | 80.28% |
| | Actionable Notifications | 563 | |
| Peel, Region of - Mississauga - Storm | Completed within | Compliant | Non-Compliant |
| | 0-5 | 20 | |
| | 6 - 10 | | 38 |
| | 11 - 15 | | 13 |
| | 15+ | | 45 |
| | | 20 | 96 |
| | | 17.24% | 82.76% |
| | Actionable Notifications | 116 | |
| Peel, Region of - Mississauga - Water | Completed within | Compliant | Non-Compliant |
| | 0-5 | 290 | |
| | 6 - 10 | | 186 |
| | 11 - 15 | | 128 |

Member

| | | |
|--------------------------|--------|--------|
| 15+ | | 279 |
| | 290 | 593 |
| | 32.84% | 67.16% |
| Actionable Notifications | 883 | |

Peel, Region of - Traffic Signals

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 208 | |
| 6 - 10 | | 13 |
| | 208 | 13 |
| | 94.12% | 5.88% |
| Actionable Notifications | 221 | |

Peel, Region of (Peel Fibre Optics)

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 662 | |
| 6 - 10 | | 59 |
| 11 - 15 | | 18 |
| 15+ | | 14 |
| | 662 | 91 |
| | 87.92% | 12.08% |
| Actionable Notifications | 753 | |

Pelee, Township of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 11 - 15 | | 2 |
| 15+ | | 2 |
| | 0 | 4 |
| | | 100.00% |
| Actionable Notifications | 4 | |

Pelham, Town of

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
| 0-5 | 145 | |
| 6 - 10 | | 39 |
| 11 - 15 | | 12 |

Member

| | | |
|--------------------------|--------|--------|
| 15+ | | 3 |
| | 145 | 54 |
| | 72.86% | 27.14% |
| Actionable Notifications | 199 | |

Pembina Pipeline

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 15 | |
| 11 - 15 | | 2 |
| 15+ | | 3 |
| | 15 | 5 |
| | 75.00% | 25.00% |
| Actionable Notifications | 20 | |

Pembroke, City of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 105 | |
| 11 - 15 | | 1 |
| 15+ | | 3 |
| | 105 | 4 |
| | 96.33% | 3.67% |
| Actionable Notifications | 109 | |

Penetanguishene, Town of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 5 | |
| 6 - 10 | | 8 |
| 11 - 15 | | 10 |
| 15+ | | 24 |
| | 5 | 42 |
| | 10.64% | 89.36% |
| Actionable Notifications | 47 | |

Pennytel Inc

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
| 11 - 15 | | 3 |

Member

| | |
|----------------------------|---------|
| 0 | 3 |
| | 100.00% |
| Actionable Notifications 3 | |

| Perth East, Township of | | Completed within | Compliant | Non-Compliant |
|-------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | | 28 | |
| | 6 - 10 | | | 13 |
| | 15+ | | | 1 |
| | | | 28 | 14 |
| | | | 66.67% | 33.33% |
| | Actionable Notifications | | 42 | |

| Perth South, Township of | | Completed within | Compliant | Non-Compliant |
|--------------------------|--------------------------|------------------|-----------|---------------|
| | 15+ | | | 3 |
| | | | 0 | 3 |
| | | | | 100.00% |
| | Actionable Notifications | | 3 | |

| Perth, Town of | | Completed within | Compliant | Non-Compliant |
|----------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | | 22 | |
| | 6 - 10 | | | 2 |
| | 15+ | | | 1 |
| | | | 22 | 3 |
| | | | 88.00% | 12.00% |
| | Actionable Notifications | | 25 | |

| Petawawa, Town of | | Completed within | Compliant | Non-Compliant |
|-------------------|---------|------------------|-----------|---------------|
| | 0-5 | | 128 | |
| | 6 - 10 | | | 20 |
| | 11 - 15 | | | 27 |
| | 15+ | | | 179 |

Member

| | |
|--------------------------|--------|
| 128 | 226 |
| 36.16% | 63.84% |
| Actionable Notifications | |
| 354 | |

| Peterborough Utilities (water, wastewater) | | Completed within | Compliant | Non-Compliant |
|--|--------------------------|------------------|-----------|---------------|
| | 0-5 | 52 | | |
| | 6 - 10 | | | 114 |
| | 11 - 15 | | | 104 |
| | 15+ | | | 344 |
| | | 52 | | 562 |
| | | 8.47% | | 91.53% |
| | Actionable Notifications | | 614 | |

| Peterborough, City of | | Completed within | Compliant | Non-Compliant |
|-----------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 707 | | |
| | 6 - 10 | | | 2 |
| | | 707 | | 2 |
| | | 99.72% | | 0.28% |
| | Actionable Notifications | | 709 | |

| Peterborough, County of | | Completed within | Compliant | Non-Compliant |
|-------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | 129 | | |
| | 11 - 15 | | | 1 |
| | | 129 | | 1 |
| | | 99.23% | | 0.77% |
| | Actionable Notifications | | 130 | |

| Petrolia, Town of | | Completed within | Compliant | Non-Compliant |
|-------------------|---------|------------------|-----------|---------------|
| | 0-5 | 38 | | |
| | 6 - 10 | | | 2 |
| | 11 - 15 | | | 7 |
| | 15+ | | | 28 |

Member

| | | | |
|--|--------------------------|-----------|---------------|
| | | 38 | 37 |
| | | 50.67% | 49.33% |
| | Actionable Notifications | 75 | |
| Pickering, City of | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 184 |
| | 11 - 15 | | 153 |
| | 15+ | | 263 |
| | | 0 | 600 |
| | | | 100.00% |
| | Actionable Notifications | 600 | |
| Pine Valley Drive - Private owner | Completed within | Compliant | Non-Compliant |
| | 15+ | | 2 |
| | | 0 | 2 |
| | | | 100.00% |
| | Actionable Notifications | 2 | |
| Plains Midstream Pipeline | Completed within | Compliant | Non-Compliant |
| | 0-5 | 100 | |
| | 11 - 15 | | 1 |
| | | 100 | 1 |
| | | 99.01% | 0.99% |
| | Actionable Notifications | 101 | |
| Plympton-Wyoming, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 106 | |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 1 |
| | 15+ | | 1 |

Member

| | | | |
|---|--------------------------|-----------|---------------|
| | | 106 | 3 |
| | | 97.25% | 2.75% |
| | Actionable Notifications | 109 | |
| Point Edward, Village of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 9 | |
| | 6 - 10 | | 3 |
| | 11 - 15 | | 1 |
| | 15+ | | 5 |
| | | 9 | 9 |
| | | 50.00% | 50.00% |
| | Actionable Notifications | 18 | |
| Pointe-aux-Roches Wind Farm | Completed within | Compliant | Non-Compliant |
| | 0-5 | 1 | |
| | | 1 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 1 | |
| Port Burwell Area Secondary Water Supply | Completed within | Compliant | Non-Compliant |
| | 0-5 | 5 | |
| | 6 - 10 | | 2 |
| | | 5 | 2 |
| | | 71.43% | 28.57% |
| | Actionable Notifications | 7 | |
| Port Colborne, Municipality of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 115 | |
| | | 115 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 115 | |

Member

| Port Dover and Nanticoke Wind Project | | | |
|--|-----------|---------------|---------|
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 1 | | |
| 6 - 10 | | | 2 |
| 11 - 15 | | | 4 |
| 15+ | | | 2 |
| | 1 | | 8 |
| | 11.11% | | 88.89% |
| Actionable Notifications | 9 | | |
| Port Hope, Municipality of | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 102 | | |
| 6 - 10 | | | 4 |
| | 102 | | 4 |
| | 96.23% | | 3.77% |
| Actionable Notifications | 106 | | |
| Powassan, Municipality of | | | |
| Completed within | Compliant | Non-Compliant | |
| 6 - 10 | | | 1 |
| 11 - 15 | | | 1 |
| 15+ | | | 8 |
| | 0 | | 10 |
| | | | 100.00% |
| Actionable Notifications | 10 | | |
| Prescott & Russell, United Counties of | | | |
| Completed within | Compliant | Non-Compliant | |
| 6 - 10 | | | 2 |
| 11 - 15 | | | 6 |
| 15+ | | | 14 |
| | 0 | | 22 |
| | | | 100.00% |
| Actionable Notifications | 22 | | |

Member

| Member | Completed within | Compliant | Non-Compliant |
|---|--------------------------|-----------|---------------|
| Prescott, Town of | 0-5 | 6 | |
| | 6 - 10 | | 4 |
| | 11 - 15 | | 7 |
| | 15+ | | 7 |
| | | 6 | 18 |
| | | 25.00% | 75.00% |
| | Actionable Notifications | 24 | |
| Primus Management ULC | 11 - 15 | | 3 |
| | 15+ | | 2 |
| | | 0 | 5 |
| | | | 100.00% |
| | Actionable Notifications | 5 | |
| Prince Edward, County of | 0-5 | 58 | |
| | 6 - 10 | | 6 |
| | 11 - 15 | | 2 |
| | 15+ | | 13 |
| | | 58 | 21 |
| | | 73.42% | 26.58% |
| | Actionable Notifications | 79 | |
| Public Services and Procurement Canada - Services publics et | 0-5 | 26 | |
| | 6 - 10 | | 20 |
| | 11 - 15 | | 10 |
| | 15+ | | 16 |

Member

| | | | |
|------------------------------|--------------------------|-----------|---------------|
| | | 26 | 46 |
| | | 36.11% | 63.89% |
| | Actionable Notifications | 72 | |
| Puslinch, Township of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 3 | |
| | | 3 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 3 | |
| Q9 Networks | Completed within | Compliant | Non-Compliant |
| | 0-5 | 4 | |
| | 6 - 10 | | 4 |
| | 11 - 15 | | 13 |
| | 15+ | | 28 |
| | | 4 | 45 |
| | | 8.16% | 91.84% |
| | Actionable Notifications | 49 | |
| Quadro Communications | Completed within | Compliant | Non-Compliant |
| | 0-5 | 432 | |
| | 6 - 10 | | 5 |
| | | 432 | 5 |
| | | 98.86% | 1.14% |
| | Actionable Notifications | 437 | |
| Queen's University | Completed within | Compliant | Non-Compliant |
| | 0-5 | 11 | |
| | 6 - 10 | | 3 |
| | 11 - 15 | | 2 |
| | 15+ | | 8 |

Member

| | |
|-----------------------------|--------|
| 11 | 13 |
| 45.83% | 54.17% |
| Actionable Notifications 24 | |

| Queens University Fibre | | Completed within | Compliant | Non-Compliant |
|-------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | | 18 | |
| | 11 - 15 | | | 1 |
| | 15+ | | | 4 |
| | | | 18 | 5 |
| | | | 78.26% | 21.74% |
| | Actionable Notifications | | 23 | |

| Quinte West, City of | | Completed within | Compliant | Non-Compliant |
|----------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | | 308 | |
| | 6 - 10 | | | 215 |
| | 11 - 15 | | | 75 |
| | 15+ | | | 29 |
| | | | 308 | 319 |
| | | | 49.12% | 50.88% |
| | Actionable Notifications | | 627 | |

| Rainy River, Town of | | Completed within | Compliant | Non-Compliant |
|----------------------|--------------------------|------------------|-----------|---------------|
| | 11 - 15 | | | 1 |
| | 15+ | | | 2 |
| | | | 0 | 3 |
| | | | | 100.00% |
| | Actionable Notifications | | 3 | |

| Raleigh Wind Energy Centre | | Completed within | Compliant | Non-Compliant |
|----------------------------|-----|------------------|-----------|---------------|
| | 0-5 | | 2 | |
| | 15+ | | | 1 |

Member

| | | | |
|------------------------------------|--------------------------|-----------|---------------|
| | | 2 | 1 |
| | | 66.67% | 33.33% |
| | Actionable Notifications | 3 | |
| Ramara, Township of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 2 | |
| | 6 - 10 | | 3 |
| | 11 - 15 | | 6 |
| | 15+ | | 15 |
| | | 2 | 24 |
| | | 7.69% | 92.31% |
| | Actionable Notifications | 26 | |
| Red Lake, Municipality of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 14 | |
| | 6 - 10 | | 7 |
| | 11 - 15 | | 1 |
| | | 14 | 8 |
| | | 63.64% | 36.36% |
| | Actionable Notifications | 22 | |
| Red Rock, Township of | Completed within | Compliant | Non-Compliant |
| | 15+ | | 4 |
| | | 0 | 4 |
| | | | 100.00% |
| | Actionable Notifications | 4 | |
| Redditt Local Service Board | Completed within | Compliant | Non-Compliant |
| | 11 - 15 | | 1 |

Member

| | | | |
|--|--------------------------|-----------|---------------|
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |
| Reef Resources Ltd | Completed within | Compliant | Non-Compliant |
| | 15+ | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |
| Region of Waterloo (North Dumfries Wellesley Sewer) | Completed within | Compliant | Non-Compliant |
| | 0-5 | 24 | |
| | 6 - 10 | | 22 |
| | 11 - 15 | | 4 |
| | 15+ | | 12 |
| | | 24 | 38 |
| | | 38.71% | 61.29% |
| | Actionable Notifications | 62 | |
| Region of Waterloo (North Dumfries Wellesley Water) | Completed within | Compliant | Non-Compliant |
| | 0-5 | 116 | |
| | 6 - 10 | | 63 |
| | 11 - 15 | | 21 |
| | 15+ | | 46 |
| | | 116 | 130 |
| | | 47.15% | 52.85% |
| | Actionable Notifications | 246 | |
| Region of Waterloo, Rapid Transit | Completed within | Compliant | Non-Compliant |
| | 0-5 | 32 | |
| | 6 - 10 | | 11 |
| | 11 - 15 | | 3 |

Member

| | | | |
|-------------------------------|--------------------------|-----------|---------------|
| | | 32 | 14 |
| | | 69.57% | 30.43% |
| | Actionable Notifications | 46 | |
| Renfrew Hydro | Completed within | Compliant | Non-Compliant |
| | 0-5 | 84 | |
| | | 84 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 84 | |
| Renfrew, County of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 91 | |
| | 6 - 10 | | 9 |
| | 11 - 15 | | 2 |
| | | 91 | 11 |
| | | 89.22% | 10.78% |
| | Actionable Notifications | 102 | |
| Renfrew, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 67 | |
| | 11 - 15 | | 6 |
| | 15+ | | 5 |
| | | 67 | 11 |
| | | 85.90% | 14.10% |
| | Actionable Notifications | 78 | |
| Richmond Hill, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 576 | |
| | 6 - 10 | | 93 |
| | 11 - 15 | | 19 |

Member

| | | | |
|-------------------------------------|--------------------------|-----------|---------------|
| | | 576 | 112 |
| | | 83.72% | 16.28% |
| | Actionable Notifications | 688 | |
| Rideau Lakes, Township of | Completed within | Compliant | Non-Compliant |
| | 15+ | | 3 |
| | | 0 | 3 |
| | | | 100.00% |
| | Actionable Notifications | 3 | |
| Rideau St Lawrence Utilities | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 6 |
| | 11 - 15 | | 20 |
| | 15+ | | 48 |
| | | 0 | 74 |
| | | | 100.00% |
| | Actionable Notifications | 74 | |
| Rogers Communications | Completed within | Compliant | Non-Compliant |
| | 0-5 | 19,771 | |
| | 6 - 10 | | 2,183 |
| | 11 - 15 | | 1,539 |
| | 15+ | | 2,584 |
| | | 19,771 | 6,306 |
| | | 75.82% | 24.18% |
| | Actionable Notifications | 26,077 | |
| Romney Wind Energy Centre LP | Completed within | Compliant | Non-Compliant |
| | 0-5 | 2 | |
| | 6 - 10 | | 1 |

Member

| | | | |
|------------------------------------|--------------------------|-----------|---------------|
| | | 2 | 1 |
| | | 66.67% | 33.33% |
| | Actionable Notifications | 3 | |
| Rowe Energy Corporation | Completed within | Compliant | Non-Compliant |
| | 0-5 | 3 | |
| | | 3 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 3 | |
| Roxborough Telephone Co Ltd | Completed within | Compliant | Non-Compliant |
| | 0-5 | 4 | |
| | 6 - 10 | | 1 |
| | 15+ | | 1 |
| | | 4 | 2 |
| | | 66.67% | 33.33% |
| | Actionable Notifications | 6 | |
| Ruralwave | Completed within | Compliant | Non-Compliant |
| | 0-5 | 178 | |
| | 6 - 10 | | 7 |
| | 15+ | | 5 |
| | | 178 | 12 |
| | | 93.68% | 6.32% |
| | Actionable Notifications | 190 | |
| Russell, Township of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 116 | |
| | 6 - 10 | | 15 |
| | 11 - 15 | | 2 |
| | 15+ | | 3 |

Member

| | | | |
|---|--------------------------|-----------|---------------|
| | | 116 | 20 |
| | | 85.29% | 14.71% |
| | Actionable Notifications | 136 | |
| Ryerson University | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 3 |
| | 11 - 15 | | 1 |
| | 15+ | | 11 |
| | | 0 | 15 |
| | | | 100.00% |
| | Actionable Notifications | 15 | |
| Sables-Spanish Rivers, Township of | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 2 |
| | 15+ | | 3 |
| | | 0 | 6 |
| | | | 100.00% |
| | Actionable Notifications | 6 | |
| Sarnia, City of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 529 | |
| | 6 - 10 | | 52 |
| | 11 - 15 | | 28 |
| | | 529 | 80 |
| | | 86.86% | 13.14% |
| | Actionable Notifications | 609 | |
| Saugeen First Nations Fibre | Completed within | Compliant | Non-Compliant |
| | 11 - 15 | | 6 |

Member

| | | | |
|------------------------------------|--------------------------|-----------|---------------|
| | | 0 | 6 |
| | | | 100.00% |
| | Actionable Notifications | 6 | |
| Saugeen First Nations Water | Completed within | Compliant | Non-Compliant |
| | 11 - 15 | | 6 |
| | | 0 | 6 |
| | | | 100.00% |
| | Actionable Notifications | 6 | |
| Saugeen Shores, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 52 | |
| | 6 - 10 | | 120 |
| | 11 - 15 | | 5 |
| | 15+ | | 2 |
| | | 52 | 127 |
| | | 29.05% | 70.95% |
| | Actionable Notifications | 179 | |
| Sault Ste Marie PUC | Completed within | Compliant | Non-Compliant |
| | 0-5 | 982 | |
| | 6 - 10 | | 38 |
| | 15+ | | 2 |
| | | 982 | 40 |
| | | 96.09% | 3.91% |
| | Actionable Notifications | 1,022 | |
| Sault Ste Marie, City of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 115 | |
| | 6 - 10 | | 3 |
| | 15+ | | 1 |

Member

| | | | |
|-----------------------------------|--------------------------|-----------|---------------|
| | | 115 | 4 |
| | | 96.64% | 3.36% |
| | Actionable Notifications | 119 | |
| Schreiber, Municipality of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 2 | |
| | 11 - 15 | | 1 |
| | | 2 | 1 |
| | | 66.67% | 33.33% |
| | Actionable Notifications | 3 | |
| Scugog, Township of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 107 | |
| | 6 - 10 | | 10 |
| | | 107 | 10 |
| | | 91.45% | 8.55% |
| | Actionable Notifications | 117 | |
| Selwyn, Township of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 10 | |
| | 6 - 10 | | 2 |
| | | 10 | 2 |
| | | 83.33% | 16.67% |
| | Actionable Notifications | 12 | |
| Severn, Township of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 37 | |
| | 6 - 10 | | 1 |
| | 15+ | | 1 |

Member

| | |
|-----------------------------|-------|
| 37 | 2 |
| 94.87% | 5.13% |
| Actionable Notifications 39 | |

| Severn, Township of - Streetlights | | |
|------------------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 6 - 10 | | 1 |
| 11 - 15 | | 1 |
| 15+ | | 16 |
| | 0 | 18 |
| | | 100.00% |
| Actionable Notifications | | 18 |

| Shaw Cable Systems | | |
|--------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 964 | |
| 6 - 10 | | 38 |
| 11 - 15 | | 17 |
| 15+ | | 72 |
| | 964 | 127 |
| | 88.36% | 11.64% |
| Actionable Notifications | | 1,091 |

| Shelburne, Town of | | |
|--------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 23 | |
| 6 - 10 | | 1 |
| 15+ | | 1 |
| | 23 | 2 |
| | 92.00% | 8.00% |
| Actionable Notifications | | 25 |

| Shell Canada | | |
|------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 5 | |
| 6 - 10 | | 11 |

Member

| | | | |
|--|--------------------------|-----------|---------------|
| | 15+ | | 6 |
| | | 5 | 17 |
| | | 22.73% | 77.27% |
| | Actionable Notifications | 22 | |
| Shell Canada - Sault Ste. Marie | Completed within | Compliant | Non-Compliant |
| | 15+ | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |
| Sheridan College | Completed within | Compliant | Non-Compliant |
| | 0-5 | 2 | |
| | | 2 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 2 | |
| Sick Kids Hospital | Completed within | Compliant | Non-Compliant |
| | 15+ | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |
| Silver Bay Water | Completed within | Compliant | Non-Compliant |
| | 0-5 | 5 | |
| | | 5 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 5 | |
| Silvercreek Nominee Inc | Completed within | Compliant | Non-Compliant |
| | 0-5 | 1 | |

Member

| | | | |
|---------------------------------------|--------------------------|-----------|---------------|
| | | 1 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 1 | |
| Simcoe, County of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 403 | |
| | 6 - 10 | | 2 |
| | 11 - 15 | | 1 |
| | 15+ | | 10 |
| | | 403 | 13 |
| | | 96.88% | 3.13% |
| | Actionable Notifications | 416 | |
| Sioux Lookout Hydro | Completed within | Compliant | Non-Compliant |
| | 0-5 | 12 | |
| | 11 - 15 | | 1 |
| | | 12 | 1 |
| | | 92.31% | 7.69% |
| | Actionable Notifications | 13 | |
| Sioux Lookout, Municipality of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 6 | |
| | 11 - 15 | | 2 |
| | | 6 | 2 |
| | | 75.00% | 25.00% |
| | Actionable Notifications | 8 | |
| Six Nations Gas | Completed within | Compliant | Non-Compliant |
| | 0-5 | 65 | |
| | 6 - 10 | | 15 |

Member

| | | | |
|--------------------------------------|--------------------------|-----------|---------------|
| | | 65 | 15 |
| | | 81.25% | 18.75% |
| | Actionable Notifications | 80 | |
| Sky Generation (Sprott Power) | Completed within | Compliant | Non-Compliant |
| | 0-5 | 3 | |
| | | 3 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 3 | |
| Skyway 8 | Completed within | Compliant | Non-Compliant |
| | 0-5 | 1 | |
| | | 1 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 1 | |
| Smiths Falls, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 40 | |
| | 6 - 10 | | 10 |
| | | 40 | 10 |
| | | 80.00% | 20.00% |
| | Actionable Notifications | 50 | |
| Smooth Rock Falls, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 1 | |
| | 6 - 10 | | 2 |
| | 11 - 15 | | 4 |
| | 15+ | | 4 |
| | | 1 | 10 |
| | | 9.09% | 90.91% |
| | Actionable Notifications | 11 | |

Member

| South Bruce Peninsula, Town of | Completed within | Compliant | Non-Compliant |
|--------------------------------|--------------------------|-----------|---------------|
| | 6 - 10 | | 16 |
| | 11 - 15 | | 46 |
| | 15+ | | 124 |
| | | 0 | 186 |
| | | | 100.00% |
| | Actionable Notifications | 186 | |

| South Bruce, Municipality of | Completed within | Compliant | Non-Compliant |
|------------------------------|--------------------------|-----------|---------------|
| | 0-5 | 16 | |
| | 6 - 10 | | 8 |
| | 11 - 15 | | 1 |
| | 15+ | | 6 |
| | | 16 | 15 |
| | | 51.61% | 48.39% |
| | Actionable Notifications | 31 | |

| South Dundas, Municipality of | Completed within | Compliant | Non-Compliant |
|-------------------------------|--------------------------|-----------|---------------|
| | 0-5 | 3 | |
| | 6 - 10 | | 5 |
| | 11 - 15 | | 9 |
| | 15+ | | 31 |
| | | 3 | 45 |
| | | 6.25% | 93.75% |
| | Actionable Notifications | 48 | |

| South Frontenac, Township of | Completed within | Compliant | Non-Compliant |
|------------------------------|------------------|-----------|---------------|
| | 0-5 | 12 | |
| | 6 - 10 | | 2 |
| | 11 - 15 | | 6 |
| | 15+ | | 8 |

Member

| | | | |
|-------------------------------------|--------------------------|-----------|---------------|
| | | 12 | 16 |
| | | 42.86% | 57.14% |
| | Actionable Notifications | 28 | |
| South Glengarry, Township of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 38 | |
| | 6 - 10 | | 4 |
| | 15+ | | 2 |
| | | 38 | 6 |
| | | 86.36% | 13.64% |
| | Actionable Notifications | 44 | |
| South Huron Hospital | Completed within | Compliant | Non-Compliant |
| | 11 - 15 | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |
| South Huron, Municipality of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 44 | |
| | 6 - 10 | | 28 |
| | 11 - 15 | | 23 |
| | 15+ | | 33 |
| | | 44 | 84 |
| | | 34.38% | 65.63% |
| | Actionable Notifications | 128 | |
| South Kent Wind Project | Completed within | Compliant | Non-Compliant |
| | 0-5 | 42 | |
| | 6 - 10 | | 10 |
| | 15+ | | 1 |

Member

| | |
|-----------------------------|--------|
| 42 | 11 |
| 79.25% | 20.75% |
| Actionable Notifications 53 | |

| South River, Village of | Completed within | Compliant | Non-Compliant |
|-------------------------|-----------------------------|-----------|---------------|
| | 6 - 10 | | 6 |
| | 11 - 15 | | 8 |
| | 15+ | | 10 |
| | | 0 | 24 |
| | | | 100.00% |
| | Actionable Notifications 24 | | |

| South Stormont, Township of | Completed within | Compliant | Non-Compliant |
|-----------------------------|-----------------------------|-----------|---------------|
| | 6 - 10 | | 18 |
| | 11 - 15 | | 16 |
| | 15+ | | 65 |
| | | 0 | 99 |
| | | | 100.00% |
| | Actionable Notifications 99 | | |

| Southgate, Township | Completed within | Compliant | Non-Compliant |
|---------------------|-----------------------------|-----------|---------------|
| | 0-5 | 14 | |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 8 |
| | 15+ | | 8 |
| | | 14 | 17 |
| | | 45.16% | 54.84% |
| | Actionable Notifications 31 | | |

| Southwest Middlesex, Municipality of | Completed within | Compliant | Non-Compliant |
|--------------------------------------|------------------|-----------|---------------|
| | 0-5 | 119 | |
| | 6 - 10 | | 70 |

Member

| | | |
|--------------------------|--------|--------|
| 15+ | | 30 |
| | 119 | 100 |
| | 54.34% | 45.66% |
| Actionable Notifications | 219 | |

South-West Oxford, Township of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 1 | |
| 6 - 10 | | 5 |
| 11 - 15 | | 18 |
| 15+ | | 24 |
| | 1 | 47 |
| | 2.08% | 97.92% |
| Actionable Notifications | 48 | |

Southwold, Township of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 6 - 10 | | 8 |
| 11 - 15 | | 11 |
| 15+ | | 40 |
| | 0 | 59 |
| | | 100.00% |
| Actionable Notifications | 59 | |

SP Belle River Wind LP

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 2 | |
| 6 - 10 | | 7 |
| | 2 | 7 |
| | 22.22% | 77.78% |
| Actionable Notifications | 9 | |

Spanish, Town of

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
| 0-5 | 2 | |

Member

| | | | |
|-------------------------------------|--------------------------|-----------|---------------|
| | | 2 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 2 | |
| Springwater, Township of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 72 | |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 5 |
| | 15+ | | 9 |
| | | 72 | 15 |
| | | 82.76% | 17.24% |
| | Actionable Notifications | 87 | |
| Sprucedale Youth Centre | Completed within | Compliant | Non-Compliant |
| | 15+ | | 2 |
| | | 0 | 2 |
| | | | 100.00% |
| | Actionable Notifications | 2 | |
| St. Catharines, City of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 359 | |
| | 6 - 10 | | 307 |
| | 11 - 15 | | 47 |
| | 15+ | | 33 |
| | | 359 | 387 |
| | | 48.12% | 51.88% |
| | Actionable Notifications | 746 | |
| St. Charles, Municipality of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 3 | |

Member

| | | |
|--------------------------|---------|---|
| | 3 | 0 |
| | 100.00% | |
| Actionable Notifications | 3 | |

| St. Clair, Township of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 125 | |
| | 6 - 10 | | 23 |
| | 11 - 15 | | 18 |
| | 15+ | | 77 |
| | | 125 | 118 |
| | | 51.44% | 48.56% |
| Actionable Notifications | 243 | | |

| St. Columban Wind Farms LP | Completed within | Compliant | Non-Compliant |
|----------------------------|------------------|-----------|---------------|
| | 11 - 15 | | 1 |
| | 15+ | | 1 |
| | | 0 | 2 |
| | | | 100.00% |
| Actionable Notifications | 2 | | |

| St. Josephs Health Care (London) | Completed within | Compliant | Non-Compliant |
|----------------------------------|------------------|-----------|---------------|
| | 15+ | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| Actionable Notifications | 1 | | |

| St. Marys General Hospital | Completed within | Compliant | Non-Compliant |
|----------------------------|------------------|-----------|---------------|
| | 6 - 10 | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| Actionable Notifications | 1 | | |

Member

| Member | Completed within | Compliant | Non-Compliant |
|-------------------------------------|--------------------------|-----------|---------------|
| St. Marys, Separated Town of | 0-5 | 100 | |
| | 6 - 10 | | 2 |
| | | 100 | 2 |
| | | 98.04% | 1.96% |
| | Actionable Notifications | 102 | |
| | | | |
| St. Michael's Hospital | 11 - 15 | | 1 |
| | 15+ | | 1 |
| | | 0 | 2 |
| | | | 100.00% |
| | Actionable Notifications | 2 | |
| | | | |
| St. Thomas, City of | 0-5 | 289 | |
| | 6 - 10 | | 147 |
| | 11 - 15 | | 39 |
| | 15+ | | 12 |
| | | 289 | 198 |
| | | 59.34% | 40.66% |
| | Actionable Notifications | 487 | |
| | | | |
| Start Communications | 0-5 | 128 | |
| | 6 - 10 | | 104 |
| | 11 - 15 | | 73 |
| | 15+ | | 80 |
| | | 128 | 257 |
| | | 33.25% | 66.75% |
| | Actionable Notifications | 385 | |

Member

| Member | Completed within | Compliant | Non-Compliant |
|--|--------------------------|-----------|---------------|
| Stelco Steel Hamilton Works | 15+ | 0 | 6 |
| | | 0 | 6 |
| | | 100.00% | 100.00% |
| | Actionable Notifications | 6 | |
| | | | |
| Stirling-Rawdon, Township of | 0-5 | 41 | 0 |
| | | 41 | 0 |
| | | 100.00% | |
| | Actionable Notifications | 41 | |
| | | | |
| Stone Mills, Township of | 11 - 15 | | 1 |
| | 15+ | | 4 |
| | | 0 | 5 |
| | | | 100.00% |
| | Actionable Notifications | 5 | |
| Stonebridge Golf and Country Club | 6 - 10 | | 2 |
| | | 0 | 2 |
| | | | 100.00% |
| | Actionable Notifications | 2 | |
| | | | |
| Storm Internet | 0-5 | 8 | |
| | 6 - 10 | | 7 |
| | 15+ | | 1 |
| | | | |

Member

| | |
|-----------------------------|--------|
| 8 | 8 |
| 50.00% | 50.00% |
| Actionable Notifications 16 | |

| Stormont, Dundas & Glengarry, United Counties (SDG01) | | Compliant | Non-Compliant |
|--|--|-----------|---------------|
| Completed within | | | |
| 0-5 | | 3 | |
| 15+ | | | 1 |
| | | 3 | 1 |
| | | 75.00% | 25.00% |
| Actionable Notifications | | 4 | |

| Stormont, Dundas & Glengarry, United Counties (SDG02) | | Compliant | Non-Compliant |
|--|--|-----------|---------------|
| Completed within | | | |
| 0-5 | | 15 | |
| 6 - 10 | | | 2 |
| 11 - 15 | | | 1 |
| 15+ | | | 1 |
| | | 15 | 4 |
| | | 78.95% | 21.05% |
| Actionable Notifications | | 19 | |

| Stratford, City of | | Compliant | Non-Compliant |
|--------------------------|--|-----------|---------------|
| Completed within | | | |
| 0-5 | | 176 | |
| 6 - 10 | | | 41 |
| 11 - 15 | | | 6 |
| 15+ | | | 30 |
| | | 176 | 77 |
| | | 69.57% | 30.43% |
| Actionable Notifications | | 253 | |

| Strathroy-Caradoc, Municipality of | | Compliant | Non-Compliant |
|------------------------------------|--|-----------|---------------|
| Completed within | | | |
| 0-5 | | 91 | |

Member

| | |
|--------------------------|---|
| 91 | 0 |
| 100.00% | |
| Actionable Notifications | |
| 91 | |

| Stubbs Communications | Completed within | Compliant | Non-Compliant |
|-----------------------|--------------------------|-----------|---------------|
| | 6 - 10 | | 3 |
| | 11 - 15 | | 4 |
| | 15+ | | 25 |
| | | 0 | 32 |
| | | 100.00% | |
| | Actionable Notifications | | 32 |

| Sudbury District Energy | Completed within | Compliant | Non-Compliant |
|-------------------------|--------------------------|-----------|---------------|
| | 0-5 | 1 | |
| | 15+ | | 1 |
| | | 1 | 1 |
| | | 50.00% | 50.00% |
| | Actionable Notifications | | 2 |

| Summer Haven Wind | Completed within | Compliant | Non-Compliant |
|-------------------|--------------------------|-----------|---------------|
| | 0-5 | 26 | |
| | | 26 | 0 |
| | | 100.00% | |
| | Actionable Notifications | | 26 |

| Sun Canadian Pipelines | Completed within | Compliant | Non-Compliant |
|------------------------|------------------|-----------|---------------|
| | 0-5 | 332 | |
| | 6 - 10 | | 30 |
| | 11 - 15 | | 6 |
| | 15+ | | 16 |

Member

| | | |
|--------------------------|--------|--------|
| | 332 | 52 |
| | 86.46% | 13.54% |
| Actionable Notifications | 384 | |

| Sun Canadian Pipelines - Sarnia Area | | | Completed within | Compliant | Non-Compliant |
|--------------------------------------|--------------------------|--|------------------|-----------|---------------|
| | 0-5 | | 27 | | |
| | 6 - 10 | | | | 4 |
| | 11 - 15 | | | | 3 |
| | 15+ | | | | 19 |
| | | | 27 | | 26 |
| | | | 50.94% | | 49.06% |
| | Actionable Notifications | | 53 | | |

| Suncor Energy | | | Completed within | Compliant | Non-Compliant |
|---------------|--------------------------|--|------------------|-----------|---------------|
| | 0-5 | | 2 | | |
| | 15+ | | | | 4 |
| | | | 2 | | 4 |
| | | | 33.33% | | 66.67% |
| | Actionable Notifications | | 6 | | |

| Suncor Energy Products (SNCP03) | | | Completed within | Compliant | Non-Compliant |
|---------------------------------|--------------------------|--|------------------|-----------|---------------|
| | 6 - 10 | | | | 4 |
| | 11 - 15 | | | | 1 |
| | 15+ | | | | 1 |
| | | | 0 | | 6 |
| | | | | | 100.00% |
| | Actionable Notifications | | 6 | | |

| Suncor Energy Products (SNCP04) | | | Completed within | Compliant | Non-Compliant |
|---------------------------------|-----|--|------------------|-----------|---------------|
| | 0-5 | | 2 | | |

Member

| | |
|----------------------------|---|
| 2 | 0 |
| 100.00% | |
| Actionable Notifications 2 | |

| Suncor Energy Products (SNCP05) | | Compliant | Non-Compliant |
|---------------------------------|--|-----------|---------------|
| Completed within | | | |
| 6 - 10 | | | 1 |
| 15+ | | | 5 |
| | | 0 | 6 |
| | | 100.00% | |
| Actionable Notifications | | 6 | |

| Suncor Pipelines | | Compliant | Non-Compliant |
|--------------------------|--|-----------|---------------|
| Completed within | | | |
| 0-5 | | 1 | |
| 6 - 10 | | | 1 |
| 15+ | | | 1 |
| | | 1 | 2 |
| | | 33.33% | 66.67% |
| Actionable Notifications | | 3 | |

| Sundridge, Village of | | Compliant | Non-Compliant |
|--------------------------|--|-----------|---------------|
| Completed within | | | |
| 6 - 10 | | | 2 |
| 11 - 15 | | | 1 |
| 15+ | | | 6 |
| | | 0 | 9 |
| | | 100.00% | |
| Actionable Notifications | | 9 | |

| Superior View Gas Inc | | Compliant | Non-Compliant |
|-----------------------|--|-----------|---------------|
| Completed within | | | |
| 0-5 | | 4 | |
| 6 - 10 | | | 2 |
| 11 - 15 | | | 1 |
| 15+ | | | 8 |

Member

| | | | |
|--|--------------------------|-----------|---------------|
| | | 4 | 11 |
| | | 26.67% | 73.33% |
| | Actionable Notifications | 15 | |
| SWNS LP - Sumac Ridge Wind Farm | Completed within | Compliant | Non-Compliant |
| | 15+ | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |
| SWNS LP - Whittington Wind Farm | Completed within | Compliant | Non-Compliant |
| | 11 - 15 | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |
| Synergy North - Kenora | Completed within | Compliant | Non-Compliant |
| | 0-5 | 25 | |
| | 11 - 15 | | 1 |
| | 15+ | | 1 |
| | | 25 | 2 |
| | | 92.59% | 7.41% |
| | Actionable Notifications | 27 | |
| Synergy North - Thunder Bay | Completed within | Compliant | Non-Compliant |
| | 0-5 | 1,030 | |
| | 6 - 10 | | 21 |
| | 11 - 15 | | 5 |
| | 15+ | | 16 |

Member

| | |
|--------------------------|-------|
| 1,030 | 42 |
| 96.08% | 3.92% |
| Actionable Notifications | |
| 1,072 | |

| Talbot Windfarm | Completed within | Compliant | Non-Compliant |
|-----------------|--------------------------|-----------|---------------|
| | 0-5 | 4 | |
| | 6 - 10 | | 10 |
| | 11 - 15 | | 12 |
| | 15+ | | 4 |
| | | 4 | 26 |
| | | 13.33% | 86.67% |
| | Actionable Notifications | | 30 |

| Tay, Township of | Completed within | Compliant | Non-Compliant |
|------------------|--------------------------|-----------|---------------|
| | 0-5 | 2 | |
| | 6 - 10 | | 12 |
| | 11 - 15 | | 18 |
| | 15+ | | 17 |
| | | 2 | 47 |
| | | 4.08% | 95.92% |
| | Actionable Notifications | | 49 |

| Tay, Township of - Street Lights | Completed within | Compliant | Non-Compliant |
|----------------------------------|--------------------------|-----------|---------------|
| | 15+ | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | | 1 |

| TBayTel | Completed within | Compliant | Non-Compliant |
|---------|------------------|-----------|---------------|
| | 0-5 | 872 | |
| | 6 - 10 | | 38 |
| | 11 - 15 | | 23 |

Member

| | | |
|--------------------------|--------|--------|
| 15+ | | 55 |
| | 872 | 116 |
| | 88.26% | 11.74% |
| Actionable Notifications | 988 | |

Tecumseh, Town of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 11 | |
| 6 - 10 | | 79 |
| 11 - 15 | | 12 |
| 15+ | | 5 |
| | 11 | 96 |
| | 10.28% | 89.72% |
| Actionable Notifications | 107 | |

TekSavvy Solutions Inc

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 212 | |
| 6 - 10 | | 200 |
| 11 - 15 | | 54 |
| 15+ | | 56 |
| | 212 | 310 |
| | 40.61% | 59.39% |
| Actionable Notifications | 522 | |

telMAX Inc

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 6 - 10 | | 14 |
| 11 - 15 | | 16 |
| 15+ | | 163 |
| | 0 | 193 |
| | | 100.00% |
| Actionable Notifications | 193 | |

Telus

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
|------------------|-----------|---------------|

Member

| | | |
|--------------------------|--------|--------|
| 0-5 | 2,421 | |
| 6 - 10 | | 692 |
| 11 - 15 | | 190 |
| 15+ | | 41 |
| | 2,421 | 923 |
| | 72.40% | 27.60% |
| Actionable Notifications | 3,344 | |

Temagami, Municipality of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 2 | |
| 6 - 10 | | 1 |
| | 2 | 1 |
| | 66.67% | 33.33% |
| Actionable Notifications | 3 | |

Temiskaming Shores, City of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 6 - 10 | | 6 |
| 11 - 15 | | 9 |
| 15+ | | 43 |
| | 0 | 58 |
| | | 100.00% |
| Actionable Notifications | 58 | |

TeraGo Networks Inc

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 1 | |
| 6 - 10 | | 1 |
| 11 - 15 | | 1 |
| | 1 | 2 |
| | 33.33% | 66.67% |
| Actionable Notifications | 3 | |

Teraspan Networks

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
|------------------|-----------|---------------|

Member

| | | |
|--------------------------|--------|--------|
| 0-5 | 27 | |
| 11 - 15 | | 3 |
| 15+ | | 9 |
| | 27 | 12 |
| | 69.23% | 30.77% |
| Actionable Notifications | 39 | |

| Terrace Bay, Township of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 5 | |
| | | 5 | 0 |
| | | 100.00% | |
| Actionable Notifications | 5 | | |

| Thames Centre, Municipality of | Completed within | Compliant | Non-Compliant |
|--------------------------------|------------------|-----------|---------------|
| | 0-5 | 27 | |
| | 6 - 10 | | 15 |
| | 11 - 15 | | 10 |
| | 15+ | | 3 |
| | | 27 | 28 |
| | | 49.09% | 50.91% |
| Actionable Notifications | 55 | | |

| Thames Centre, Municipality of – Storm Sewer, Drains, Streetli | Completed within | Compliant | Non-Compliant |
|--|------------------|-----------|---------------|
| | 0-5 | 23 | |
| | 6 - 10 | | 13 |
| | 11 - 15 | | 26 |
| | 15+ | | 12 |
| | | 23 | 51 |
| | | 31.08% | 68.92% |
| Actionable Notifications | 74 | | |

| Thessalon, Town of | Completed within | Compliant | Non-Compliant |
|--------------------|------------------|-----------|---------------|
|--------------------|------------------|-----------|---------------|

Member

| | | |
|--------------------------|---|---------|
| 15+ | | 1 |
| | 0 | 1 |
| | | 100.00% |
| Actionable Notifications | 1 | |

| Thorold, City of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 196 | |
| | 6 - 10 | | 53 |
| | 11 - 15 | | 8 |
| | 15+ | | 3 |
| | | 196 | 64 |
| | | 75.38% | 24.62% |
| Actionable Notifications | 260 | | |

| Thunder Bay, City of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 233 | |
| | 6 - 10 | | 514 |
| | 11 - 15 | | 200 |
| | 15+ | | 33 |
| | | 233 | 747 |
| | | 23.78% | 76.22% |
| Actionable Notifications | 980 | | |

| Thunder Bay, City of - Parks Property | Completed within | Compliant | Non-Compliant |
|---------------------------------------|------------------|-----------|---------------|
| | 0-5 | 136 | |
| | 6 - 10 | | 12 |
| | 15+ | | 2 |
| | | 136 | 14 |
| | | 90.67% | 9.33% |
| Actionable Notifications | 150 | | |

| Tillsonburg Hydro | Completed within | Compliant | Non-Compliant |
|-------------------|------------------|-----------|---------------|
|-------------------|------------------|-----------|---------------|

Member

| | | |
|--------------------------|--------|-------|
| 0-5 | 264 | |
| 15+ | | 9 |
| | 264 | 9 |
| | 96.70% | 3.30% |
| Actionable Notifications | 273 | |

| Tillsonburg, Town of | | |
|--------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 232 | |
| 15+ | | 2 |
| | 232 | 2 |
| | 99.15% | 0.85% |
| Actionable Notifications | 234 | |

| Timmins, City of | | |
|--------------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 186 | |
| 6 - 10 | | 2 |
| | 186 | 2 |
| | 98.94% | 1.06% |
| Actionable Notifications | 188 | |

| Timmins, City of - Traffic and Street Lights | | |
|--|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 40 | |
| 6 - 10 | | 4 |
| 11 - 15 | | 4 |
| 15+ | | 13 |
| | 40 | 21 |
| | 65.57% | 34.43% |
| Actionable Notifications | 61 | |

| Tiny, Township of | | |
|-------------------|-----------|---------------|
| Completed within | Compliant | Non-Compliant |
| 0-5 | 114 | |
| 6 - 10 | | 51 |

Member

| | | |
|--------------------------|--------|--------|
| 11 - 15 | | 6 |
| 15+ | | 1 |
| | 114 | 58 |
| | 66.28% | 33.72% |
| Actionable Notifications | 172 | |

| Toronto Community Housing | Completed within | Compliant | Non-Compliant |
|---------------------------|------------------|-----------|---------------|
| | 11 - 15 | | 2 |
| | 15+ | | 5 |
| | | 0 | 7 |
| | | | 100.00% |
| Actionable Notifications | 7 | | |

| Toronto East Health Network | Completed within | Compliant | Non-Compliant |
|-----------------------------|------------------|-----------|---------------|
| | 15+ | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| Actionable Notifications | 1 | | |

| Toronto Gas Extraction | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 3 | |
| | 6 - 10 | | 1 |
| | 15+ | | 1 |
| | | 3 | 2 |
| | | 60.00% | 40.00% |
| Actionable Notifications | 5 | | |

| Toronto Hydro | Completed within | Compliant | Non-Compliant |
|---------------|------------------|-----------|---------------|
| | 0-5 | 7,461 | |
| | 6 - 10 | | 1,445 |
| | 11 - 15 | | 1,039 |
| | 15+ | | 1,109 |

Member

| | |
|--------------------------|--------|
| 7,461 | 3,593 |
| 67.50% | 32.50% |
| Actionable Notifications | |
| 11,054 | |

| Toronto Traffic Signals | | Completed within | Compliant | Non-Compliant |
|-------------------------|--------------------------|------------------|-----------|---------------|
| | 0-5 | | 1,265 | |
| | 6 - 10 | | | 202 |
| | 11 - 15 | | | 200 |
| | 15+ | | | 259 |
| | | | 1,265 | 661 |
| | | | 65.68% | 34.32% |
| | Actionable Notifications | | 1,926 | |

| Toronto Transit Commission (TTC) - Communications | | Completed within | Compliant | Non-Compliant |
|---|--------------------------|------------------|-----------|---------------|
| | 0-5 | | 46 | |
| | 6 - 10 | | | 18 |
| | 11 - 15 | | | 66 |
| | 15+ | | | 109 |
| | | | 46 | 193 |
| | | | 19.25% | 80.75% |
| | Actionable Notifications | | 239 | |

| Toronto Transit Commission (TTC) - Electrical Lines | | Completed within | Compliant | Non-Compliant |
|---|--------------------------|------------------|-----------|---------------|
| | 0-5 | | 569 | |
| | 6 - 10 | | | 95 |
| | 11 - 15 | | | 41 |
| | 15+ | | | 52 |
| | | | 569 | 188 |
| | | | 75.17% | 24.83% |
| | Actionable Notifications | | 757 | |

| Toronto Transit Commission (TTC) - Rail Structures | | Completed within | Compliant | Non-Compliant |
|--|--|------------------|-----------|---------------|
|--|--|------------------|-----------|---------------|

Member

| | | |
|--------------------------|--------|-------|
| 0-5 | 536 | |
| 6 - 10 | | 8 |
| | 536 | 8 |
| | 98.53% | 1.47% |
| Actionable Notifications | 544 | |

| Toronto, City of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 1,951 | |
| | 6 - 10 | | 410 |
| | 11 - 15 | | 302 |
| | 15+ | | 370 |
| | | 1,951 | 1,082 |
| | | 64.33% | 35.67% |
| Actionable Notifications | 3,033 | | |

| Toronto, University of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 52 | |
| | 6 - 10 | | 20 |
| | | 52 | 20 |
| | | 72.22% | 27.78% |
| Actionable Notifications | 72 | | |

| Town of Orangeville - Fibre | Completed within | Compliant | Non-Compliant |
|-----------------------------|------------------|-----------|---------------|
| | 0-5 | 55 | |
| | | 55 | 0 |
| | | 100.00% | |
| Actionable Notifications | 55 | | |

| TransCanada Pipelines - East | Completed within | Compliant | Non-Compliant |
|------------------------------|------------------|-----------|---------------|
| | 0-5 | 891 | |
| | 6 - 10 | | 104 |
| | 11 - 15 | | 73 |

Member

| | | |
|--------------------------|--------|--------|
| 15+ | | 121 |
| | 891 | 298 |
| | 74.94% | 25.06% |
| Actionable Notifications | 1,189 | |

TransCanada Pipelines - North

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 38 | |
| 6 - 10 | | 5 |
| 15+ | | 7 |
| | 38 | 12 |
| | 76.00% | 24.00% |
| Actionable Notifications | 50 | |

Trans-Northern Pipelines (TN01)

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 389 | |
| 6 - 10 | | 12 |
| 11 - 15 | | 16 |
| 15+ | | 30 |
| | 389 | 58 |
| | 87.02% | 12.98% |
| Actionable Notifications | 447 | |

Trans-Northern Pipelines (TN02)

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 65 | |
| 6 - 10 | | 4 |
| 11 - 15 | | 3 |
| 15+ | | 8 |
| | 65 | 15 |
| | 81.25% | 18.75% |
| Actionable Notifications | 80 | |

Trent Hills, Municipality of

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
|------------------|-----------|---------------|

Member

| | | |
|--------------------------|--------|--------|
| 0-5 | 42 | |
| 6 - 10 | | 3 |
| 11 - 15 | | 1 |
| 15+ | | 1 |
| | 42 | 5 |
| | 89.36% | 10.64% |
| Actionable Notifications | 47 | |

Trent University

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 6 - 10 | | 1 |
| 11 - 15 | | 1 |
| 15+ | | 8 |
| | 0 | 10 |
| | | 100.00% |
| Actionable Notifications | 10 | |

Tribute Gas

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 5 | |
| 6 - 10 | | 5 |
| 11 - 15 | | 1 |
| 15+ | | 1 |
| | 5 | 7 |
| | 41.67% | 58.33% |
| Actionable Notifications | 12 | |

Tuckersmith Communications

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
| 0-5 | 4 | |
| 6 - 10 | | 49 |
| 11 - 15 | | 52 |
| 15+ | | 218 |

Member

| | | | |
|--|--------------------------|-----------|---------------|
| | | 4 | 319 |
| | | 1.24% | 98.76% |
| | Actionable Notifications | 323 | |
| Tweed, Municipality of | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 5 |
| | 11 - 15 | | 7 |
| | 15+ | | 2 |
| | | 0 | 14 |
| | | | 100.00% |
| | Actionable Notifications | 14 | |
| University Health Network | Completed within | Compliant | Non-Compliant |
| | 0-5 | 11 | |
| | 6 - 10 | | 1 |
| | 15+ | | 2 |
| | | 11 | 3 |
| | | 78.57% | 21.43% |
| | Actionable Notifications | 14 | |
| University Health Network - Princess Margaret | Completed within | Compliant | Non-Compliant |
| | 15+ | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |
| University Health Network - Toronto General | Completed within | Compliant | Non-Compliant |
| | 15+ | | 6 |
| | | 0 | 6 |
| | | | 100.00% |
| | Actionable Notifications | 6 | |

Member

| University Health Network - Toronto Western | | | |
|---|-----------|---------------|---------|
| Completed within | Compliant | Non-Compliant | |
| 15+ | 0 | 4 | 4 |
| | | | 100.00% |
| Actionable Notifications | 4 | | |
| University of Western Ontario | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 2 | | 7 |
| 6 - 10 | | | 14 |
| 11 - 15 | | | 20 |
| 15+ | 2 | | 41 |
| | 4.65% | | 95.35% |
| Actionable Notifications | 43 | | |
| University of Windsor | | | |
| Completed within | Compliant | Non-Compliant | |
| 15+ | 0 | 6 | 6 |
| | | | 100.00% |
| Actionable Notifications | 6 | | |
| UpLink Communications Inc | | | |
| Completed within | Compliant | Non-Compliant | |
| 6 - 10 | 0 | 1 | 1 |
| | | | 100.00% |
| Actionable Notifications | 1 | | |
| Upper Canada District School Board | | | |
| Completed within | Compliant | Non-Compliant | |
| 11 - 15 | | 2 | |
| 15+ | | 4 | |

Member

| | | | |
|---|--------------------------|-----------|---------------|
| | | 0 | 6 |
| | | | 100.00% |
| | Actionable Notifications | 6 | |
| Uxbridge, Town of | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 107 |
| | 11 - 15 | | 49 |
| | 15+ | | 82 |
| | | 0 | 238 |
| | | | 100.00% |
| | Actionable Notifications | 238 | |
| Val Rita-Harty, Township of | Completed within | Compliant | Non-Compliant |
| | 15+ | | 3 |
| | | 0 | 3 |
| | | | 100.00% |
| | Actionable Notifications | 3 | |
| Vale Canada | Completed within | Compliant | Non-Compliant |
| | 0-5 | 16 | |
| | 6 - 10 | | 1 |
| | | 16 | 1 |
| | | 94.12% | 5.88% |
| | Actionable Notifications | 17 | |
| Vaughan, City of (Street Lights) | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 197 |
| | 11 - 15 | | 279 |
| | 15+ | | 1,038 |

Member

| | | |
|--------------------------|-------|---------|
| | 0 | 1,514 |
| | | 100.00% |
| Actionable Notifications | 1,514 | |

| Vaughan, City of (Traffic Signals) | Completed within | Compliant | Non-Compliant |
|------------------------------------|------------------|-----------|---------------|
| | 6 - 10 | | 11 |
| | 11 - 15 | | 4 |
| | 15+ | | 24 |
| | | 0 | 39 |
| | | | 100.00% |
| Actionable Notifications | 39 | | |

| Vaughan, City of (Water, Sewer) | Completed within | Compliant | Non-Compliant |
|---------------------------------|------------------|-----------|---------------|
| | 0-5 | 601 | |
| | 6 - 10 | | 386 |
| | 11 - 15 | | 40 |
| | | 601 | 426 |
| | | 58.52% | 41.48% |
| Actionable Notifications | 1,027 | | |

| Vianet (768812 Ontario Inc) | Completed within | Compliant | Non-Compliant |
|-----------------------------|------------------|-----------|---------------|
| | 0-5 | 655 | |
| | 11 - 15 | | 5 |
| | | 655 | 5 |
| | | 99.24% | 0.76% |
| Actionable Notifications | 660 | | |

| Videotron Senc | Completed within | Compliant | Non-Compliant |
|----------------|------------------|-----------|---------------|
| | 0-5 | 110 | |
| | 6 - 10 | | 35 |
| | 11 - 15 | | 53 |
| | 15+ | | 81 |

Member

| | |
|------------------------------|--------|
| 110 | 169 |
| 39.43% | 60.57% |
| Actionable Notifications 279 | |

| Walker Environmental Group Inc | Completed within | Compliant | Non-Compliant |
|--------------------------------|----------------------------|-----------|---------------|
| | 0-5 | 1 | |
| | 6 - 10 | | 1 |
| | | 1 | 1 |
| | | 50.00% | 50.00% |
| | Actionable Notifications 2 | | |

| Warwick, Township of | Completed within | Compliant | Non-Compliant |
|----------------------|-----------------------------|-----------|---------------|
| | 0-5 | 18 | |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 4 |
| | 15+ | | 15 |
| | | 18 | 20 |
| | | 47.37% | 52.63% |
| | Actionable Notifications 38 | | |

| Wasaga Beach Distribution | Completed within | Compliant | Non-Compliant |
|---------------------------|------------------------------|-----------|---------------|
| | 0-5 | 208 | |
| | 6 - 10 | | 2 |
| | 11 - 15 | | 8 |
| | 15+ | | 14 |
| | | 208 | 24 |
| | | 89.66% | 10.34% |
| | Actionable Notifications 232 | | |

| Wasaga Beach, Town of | Completed within | Compliant | Non-Compliant |
|-----------------------|------------------|-----------|---------------|
| | 0-5 | 232 | |
| | 6 - 10 | | 3 |

Member

| | | |
|--------------------------|--------|-------|
| 11 - 15 | | 1 |
| 15+ | | 1 |
| | 232 | 5 |
| | 97.89% | 2.11% |
| Actionable Notifications | 237 | |

| Wasdell Falls Power Line | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 15+ | | 2 |
| | | 0 | 2 |
| | | | 100.00% |
| Actionable Notifications | 2 | | |

| Waste Connections of Canada | Completed within | Compliant | Non-Compliant |
|-----------------------------|------------------|-----------|---------------|
| | 6 - 10 | | 4 |
| | 11 - 15 | | 1 |
| | 15+ | | 7 |
| | | 0 | 12 |
| | | | 100.00% |
| Actionable Notifications | 12 | | |

| Waste Management Canada | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 15+ | | 3 |
| | | 0 | 3 |
| | | | 100.00% |
| Actionable Notifications | 3 | | |

| Waterloo Fibre | Completed within | Compliant | Non-Compliant |
|----------------|------------------|-----------|---------------|
| | 0-5 | 26 | |
| | 6 - 10 | | 7 |
| | 11 - 15 | | 2 |

Member

| | | | |
|--|--------------------------|-----------|---------------|
| | | 26 | 9 |
| | | 74.29% | 25.71% |
| | Actionable Notifications | 35 | |
| Waterloo Innovation Network 2 Inc | Completed within | Compliant | Non-Compliant |
| | 15+ | | 1 |
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |
| Waterloo North Hydro | Completed within | Compliant | Non-Compliant |
| | 0-5 | 761 | |
| | 6 - 10 | | 212 |
| | 11 - 15 | | 124 |
| | 15+ | | 99 |
| | | 761 | 435 |
| | | 63.63% | 36.37% |
| | Actionable Notifications | 1,196 | |
| Waterloo, City of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 773 | |
| | 6 - 10 | | 10 |
| | 11 - 15 | | 4 |
| | 15+ | | 14 |
| | | 773 | 28 |
| | | 96.50% | 3.50% |
| | Actionable Notifications | 801 | |
| Waterloo, Region of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 261 | |
| | 6 - 10 | | 2 |
| | 15+ | | 16 |

Member

| | | |
|--------------------------|--------|-------|
| | 261 | 18 |
| | 93.55% | 6.45% |
| Actionable Notifications | 279 | |

| Waterloo, Region of - Rural Storm Sewers | Completed within | Compliant | Non-Compliant |
|--|--------------------------|-----------|---------------|
| | 0-5 | 55 | |
| | 6 - 10 | | 18 |
| | 11 - 15 | | 15 |
| | 15+ | | 22 |
| | | 55 | 55 |
| | | 50.00% | 50.00% |
| | Actionable Notifications | 110 | |

| WaveDirect Telecommunications | Completed within | Compliant | Non-Compliant |
|-------------------------------|--------------------------|-----------|---------------|
| | 11 - 15 | | 4 |
| | 15+ | | 1 |
| | | 0 | 5 |
| | | | 100.00% |
| | Actionable Notifications | 5 | |

| Wawa, Municipality of | Completed within | Compliant | Non-Compliant |
|-----------------------|--------------------------|-----------|---------------|
| | 6 - 10 | | 1 |
| | 11 - 15 | | 1 |
| | 15+ | | 1 |
| | | 0 | 3 |
| | | | 100.00% |
| | Actionable Notifications | 3 | |

| Welland Hydro | Completed within | Compliant | Non-Compliant |
|---------------|------------------|-----------|---------------|
| | 0-5 | 296 | |
| | 6 - 10 | | 43 |
| | 11 - 15 | | 9 |

Member

| | | |
|--------------------------|--------|--------|
| 15+ | | 4 |
| | 296 | 56 |
| | 84.09% | 15.91% |
| Actionable Notifications | 352 | |

| Welland, City of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 539 | |
| | 6 - 10 | | 10 |
| | 11 - 15 | | 1 |
| | 15+ | | 1 |
| | | 539 | 12 |
| | | 97.82% | 2.18% |
| Actionable Notifications | 551 | | |

| Wellesley, Township of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 3 | |
| | 6 - 10 | | 17 |
| | 11 - 15 | | 25 |
| | 15+ | | 43 |
| | | 3 | 85 |
| | | 3.41% | 96.59% |
| Actionable Notifications | 88 | | |

| Wellington North Power Inc | Completed within | Compliant | Non-Compliant |
|----------------------------|------------------|-----------|---------------|
| | 0-5 | 77 | |
| | 6 - 10 | | 3 |
| | | 77 | 3 |
| | | 96.25% | 3.75% |
| Actionable Notifications | 80 | | |

| Wellington North, Township Of | Completed within | Compliant | Non-Compliant |
|-------------------------------|------------------|-----------|---------------|
| | 0-5 | 52 | |

Member

| | | |
|--------------------------|--------|-------|
| 15+ | | 1 |
| | 52 | 1 |
| | 98.11% | 1.89% |
| Actionable Notifications | 53 | |

| Wellington, County of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 8 | |
| | 6 - 10 | | 4 |
| | 15+ | | 1 |
| | | 8 | 5 |
| | | 61.54% | 38.46% |
| Actionable Notifications | 13 | | |

| West Elgin, Municipality of | Completed within | Compliant | Non-Compliant |
|-----------------------------|------------------|-----------|---------------|
| | 6 - 10 | | 4 |
| | 11 - 15 | | 13 |
| | 15+ | | 27 |
| | | 0 | 44 |
| | | | 100.00% |
| Actionable Notifications | 44 | | |

| West Grey, Municipality of | Completed within | Compliant | Non-Compliant |
|----------------------------|------------------|-----------|---------------|
| | 0-5 | 22 | |
| | 6 - 10 | | 10 |
| | | 22 | 10 |
| | | 68.75% | 31.25% |
| Actionable Notifications | 32 | | |

| West Lincoln, Township of | Completed within | Compliant | Non-Compliant |
|---------------------------|------------------|-----------|---------------|
| | 0-5 | 166 | |
| | 6 - 10 | | 2 |
| | 11 - 15 | | 2 |

Member

| | | |
|--------------------------|--------|--------|
| 15+ | | 31 |
| | 166 | 35 |
| | 82.59% | 17.41% |
| Actionable Notifications | 201 | |

West Nipissing, Municipality of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 80 | |
| 6 - 10 | | 3 |
| 15+ | | 1 |
| | 80 | 4 |
| | 95.24% | 4.76% |
| Actionable Notifications | 84 | |

West Perth, Municipality of

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 30 | |
| 6 - 10 | | 1 |
| 11 - 15 | | 2 |
| 15+ | | 5 |
| | 30 | 8 |
| | 78.95% | 21.05% |
| Actionable Notifications | 38 | |

West Windsor Power

| Completed within | Compliant | Non-Compliant |
|--------------------------|-----------|---------------|
| 0-5 | 7 | |
| | 7 | 0 |
| | 100.00% | |
| Actionable Notifications | 7 | |

Westario Power

| Completed within | Compliant | Non-Compliant |
|------------------|-----------|---------------|
| 0-5 | 53 | |
| 6 - 10 | | 86 |
| 11 - 15 | | 89 |

Member

| | | | |
|--|--------------------------|-----------|---------------|
| | 15+ | | 81 |
| | | 53 | 256 |
| | | 17.15% | 82.85% |
| | Actionable Notifications | 309 | |
| Westport, Village of | Completed within | Compliant | Non-Compliant |
| | 15+ | | 4 |
| | | 0 | 4 |
| | | | 100.00% |
| | Actionable Notifications | 4 | |
| Whitby, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 842 | |
| | 6 - 10 | | 60 |
| | 11 - 15 | | 36 |
| | 15+ | | 189 |
| | | 842 | 285 |
| | | 74.71% | 25.29% |
| | Actionable Notifications | 1,127 | |
| Whitchurch-Stouffville, Town of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 426 | |
| | 6 - 10 | | 153 |
| | 11 - 15 | | 9 |
| | 15+ | | 13 |
| | | 426 | 175 |
| | | 70.88% | 29.12% |
| | Actionable Notifications | 601 | |
| White River, Town of | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 1 |

Member

| | | | |
|---------------------------------------|--------------------------|-----------|---------------|
| | | 0 | 1 |
| | | | 100.00% |
| | Actionable Notifications | 1 | |
| Whitewater Region, Township of | Completed within | Compliant | Non-Compliant |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 4 |
| | 15+ | | 17 |
| | | 0 | 22 |
| | | | 100.00% |
| | Actionable Notifications | 22 | |
| Wightman Telecom Fibre Ltd | Completed within | Compliant | Non-Compliant |
| | 0-5 | 476 | |
| | 6 - 10 | | 310 |
| | 11 - 15 | | 178 |
| | 15+ | | 157 |
| | | 476 | 645 |
| | | 42.46% | 57.54% |
| | Actionable Notifications | 1,121 | |
| Wilfrid Laurier University | Completed within | Compliant | Non-Compliant |
| | 0-5 | 10 | |
| | 6 - 10 | | 1 |
| | 11 - 15 | | 1 |
| | 15+ | | 2 |
| | | 10 | 4 |
| | | 71.43% | 28.57% |
| | Actionable Notifications | 14 | |
| Wilmot, Township of | Completed within | Compliant | Non-Compliant |
| | 0-5 | 30 | |

Member

| | | |
|--------------------------|--------|--------|
| 6 - 10 | | 8 |
| 11 - 15 | | 3 |
| 15+ | | 4 |
| | 30 | 15 |
| | 66.67% | 33.33% |
| Actionable Notifications | 45 | |

| Windlelectric Inc | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 15+ | | 2 |
| | | 0 | 2 |
| | | | 100.00% |
| Actionable Notifications | 2 | | |

| Windsor Utilities Commission | Completed within | Compliant | Non-Compliant |
|------------------------------|------------------|-----------|---------------|
| | 0-5 | 256 | |
| | 6 - 10 | | 96 |
| | 11 - 15 | | 33 |
| | 15+ | | 47 |
| | | 256 | 176 |
| | | 59.26% | 40.74% |
| Actionable Notifications | 432 | | |

| Windsor, City of - Sewer | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 590 | |
| | 6 - 10 | | 10 |
| | | 590 | 10 |
| | | 98.33% | 1.67% |
| Actionable Notifications | 600 | | |

| Windsor, City of - Traffic | Completed within | Compliant | Non-Compliant |
|----------------------------|------------------|-----------|---------------|
| | 0-5 | 131 | |
| | 6 - 10 | | 1 |

Member

| | |
|--------------------------|-------|
| 131 | 1 |
| 99.24% | 0.76% |
| Actionable Notifications | |
| 132 | |

| Woodstock, City of | Completed within | Compliant | Non-Compliant |
|--------------------|--------------------------|-----------|---------------|
| | 0-5 | 374 | |
| | 6 - 10 | | 23 |
| | 11 - 15 | | 3 |
| | 15+ | | 5 |
| | | 374 | 31 |
| | | 92.35% | 7.65% |
| | Actionable Notifications | | 405 |

| Woodstock, City of (Sanitary & Storm Sewer) | Completed within | Compliant | Non-Compliant |
|---|--------------------------|-----------|---------------|
| | 0-5 | 341 | |
| | 6 - 10 | | 21 |
| | 11 - 15 | | 3 |
| | 15+ | | 7 |
| | | 341 | 31 |
| | | 91.67% | 8.33% |
| | Actionable Notifications | | 372 |

| Woodstock, City of (Street lights) | Completed within | Compliant | Non-Compliant |
|------------------------------------|--------------------------|-----------|---------------|
| | 0-5 | 226 | |
| | 6 - 10 | | 15 |
| | 11 - 15 | | 2 |
| | 15+ | | 3 |
| | | 226 | 20 |
| | | 91.87% | 8.13% |
| | Actionable Notifications | | 246 |

| Woolwich, township of | Completed within | Compliant | Non-Compliant |
|-----------------------|------------------|-----------|---------------|
|-----------------------|------------------|-----------|---------------|

Member

| | | |
|--------------------------|--------|-------|
| 0-5 | 370 | |
| 6 - 10 | | 7 |
| | 370 | 7 |
| | 98.14% | 1.86% |
| Actionable Notifications | 377 | |

| WTC Communications | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 34 | |
| 6 - 10 | | 6 | |
| 11 - 15 | | 1 | |
| 15+ | | 3 | |
| | 34 | 10 | |
| | 77.27% | 22.73% | |
| Actionable Notifications | 44 | | |

| Xplornet Communications Inc | Completed within | Compliant | Non-Compliant |
|-----------------------------|------------------|-----------|---------------|
| | 0-5 | 50 | |
| 6 - 10 | | 11 | |
| 11 - 15 | | 3 | |
| 15+ | | 2 | |
| | 50 | 16 | |
| | 75.76% | 24.24% | |
| Actionable Notifications | 66 | | |

| Xstrata | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 1 | |
| | 1 | 0 | |
| | 100.00% | | |
| Actionable Notifications | 1 | | |

| York Region Fibre | Completed within | Compliant | Non-Compliant |
|-------------------|------------------|-----------|---------------|
| | 0-5 | 209 | |

Member

| | | |
|--------------------------|--------|--------|
| 6 - 10 | | 89 |
| 11 - 15 | | 79 |
| 15+ | | 185 |
| | 209 | 353 |
| | 37.19% | 62.81% |
| Actionable Notifications | 562 | |

| York, Region of | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 624 | |
| | 15+ | | 3 |
| | | 624 | 3 |
| | | 99.52% | 0.48% |
| Actionable Notifications | 627 | | |

| York, Region of (Traffic, St Lights, Storm Sewer, Culverts) | Completed within | Compliant | Non-Compliant |
|---|------------------|-----------|---------------|
| | 0-5 | 696 | |
| | 6 - 10 | | 377 |
| | 11 - 15 | | 299 |
| | 15+ | | 472 |
| | | 696 | 1,148 |
| | | 37.74% | 62.26% |
| Actionable Notifications | 1,844 | | |

| Zayo Canada Inc | Completed within | Compliant | Non-Compliant |
|--------------------------|------------------|-----------|---------------|
| | 0-5 | 849 | |
| | 6 - 10 | | 254 |
| | 11 - 15 | | 187 |
| | 15+ | | 230 |
| | | 849 | 671 |
| | | 55.86% | 44.14% |
| Actionable Notifications | 1,520 | | |

Member

| Zayo Canada Inc (ZAYOON10) | | | |
|----------------------------|-----------|---------------|---------|
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 127 | | |
| 6 - 10 | | | 22 |
| 11 - 15 | | | 43 |
| 15+ | | | 79 |
| | 127 | | 144 |
| | 46.86% | | 53.14% |
| Actionable Notifications | 271 | | |
| Zibi Community Utility LP | | | |
| Completed within | Compliant | Non-Compliant | |
| 6 - 10 | | | 1 |
| 11 - 15 | | | 2 |
| 15+ | | | 3 |
| | 0 | | 6 |
| | | | 100.00% |
| Actionable Notifications | 6 | | |
| Zorra, Township of | | | |
| Completed within | Compliant | Non-Compliant | |
| 0-5 | 210 | | |
| | 210 | | 0 |
| | 100.00% | | |
| Actionable Notifications | 210 | | |